

TECHNICAL PUBLICATION SJ 86-4
RAINFALL ANALYSIS FOR NORTHEAST FLORIDA
PART II: SUMMARY OF MONTHLY
AND ANNUAL RAINFALL DATA

By

S. Abe Jenab, Ph.D., P.E.
Donthamsetti V. Rao, Ph.D., P.E.
David Clapp

Division of Engineering
Department of Water Resources

St. Johns River Water Management District
Palatka, Florida

July 1986

Project No. 15/20 200 22

TABLE OF CONTENTS

	PAGE
LIST OF FIGURES	ii
LIST OF TABLES	iii
INTRODUCTION	1
BASIC DATA	4
DATA PREPARATION	4
Estimating Missing Data	5
PRESENTATION OF HISTORICAL RAINFALL DATA	8

LIST OF FIGURES

	PAGE
1. State of Florida Water Management Districts	2
2. Rain Gage Stations Used in this Report	7
3. Annual Normal Rainfall	9

LIST OF TABLES

PAGE

1. Rain Gage Stations in Northeast Florida Used in This Report	6
2. Monthly and Annual Rainfall Data for Avon Park	10
3. Monthly and Annual Rainfall Data for Bartow	12
4. Monthly and Annual Rainfall Data for Bithlo	15
5. Monthly and Annual Rainfall Data for Bushnell	16
6. Monthly and Annual Rainfall Data for Clermont	17
7. Monthly and Annual Rainfall Data for Crescent City	20
8. Monthly and Annual Rainfall Data for Daytona Beach	23
9. Monthly and Annual Rainfall Data for DeLand	25
10. Monthly and Annual Rainfall Data for Federal Point	27
11. Monthly and Annual Rainfall Data for Fellsmere	30
12. Monthly and Annual Rainfall Data for Fernandina Beach	32
13. Monthly and Annual Rainfall Data for Fort Drum	34
14. Monthly and Annual Rainfall Data for Fort Pierce	36
15. Monthly and Annual Rainfall Data for Gainesville	38
16. Monthly and Annual Rainfall Data for Glen St. Mary	41
17. Monthly and Annual Rainfall Data for Hart Lake	44
18. Monthly and Annual Rainfall Data for High Springs	45
19. Monthly and Annual Rainfall Data for Hilliard	46
20. Monthly and Annual Rainfall Data for Inverness	48
21. Monthly and Annual Rainfall Data for Isleworth	50
22. Monthly and Annual Rainfall Data for Jacksonville Airport	52
23. Monthly and Annual Rainfall Data for Jacksonville Beach	55
24. Monthly and Annual Rainfall Data for Kissimmee	56
25. Monthly and Annual Rainfall Data for Lake Alfred	59
26. Monthly and Annual Rainfall Data for Lake City	61
27. Monthly and Annual Rainfall Data for Lakeland	64
28. Monthly and Annual Rainfall Data for Lisbon	66
29. Monthly and Annual Rainfall Data for Lynne	69
30. Monthly and Annual Rainfall Data for Marineland	71
31. Monthly and Annual Rainfall Data for Melbourne	73
32. Monthly and Annual Rainfall Data for Mountain Lake	75
33. Monthly and Annual Rainfall Data for Nittaw	77
34. Monthly and Annual Rainfall Data for Ocala	79
35. Monthly and Annual Rainfall Data for Okeechobee	82
36. Monthly and Annual Rainfall Data for Orlando	84
37. Monthly and Annual Rainfall Data for Palatka	87
38. Monthly and Annual Rainfall Data for St. Augustine	89
39. Monthly and Annual Rainfall Data for Sanford	92
40. Monthly and Annual Rainfall Data for Starke	94
41. Monthly and Annual Rainfall Data for Titusville	96
42. Monthly and Annual Rainfall Data for Usher Tower	99
43. Monthly and Annual Rainfall Data for Vero Beach	100
44. Monthly and Annual Rainfall Data for Winter Haven	102
45. Summary of Long-Term <u>Mean</u> Rainfall in Northeast Florida	104
46. Summary of <u>Normal</u> Rainfall in Northeast Florida	106

INTRODUCTION

Rainfall data is an essential element of basic data input to many hydrologic and engineering studies. Peak rainfall data are used in designing stormwater management systems and in determining the flooding potential of various storm events. Daily or hourly data are required in continuous hydrologic simulation procedures. Monthly and seasonal data are used in determining supplementary irrigation water requirements, and in engineering studies related to storage analyses, water supply, and reservoir management.

The St. Johns River Water Management District (Figure 1) is responsible for management of the water resources of the District, which includes all or parts of nineteen counties in Northeast Florida. The District makes extensive use of rainfall data in its consumptive use and MSSW (Management and Storage of Surface Waters) permit activities and in its hydrologic and engineering studies related to surface water basin management plans. For example, in the District's consumptive use program, agricultural withdrawals are permitted based on certain monthly and/or seasonal drought conditions. With regard to the management and storage of surface waters permitting program, when certain thresholds are exceeded, various developments are required to satisfy certain conditions based on the 10- and 25-year maximum storm discharges and the 100-year flood elevation.

This project, "Rainfall Analysis for Northeast Florida," has been undertaken to fulfill the needs of the District and to provide the same information to the interested organizations and individuals. The project objective is the production of a series of reports, each report based on the collection and detailed analyses of rainfall data and directed at a specific hydrologic/engineering study goal. The series consists of six reports.




Figure 1

State of Florida Water Management Districts

They are: (1) 24-Hour to Ten-Day Maximum Rainfall Data; (2) Summary of Monthly and Annual Rainfall Data; (3) Seasonal Rainfall Data; (4) Frequency Analysis of Summer and Winter Rainfalls; (5) Frequency Analysis of Wet Season and Dry Season Rainfalls; and (6) 24-Hour to 96-Hour Maximum Rainfall for Return Periods 10 years, 25 years, and 100 years. The first three reports present basic rainfall data of specific nature, and the final three reports include the results of specific analyses. This report is Part II of the series.

BASIC DATA

The main sources of rainfall data for Northeast Florida are the publications of the National Oceanic and Atmospheric Administration, NOAA {formerly the U. S. Weather Bureau (through 1965) and the Environmental Science Services Administration (1965-1970)}. The rainfall recording program in Northeast Florida was initiated in the later half of the 1800s. The monthly bulletins titled Climatological Data provide daily precipitation data. Hourly rainfall data are published in Hydrologic Bulletin (1940-1948), Climatological Data (1948-1951), and since 1951 in the monthly publications titled, Hourly Precipitation Data.

State and local agencies including the St. Johns River Water Management District (SJRWMD) and some other organizations also maintain rain gage stations. However, for this project, only the NOAA rain gage stations are used. Data collected by the SJRWMD and other organizations is used to estimate missing data or to extend discontinued stations. Monthly rainfall data are readily available (in summary form) in the Weather Bureau publications entitled Climatic Summary of the United States, and the Annual Summaries of Climatological Data. Data for this report are compiled from these publications.

DATA PREPARATION

This report provides a compilation of monthly and annual rainfall data for the long-term gaging stations located within and close to the St. Johns River Water Management District. This data will be subsequently used in

other analyses, e.g., computing seasonal rainfall data, conducting frequency analyses of maximum and minimum seasonal rainfall, etc.

Rainfall records are available at a large number of gaging stations located throughout the region. However, several of these stations have ceased operation. In some instances it was observed that, even though a station was discontinued, a new station was established at a nearby location in the same city, i.e., the station location was moved by a small distance. In some cities, multiple stations were operated concurrently. Thus, for evaluating regionwide rainfalls, it may not be meaningful to treat each available station individually. Instead, 43 rain gage stations have been identified as Principal Stations (Table 1, Figure 2). A principal station is either current or the most recently discontinued station. Where appropriate, data at a principal station is augmented with the data from a nearby discontinued or short-term station which is designated as a supplementary station, i.e., if data is available at a nearby discontinued station prior to the record period of the principal station, the two-stations' data are combined to provide a longer record length for the principal station. Table 1 also shows the names of the supplementary stations.

Estimating Missing Data:

Most stations have short breaks in their (daily data) records either due to instrumental failure or because of the observer's absence. For some of the months with missing data, the NOAA provided estimated values later in their annual summary publications. For this report, other missing values were also estimated from the rainfall records at the nearby stations.

Table 1.—Rain gage stations used in this report

<u>PRINCIPAL STATION AND COUNTY</u>	<u>NOAA NUMBER</u>	<u>PERIOD RECORD OF</u>	<u>SUPPLEMENTARY STATIONS</u>
AVON PARK (HIGHLANDS)	0369	(1902-84)	
BARTOW (POLK)	0478	(1887-84)	
BITHLO (ORANGE)	0758	(1947-84)	CHRISTMAS (C)
BUSHNELL 2E. (SUMTER)	1163	(1937-84)	
CLERMONT (LAKE)	1641	(1893-84)	
CRESCENT CITY (PUTNAM)	1978	(1897-84)	
DAYTONA BEACH AIRPORT (VOLUSIA)	2158	(1923-84)	NEW SMYRNA BCH (C)
DELAND (VOLUSIA)	2229	(1909-84)	ORANGE CITY (C)
FEDERAL POINT (PUTNAM)	2915	(1892-84)	
FELLSMERE (INDIAN RIVER)	2936	(1912-84)	
FERNANDINA BCH (NASSAU)	2944	(1902-84)	
FORT DRUM (OKEECHOBEE)	3137	(1943-84)	
FT. PIERCE (ST. LUCIE)	3207	(1901-84)	
GAINESVILLE (ALACHUA)	3321	(1897-84)	GAINESVILLE UNIV. (C)
GLEN ST. MARY (BAKER)	3470	(1896-84)	
HART LAKE (ORANGE)	3840	(1943-78)	
HIGH SPRINGS (ALACHUA)	3956	(1945-84)	
HILLIARD (NASSAU)	3978	(1909-84)	FOLKSTON (C)
INVERNESS (CITRUS)	4289	(1899-84)	
ISLEWORTH (ORANGE)	4332	(1916-82)	WINTER GARDEN
JACKSONVILLE AIRPORT (DUVAL)	4358	(1867-84)	JACKSONVILLE CITY (C)
JACKSONVILLE BCH. (DUVAL)	4366	(1945-84)	
KISSIMMEE (OSCEOLA)	4625	(1892-84)	KISSIMMEE FIELD STATION (C)
LAKE ALFRED EXP. STA. (POLK)	4707	(1925-84)	
LAKE CITY (COLUMBIA)	4731	(1893-84)	
LAKELAND WSO CI (POLK)	4797	(1915-84)	
LISBON (LAKE)	5076	(1891-84)	EUSTIS (C)
LYNNE (MARION)	5237	(1942-84)	
MARINELAND (FLAGLER)	5391	(1942-84)	
MELBOURNE (BREVARD)	5612	(1939-84)	
MOUNTAIN LAKE (POLK)	5973	(1922-84)	
NITTAW (OSCEOLA)	6251	(1943-84)	
OCALA (MARION)	6414	(1891-84)	
OKEECHOBEE (OKEECHOBEE)	6485	(1913-84)	
ORLANDO WSO MCCOY (ORANGE)	6628	(1892-84)	ORLANDO (C)
PALATKA (PUTNAM)	6753	(1923-84)	PALATKA SJRWMD (C)
ST. AUGUSTINE R. TWR (ST. JOHNS)	7826	(1877-84)	ST. AUGUSTINE (C)
SANFORD EXP. STA. (SEMINOLE)	7982	(1913-84)	SANFORD (C)
STARKE (BRADFORD)	8527	(1896-84)	CAMP BLANDING (C)
TITUSVILLE (BREVARD)	8942	(1878-84)	MERRITT ISLAND (C)
USHER TOWER (LEVY)	9120	(1956-84)	
VERO BCH. (INDIAN RIVER)	9219	(1943-84)	VERO BEACH AIRPORT (C)
WINTER HAVEN (POLK)	9707	(1941-84)	

(C) - DATA COMBINED WITH PRINCIPAL STATION DATA




Figure 2

Rain Gage Stations Used in this Report

PRESENTATION OF HISTORICAL RAINFALL DATA

Historical monthly rainfall data and annual totals for the 43 principal stations are presented in Tables 2 through 44. The estimated values are indicated by letter E after the value (* indicates the value estimated by the SJRWMD). Tables 2 through 44 also show the monthly and the annual "normal" and "mean" rainfalls. The "mean" is simply the arithmetic average for the period of record. The "normal" rainfall is the average for 1951-1980. A summary of monthly and annual "mean" rainfalls for all stations is presented in Table 45. Table 46 summarizes the "normal" rainfalls for all stations. Distribution of the annual normal rainfall for Northeast Florida is shown by Figure 3.

ST. JOHNS RIVER
WATER MANAGEMENT DISTRICT




Figure 3 - Annual Normal Rainfall (inches)

Table 2 Monthly and Annual Rainfall Data for Avon Park

YEAR	RAINFALL IN INCHES -			AVON PARK 2W				NOAA NUMBER: 369					
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YRLY
1902	0.27	5.49	3.29	1.44	3.71	5.70	8.68	4.43	9.03	7.77	1.77	2.44	54.02
1903	5.22	5.40	5.85	0.16	1.98	5.63	6.61	4.85	8.84	1.42	4.69	1.40	52.05
1904	4.09	2.73	0.96	2.42	3.82	10.35	7.56	5.96	5.39	11.25	2.90	1.46	58.89
1905	0.60	0.61	3.51	3.01	6.99	4.48	13.70	12.72	5.66	3.86	0.19	10.28	65.61
1906	4.54	3.14	1.96	0.98	4.44	9.36	7.91	9.56	1.28	0.94	0.05	0.18	44.34
1907	0.36	0.30	0.24	1.27	7.72	9.43	8.50	7.08	4.59	3.83	0.97	2.91	47.20
1908	3.14	0.92	0.02	1.73	3.01	5.98	4.92	7.32	10.30	1.62	2.48	1.02	42.46
1909	0.37	2.05	2.03	2.84	6.45	13.24	12.95	13.91	2.42	0.79	0.96	1.58	59.59
1910	0.70	1.98	2.40	0.61	5.48	14.37	9.04	8.32	2.26	12.49	0.31	0.62	58.58
1911	0.55	0.00	1.85	1.92	4.54	6.93	8.01	3.93	2.06	4.79	1.90	2.02	38.50
1912	5.24	1.97	3.04E	0.81E	6.74E	16.91	2.90	4.98	7.93	3.29	1.27	0.74	55.82E
1913	1.72	5.55	4.22	1.86	6.39	8.72	7.47	6.34	4.34	2.83	0.48	2.76	52.68
1914	0.52	3.21	0.78	3.22	1.54E	5.91E	7.94E	8.47E	7.65E	2.77E	2.09	4.32	48.42E
1915	6.73	4.06	1.79	2.86	4.38	4.32	7.11	13.62	6.04	6.05	1.66	2.70	61.32
1916	0.20	0.12	0.26	4.37	3.25	8.83	8.02	8.38	5.36	2.72	2.94	1.87	46.32
1917	0.78	1.14	0.51	1.07	1.78	7.83	4.38	3.73	10.64	4.03	0.64	0.47	37.00
1918	4.09	0.23	2.29	2.64	0.61	5.95	5.77	9.50	8.11	3.82	2.01	1.16	46.18
1919	2.44	4.22	1.62	0.87	6.04	8.46	18.71	6.50	7.01	0.85	1.46	1.51	59.69
1920	1.73	2.44	0.76	7.57	1.58	7.40	13.65	2.03	8.01	2.36	3.67	2.25	53.45
1921	0.65	2.65	0.22	1.12	5.66	3.12	6.84	5.46	3.52	7.19	3.63	0.92	40.98
1922	2.17	2.62	0.83	0.14	8.56	6.87	6.67	7.47	7.54	9.35	1.52	1.37	55.11
1923	0.92	1.37	1.09	2.44	11.61	9.04	7.63	12.68	4.63	2.28	0.41	0.44	54.54
1924	3.53	3.48	4.18	1.32	1.71	7.47	12.17	7.94	3.40	6.52	0.17	0.11	52.00
1925	3.17	3.22	1.08	0.45	4.79	8.37	5.71	13.29	1.25	2.83	2.35	6.14	52.65
1926	3.76	0.88	2.93	5.93	6.45	11.31	8.32	10.28	11.77	1.18	1.94	0.21	64.96
1927	0.10	1.87	2.29	1.52	0.31	8.59	5.39	5.93	3.98	3.80	0.39	1.71	35.88
1928	0.26	1.14	3.12	3.66	3.51	6.90	13.01	9.66	10.64	2.05	1.03	0.35	55.33
1929	1.70	1.34	1.35	2.78	5.62	8.42	5.61	10.55	11.59	2.40	0.56	2.29	54.21
1930	4.00	4.17	6.59	3.95	7.55	11.37	4.49	7.06	18.22	2.42	1.25	4.13	75.20
1931	3.92	2.36	3.75	5.25	6.10	3.74	8.15	6.37	7.84	2.98	0.18	1.47	52.11
1932	0.63	0.14	1.99	2.08	5.95	9.29	4.68	2.80	4.06	4.50	2.48	0.07	38.67
1933	1.97	2.35	1.70	5.90	3.66	4.77	13.78	4.20E*	11.71	1.94	3.47	0.27	55.72E
1934	1.22	2.80	3.58	4.32	7.15	10.94	4.13	2.73E*	3.17	0.11	0.93	1.00	42.08E
1935	0.41	1.15	0.81	6.03	2.87	6.87	6.14E*	9.93	11.35	2.99	1.05	2.30	51.99E
1936	5.13	8.35	5.52	1.67	2.59	10.87	0.32E*	7.99	9.99	3.87	1.07	2.14	59.51E
1937	2.63	5.13	3.31	4.06	1.65	1.11E*	5.29	6.27	6.47	6.47	5.44	0.87	48.70E
1938	1.44	1.43	1.45	0.42	3.43	4.64	8.13	4.24	2.81	6.44	2.50	0.19	37.12
1939	1.52	1.20	1.34	4.66	5.85	7.91	8.22	19.85	6.22	4.63	0.50	0.61	62.51
1940	3.83	3.66	3.58	1.54	5.30	8.43	11.76	4.02	9.94	0.68	0.10	4.43	57.27
1941	4.01	3.02	2.92	4.73	1.04	9.52	15.20	3.11	4.89	2.62	2.49	1.98	55.53
1942	4.48	4.72	3.86	2.67	6.43	8.52	8.76	5.19	5.37	0.13	0.00	3.54	53.67
1943	1.21	0.46	4.94	1.69	8.83	5.76	7.86	10.02	3.98	4.35	1.32	0.59	51.01
1944	1.54	0.79E	4.25E	5.73	2.07	7.89	11.17	6.42	3.39	4.45	0.26	0.51	48.47E
1945	1.95	0.03	0.40	1.61	2.45	14.09	14.48	2.79	8.43	5.94	0.49	2.00	54.66
1946	1.14	2.11	1.08	0.20	6.03	8.02	9.88	6.04	8.09	4.74	2.06	1.31	50.70

Table 2 Continued

YEAR	RAINFALL IN INCHES -						NOAA NUMBER: 369						
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YRLY
1947	1.92	3.82	6.18	4.65	3.57	12.77	10.50	9.30	14.31	2.97	2.65	1.65	74.29
1948	4.03	0.51	0.83	6.00	2.34	4.39	18.99	6.72	16.10	6.99	1.99	1.50	70.39
1949	0.13	0.08	0.92	3.30	2.66	6.74	6.48	16.12	8.18	0.70	1.79	0.41	47.51
1950	0.00	0.66	1.46	3.15	2.42	2.08	3.38	5.90	7.83	7.56	0.32	1.79	36.55
1951	0.22	2.57	0.64	10.35	0.33	6.88	5.30	8.72	3.99	4.12	2.66E *	0.90	46.68E
1952	1.30	4.61	5.49	0.97	5.48	7.38	7.23	8.46	5.42	6.80	1.60	1.15	55.89
1953	3.27	2.58	6.90	7.45	0.83	13.16	5.52	11.00	12.71	6.82	7.44	2.40	80.08
1954	1.78	1.96	1.62	4.71	3.12	18.95	4.73	6.31	6.20	1.60	1.60	1.97	54.55
1955	2.73	1.06	1.67	1.31	1.62	5.27	6.65	1.86	8.93	2.46	0.56	0.74	34.86
1956	0.26	0.94	1.54	2.23	1.95	9.13	4.76	10.95	6.76	7.78	0.22	0.22	46.74
1957	2.14	5.10	4.77	6.07	10.91	9.37	12.74	6.99	7.08	1.45	1.30	2.12	70.04
1958	8.33	3.50	5.55	3.43	4.16	6.77	4.45	6.31	4.97	2.75	0.91	3.96	55.09
1959	1.23	3.60	7.35	3.06	6.47	15.17	7.03	8.20	12.06	11.26	1.73	2.47	79.63
1960	0.55	6.54	5.52	3.00	2.28	7.06	13.67	8.07	12.32	3.06	0.28	1.02	63.37
1961	2.30	3.22	3.02	2.06	4.18	9.56	4.09	4.77	2.86	2.11	0.58	0.78	39.53
1962	1.62	1.53	3.38	3.30	1.21	10.80	2.96	8.42	7.07	1.23	2.68	1.42	45.62
1963	2.35	6.13	1.22	0.81	13.06	7.28	7.24	6.29	10.10	0.45	5.28	3.59	63.80
1964	2.97	4.58	3.81	2.28	3.24	6.08	9.44	5.28	7.31	0.61	0.77	1.08	47.45
1965	1.08	4.37	6.85	2.91	1.44	9.53	13.66	4.75	7.67	4.26	1.19	2.39	60.10
1966	5.95	6.05	0.77	2.98	5.08	9.68	8.27	8.98	7.85	2.02	0.15	1.36	59.14
1967	0.65	2.81	0.51	0.00	0.31E	9.33E	9.74	9.94	7.15	0.86	0.36	2.42	44.08E
1968	0.58	1.91	1.29	0.43	8.73	16.73	8.19	6.32	4.40	3.94	2.73	0.35	55.60
1969	1.89	1.80	6.89	0.97	1.86	11.92	5.34	8.88	7.84	7.91	1.64	4.35	61.29
1970	2.99	2.03	5.23	0.22	3.92	4.51	14.93	5.33	5.84	2.25	0.54	1.06	48.85
1971	0.22	2.52	0.95	0.49	2.34	6.22	5.59	8.29	6.17	7.11	0.63	1.92	42.45
1972	0.93	3.47	3.74	2.24	4.75	8.30	9.67	7.23	0.36	1.98	4.95	2.80	50.42
1973	6.12E	1.57	3.06	5.61E	2.06E	3.64	8.50E	10.71	7.59E	4.20E	0.80	1.65E	55.51E
1974	0.54E	1.26	0.21E	1.19E	5.03E	20.14	9.64	3.53	3.22	0.36	0.23	2.20	47.55E
1975	0.50	1.93	1.98	0.23	5.30	5.45	5.90	8.52	9.14	6.23	0.49	0.28	45.95
1976	0.51	0.54	2.46	1.59	6.20	7.66	8.84	7.80	6.29	2.08	1.81	1.91	47.69
1977	2.69	1.66	0.46	0.26	3.99	4.95	8.27	4.38	4.03	1.62	4.39	2.61	39.31
1978	2.96	4.32	2.29	0.13	5.17	10.05	13.36	4.13	2.02	1.42	0.49	3.23	49.57
1979	6.53	1.12	2.44	1.87	7.76	10.17	4.05	4.92	13.37	1.18	1.23	1.58	56.22
1980	2.42	3.46	1.80	5.41	3.15	5.09	4.60	6.55	3.88	4.19	2.68	1.09	44.32
1981	0.57	4.16	2.13	0.17	2.21	7.56	6.57	6.49	8.01	0.61	1.03	0.55	40.06
1982	1.94	1.83	4.74E	3.07	6.90	15.04	9.68	11.07	7.95	1.32	2.69	1.14	67.37E
1983	3.60	9.66	5.67	3.09	1.97	8.29	7.37	6.99	4.51	5.58	2.23	4.33	63.29
1984	0.79	2.83	2.83	2.26	8.74	2.26	6.17	6.58	4.31	0.37	3.57	0.34	41.05
MEAN	2.18	2.65	2.70	2.66	4.39	8.42	8.21	7.41	6.95	3.67	1.67	1.80	52.71
NORM	2.25	2.96	3.11	2.59	4.20	9.21	7.81	7.06	6.82	3.47	1.73	1.83	53.04

E - Estimated by NOAA

E* - Estimated by SJRWMD

Table 3 Monthly and Annual Rainfall Data for Bartow

YEAR	RAINFALL IN INCHES - BARTOW												NOAA NUMBER: 478
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1887	2.60	0.40	1.20	1.30	3.45	12.90	4.20	3.25	2.80	4.65	1.75	2.95	41.45
1888	0.15	3.95	2.70	0.35	6.05	3.75	4.45	5.60	9.90	3.20	4.25	6.70	51.05
1889	7.45	4.20	1.20	1.40	1.40	6.55	4.50	5.90	5.65	0.15	0.20	0.00	38.60
1890	0.00	0.65	1.20	0.35	4.85	4.95	6.75	4.60	21.15	3.00	3.90	1.70	53.10
1891	0.70	0.80	3.60	2.25	1.65	3.60	7.00	5.95	17.10	6.35	0.50	0.30	49.80
1892	0.95	1.50	0.70	0.45	2.42	10.37	2.35	8.97	9.01	5.24	0.71	1.48	44.15
1893	1.27	2.43	2.74	0.98	7.98	10.16	4.71	10.42	6.74	4.07	2.97	1.66	56.13
1894	1.32	1.79	1.00	0.40	2.13	14.39	5.46	10.13	16.81	3.95	2.18	0.94	60.50
1895	1.82	3.96	1.37	6.12	5.20	3.79	4.90	8.41	4.25	2.26	2.42	1.21	45.71
1896	2.52	2.55	1.56	0.00	2.83	9.76	7.39	4.49	5.31	1.38	0.97	2.11	40.87
1897	1.15	3.31	0.44	4.07	1.80	7.47	14.55	7.40	11.94	2.66	1.16	2.62	58.57
1898	0.48	0.87	0.66	0.36	2.58	4.27	9.32	8.89	7.88	5.44	2.43	3.04	46.22
1899	5.03	7.30	1.63	4.22	1.01	5.78	8.43	7.58	10.58	6.51	0.58	1.95	60.60
1900	4.72	4.26	6.50	3.83	4.28	10.30	7.22	4.76	4.36	2.40	1.61	6.35	60.59
1901	1.07	3.34	3.56	2.33	2.90	10.84	9.86	12.39	8.87	0.36	1.80	2.01	59.33
1902	0.23	5.70	2.02	2.77	2.18	6.62	3.97	4.97	10.79	7.16	1.48	1.52	49.41
1903	0.64	4.87	6.42	0.60	6.21	10.38	9.16	11.64	10.57	0.97	1.49	0.95	63.90
1904	2.47	4.99	2.14	2.39	1.76	11.76	8.77	6.07	1.76	5.35	3.06	1.23	51.75
1905	0.35	0.64	4.98	3.20	11.16	2.59	10.79	14.62	6.03	1.82	0.57	8.25	65.00
1906	5.40	2.41	1.80	2.62	4.82	11.68	5.07	4.73	3.51	1.78	0.28	0.00	44.10
1907	0.68E	1.23E	0.81	0.00	6.96	4.75	10.24	8.31	5.93	0.39	1.79	3.59	44.68E
1908	5.19	1.40	0.02	1.96	0.36	7.16	4.93	8.92	13.72	1.67	2.44	1.12	48.89
1909	0.94	1.29	5.42	0.79	4.45	8.44	13.31	14.38	4.01	1.92	0.80	2.41	58.16
1910	0.93	2.79	2.19	0.66	2.50	8.97	10.66E	7.87	3.56	3.12	4.75	4.06	52.06E
1911	1.08	0.00	1.02	0.43	2.32	3.64	10.76	7.87	3.56	3.12	4.75	4.06	42.61
1912	6.17	1.99	3.88	1.52	6.23	21.62	7.03	2.45	8.09	4.06	1.70	1.35	66.09
1913	1.33	6.33	6.35	3.72	2.83	6.55	5.81	8.12	4.43	3.07	0.33	3.61	52.48
1914	3.85	3.13	1.32	2.56	1.15	4.44	5.14	9.55	9.20	6.50	1.59	3.88	52.31
1915	6.98	5.32	1.77	2.37	3.09	4.89	8.22	11.84	5.74	5.15	2.68	1.45	59.50
1916	0.56	0.14	1.26	2.88	4.75	5.45	4.78	8.16	4.34	3.10	3.63	1.95	41.00
1917	0.98	1.58	2.98	1.70	2.81	9.77	11.09	9.48	12.35	8.43	0.19	0.41	61.77
1918	3.42	0.74	2.48	3.21	3.56	10.19	5.63	7.11	9.21	2.13	2.52	2.85	53.05
1919	1.84	4.91	6.56	0.34	4.67	7.73	10.16	6.71	3.39	0.77	2.16	2.35	51.59
1920	1.66	3.73	0.54	9.70	3.05	7.01	7.31	10.84	7.95	2.50	2.87	1.87	59.03
1921	0.73	1.89	0.52	0.89	10.35	4.81	6.95	5.65	3.77	6.88	1.24	2.99	46.67
1922	0.92	1.77	0.87	0.04	8.30	5.91	8.10	5.54	11.64	8.18	0.95	2.62	54.84
1923	1.31	0.96	0.80	0.90	17.74	6.59	10.40	7.57	9.43	1.47	0.09	0.52	57.78
1924	3.71	5.76	6.45	3.32	2.96	13.74	16.91	4.24	3.25	10.22	0.13	0.34	71.03
1925	4.74	1.03	1.06	1.51	7.95	8.45	8.46	8.31	4.12	2.02	3.09	5.50	56.24
1926	7.18	2.34	4.22	4.33	2.16	11.26	12.82	5.84	10.13	1.20	3.71	0.38	65.57

Table 3 Continued

YEAR	RAINFALL IN INCHES - BARTOW						NOAA NUMBER: 478						
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YRLY
1927	0.10	2.03	2.66	2.07	1.11	6.64	9.20	5.80	4.58	1.03	0.29	0.92	36.43
1928	0.79	1.36	2.23	4.48	3.07	10.16	10.43	12.83	16.61	1.53	0.04	0.39	63.92
1929	1.42	2.30	1.73	2.33	5.05	12.72	5.94	11.33	12.73	1.80	2.20	1.41	60.96
1930	4.08	4.86	7.72	4.12	11.15	12.76	6.83	3.57	11.29	1.28	1.16	5.14	73.96
1931	2.90	1.35	5.18	5.71	3.87	2.12	5.40	7.40	6.81	2.70	0.02	0.96	44.42
1932	2.43	0.03	3.54	0.61	9.42	11.62	3.55	7.61	10.43	1.59	1.86	0.05	52.74
1933	1.11	2.34	4.32	5.94	5.28	13.47	13.01	2.71	15.77	1.94	1.20	0.08	67.17
1934	1.33	3.79	4.05	6.69	8.81	17.76	9.52	6.54	5.50	0.75	0.57	0.33	65.64
1935	0.48	0.91	1.77	6.14	3.67	7.32	6.33	10.51	10.39	0.54	1.14	3.15	52.35
1936	6.60	9.12	4.27	0.90	2.69	9.33	4.11	2.98	4.98	2.35	2.54	1.86	51.73
1937	0.63	6.41	3.73	6.43	6.23	6.59	10.57	5.74	2.47	4.41	4.71	1.46	59.38
1938	2.22	1.14	2.47	0.17	4.08	5.91	7.79	3.18	8.83	7.40	1.20	0.38	44.77
1939	0.77	0.42	1.07	4.25	6.06	15.78	7.40	11.83	2.94	1.59	0.73	1.37	54.21
1940	4.49	4.17	4.14	2.32	1.64	5.18	9.13	6.44	4.72	0.13	0.15	3.32	45.83
1941	3.41	3.20	2.83	6.89	0.25	7.19	11.78	5.80	4.97	2.40	3.64	3.77	56.13
1942	2.28	4.47	5.28	2.23	6.01	14.35	6.63	6.09	2.35	0.37	0.99	5.25	56.30
1943	1.17	0.90	3.20	1.90	9.22	7.74	11.71	8.99	3.93	2.33	1.83	0.34	53.26
1944	0.86	0.45	8.57	1.45	4.66	6.41	8.82	7.64	3.47	5.92	0.59	0.15	48.99
1945	2.40	0.26	0.05	4.48	1.92	15.03	13.36	5.75	7.97	3.90	1.00	1.96	58.08
1946	1.65	4.31	1.03	1.24	7.40	5.49	9.53	6.60	9.02	2.55	1.11	0.29	50.22
1947	0.61	4.70	8.10	4.22	6.73	10.19	9.43	6.59	14.25	3.39E	3.66	1.71	73.58E
1948	7.79	0.48	3.65	3.92	2.98	1.41	10.87	10.24	10.03	1.76	0.83	2.06	56.02
1949	0.16	0.62	0.69	2.09	0.75	15.00	5.46	14.39	2.89	3.19	1.22	1.80	48.26
1950	0.03	0.33	2.01	1.56	2.03	3.22	7.04	3.02	6.50	7.26	0.06	4.13	37.19
1951	0.33	2.13	2.63	8.40	0.45	8.21	12.72	8.10	5.82	1.05	5.80	1.18	56.82
1952	0.69	5.26	5.74	0.46	6.98	3.70	7.10	7.58	2.98	8.98	2.45	1.62	53.54
1953	2.89	2.68	1.45	4.39	0.87	13.74	4.89	7.63	10.58	3.22	5.97	4.95	63.26
1954	2.53	2.34	1.34	6.12	7.82	5.24	8.85	6.07	2.88	2.59	4.07	1.34	51.19
1955	2.45	0.72	2.93	1.25	0.72	7.20	9.05	7.72	4.34	1.86	1.85	1.32	41.41
1956	0.42	1.09	0.63	4.75	6.74	5.16	6.51	9.73	6.74	3.88	0.45	0.24	46.34
1957	2.73	4.53	4.63	5.29	12.96	6.00	8.61	12.05	10.87	1.52	1.94	2.59	73.72
1958	6.65	4.35	5.39	4.54	4.76	7.04	4.08	10.23	5.61	3.83	1.86	3.48	61.82
1959	3.16	4.31	11.53	5.69	8.69	7.58	10.03	9.97	10.55	9.10	0.73	2.10	83.44
1960	1.38	6.23	8.99	4.19	2.70	6.96	17.58	5.28	15.59	3.71	0.00	1.24	73.85
1961	1.74	3.57	2.52	2.20	4.52	7.51	2.91	11.18	2.41	1.88	0.96	1.75	43.15
1962	1.42	0.90	4.22	1.66	2.96	12.32	6.96	10.67	5.91	1.79	2.51	0.23	51.55
1963	1.89	8.11	2.85	0.38	9.40	8.58	6.60	7.62	8.86	0.20	6.52	2.64	63.65
1964	5.02	5.22	3.40	1.80	3.47	0.73	7.87	4.62	7.16	2.00	1.13	2.89	45.31
1965	2.23	3.48	1.34	2.79	0.02	7.78	10.84	9.39	7.15	1.30	0.24	3.12	49.68
1966	6.02	4.09	2.51	2.10	6.96	6.51	6.27	5.95	4.82	1.69	0.04	1.74	48.70

Table 3 Continued

YEAR	RAINFALL IN INCHES - BARTOW						NOAA NUMBER: 478						
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YRLY
1967	0.93	4.89	0.47	0.00	2.01	6.65	9.33	11.97	4.58	1.18	0.30	2.32	44.63
1968	0.31	1.97	0.93	0.51	5.93	12.48	7.67	6.63	8.01	3.12	3.87	0.42	51.85
1969	3.25	1.50	6.51	1.94	1.74	6.78	9.28	7.41	5.29	5.39	2.41	4.88	56.38
1970	2.88	2.28	7.11	0.46	5.88	6.40	5.94	5.83	7.53	3.25	0.61	0.89	49.06
1971	0.34	4.87	1.61	1.28	3.67	9.68	8.94	8.24	5.08	5.95	1.74	1.04	52.44
1972	1.24	6.16	3.07	1.24	2.61	9.16	3.19	5.60	1.04	3.57	3.18	2.49	42.55
1973	6.13	2.52	6.04	5.27E	2.31	2.41	9.39	6.44	8.76	0.34	1.12	1.66	52.39E
1974	0.25	1.34	1.65	1.40	5.12	11.05	9.71	4.36	5.06	0.31	0.10	2.13	42.48
1975	0.85	4.95	0.73	0.87	9.12	4.92	7.08	6.71	4.56	3.28	1.55	0.65	45.27
1976	2.40	1.60	0.60	2.41	11.04	7.61	8.42	4.90	6.77	0.95	2.03	2.53	51.26
1977	2.68	2.17	0.93	0.40	1.94	8.14	10.55	5.20	7.78	1.76	1.96	4.94	48.45
1978	3.06	4.08	3.22	0.80	8.08	8.20	11.86	5.16	4.84	2.05	0.40	3.60	55.35
1979	6.00	1.03	2.99	1.80	13.05	4.26	5.62	5.59	15.06	1.54	1.66	2.08	60.68
1980	3.77	2.78	1.71	3.41	7.98	3.52	7.59	5.75	3.76	1.56	3.52	0.76	46.11
1981	0.53	3.13	0.82	0.11	2.89	6.49	6.20	13.01	4.46	0.42	2.78	1.88	42.72
1982	1.08	1.65	6.72	3.01	5.63	7.59	7.14	4.72	14.64	3.65	2.02	0.59	58.44
1983	2.17	8.42	7.00	3.59	1.40	7.19	12.86	6.54	6.51	6.48	4.54	11.38	78.08
1984	1.18	3.44	1.54	1.09	3.67	5.76	11.49	7.83	3.38	0.44	1.47	0.28	41.57
MEAN	2.29	2.92	3.04	2.56	4.72	8.05	8.21	7.54	7.40	3.07	1.84	2.18	53.82
NORM	2.52	3.37	3.32	2.59	5.35	7.18	8.18	7.45	6.68	2.76	2.03	2.09	53.52

E - Estimated by NOAA

Table 4 Monthly and Annual Rainfall Data for Bithlo

YEAR	RAINFALL IN INCHES - BITHLO + CHRISTMAS												NOAA NUMBER: 758 + 1565
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1947	1.19	4.93	4.56	5.82	3.05	11.15E	7.36	3.95	10.91	4.45	2.16E	0.70	60.23E
1948	6.15	0.78	2.95	2.52	0.96E	5.08	9.80	11.04	13.12	2.39	0.85	1.29	56.93E
1949	0.30E	0.50E*	0.54E*	2.76	2.57	11.25	6.20	7.95	12.44	4.52	0.70	4.16	53.89E
1950	0.09	0.82	2.56	3.62	2.31	2.15	3.15	8.17	5.22	12.44	0.50	3.99	45.02
1951	0.45	2.31	0.93	4.09	1.80	8.90E*	7.72	7.26	7.46	3.29	3.75	2.52	50.48E
1952	0.61	5.45	5.19	2.15	3.93	2.74	4.82	9.05	8.57	10.21	1.15	0.77	54.64
1953	1.30	2.77	5.37	7.28	0.71	3.38	7.07	15.87	8.71	5.49	4.19	3.25	65.39
1954	0.81E*	1.24	1.42	2.43	3.72	8.81	6.58	4.09	4.20	5.14	4.00	1.48	43.92E
1955	1.97	1.25	1.90	2.10	6.29	4.09	5.82	5.31	7.15	3.70	2.02	2.60	44.20
1956	1.68	0.69	0.05	4.14	1.22	3.00	4.32	5.75	7.54	13.37	1.20	0.19	43.15
1957	0.77	2.72	4.33	3.43	8.96	4.52E*	6.03	7.96	10.73	1.49	0.74E*	2.53	54.21E
1958	4.16	3.69	6.29	3.54	2.60	4.27E*	6.77E*	5.93	1.63	6.27	2.25	2.96	50.36E
1959	3.65	4.18	8.00	4.07	3.03	9.60	5.92	5.47	8.50	5.62	1.20	2.06	61.30
1960	1.08	4.22	13.23	1.19	1.55	11.34	18.87	5.68	12.10	2.85	0.25	0.68	73.04
1961	2.02	2.25	1.73	0.25	2.23	5.99	4.37	11.65	13.00	1.40	1.26	1.43	47.58
1962	1.23	2.43	3.06	1.60	0.36	3.40	6.51	12.01	8.28	1.51	2.42	1.38	44.19
1963	2.22	3.61	4.42	0.76	7.30	10.77	2.15	9.03	9.77	0.24	9.06	2.44	61.77
1964	5.16	3.12	2.60	2.80	3.77	8.92	11.67	14.00	7.02	2.33	0.37	0.98	62.74
1965	1.68	4.34	3.62	0.74	0.09	4.05	12.56	10.61	4.63	4.10	0.00	3.92	50.34
1966	4.47	5.90	2.45	1.74	5.66	10.01	7.09	3.42	15.02	1.70	0.44	0.53	58.43
1967	1.51	4.88	1.08	0.00	0.94	11.60	8.42	10.06	6.58	1.41	0.00	2.86	49.34
1968	0.70	2.77	2.29	0.42	6.07	16.98	9.62	8.91	2.80	9.25	2.56	0.55	62.92
1969	1.34	2.79	4.57	0.50	2.00	5.06	5.74	9.04	8.39	8.80	0.90	6.11	55.24
1970	3.65	3.84	4.00	0.73	2.88	5.31	1.43	7.63	2.36	2.61	0.24	1.75	36.43
1971	0.34	4.55	2.41E	1.11	2.80	6.68E	9.42	6.86	3.87	11.54	1.10	2.24	52.92E
1972	0.89	4.12	5.23	1.99	4.85	4.37	6.75	8.31	0.89	1.91	6.40	1.75	47.46
1973	4.85	2.91	2.42	2.96E	3.09	4.42	7.86	9.48	5.91	2.83	0.48	3.13	50.34E
1974	0.30	1.08	3.55	1.56	4.11	17.23	10.10	5.82	6.83	1.50	0.25	1.87	54.20
1975	0.81E	0.88E	1.62	1.25	5.14	7.74	4.48E	9.49	10.19	2.32E	1.33E	0.30	45.55E
1976	0.44E	0.40	1.15E	3.40	12.61	6.38	7.54	8.70	4.98	2.01E	3.05	2.81	53.47E
1977	2.06E	2.47	1.05	0.55	1.20	4.04	13.48	9.46	3.65	1.72	1.66	4.14E	45.48E
1978	2.29E	5.84	1.67	0.66	3.12	7.32	13.13	3.21	4.51	2.97	0.00	4.04	48.76E
1979	6.50	2.47	2.05E	1.10	8.56	4.55	5.91	5.07	13.46	0.60	1.67E	0.10E	52.04E
1980	1.90E	2.04	0.45E	2.11	4.48E	4.12	6.65	5.01	4.70E	2.62	4.83	0.82	39.73E
1981	0.00E	3.47E	2.53E	0.00	2.10	7.33	3.06	8.79	6.73	2.89	3.57	2.55	43.02E
1982	1.42	1.58	3.03	8.19	6.26	10.23	8.91	3.81	6.42	2.43	2.49	1.11	55.88
1983	1.78	7.62	5.27	4.67	3.09	11.38	8.44	7.90	4.15	6.23	1.55	6.19E	68.27E
1984	2.01	3.48	1.11	6.71	8.34	5.16	5.19	9.16	4.28	0.43	2.74	0.44	49.05
MEAN	1.94	3.01	3.18	2.50	3.78	7.19	7.39	7.92	7.28	4.12	1.93	2.17	52.41
NORM	2.03	3.04	3.27	2.02	3.84	6.99	7.63	8.00	7.11	4.03	1.96	2.07	51.99

E - Estimated by NOAA

E* - Estimated by SJRWMD

Table 5 Monthly and Annual Rainfall Data for Bushnell

YEAR	RAINFALL IN INCHES -						NOAA NUMBER: 1163						
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YRLY
1937	1.08	5.20	4.04	2.74	3.83	4.21	9.49	7.22	3.09	4.26	7.63	0.78	53.57
1938	2.38	0.75	0.36	0.70	2.09	14.19	7.50	4.04	10.03	4.05	0.68	0.16	46.93
1939	1.53	0.32	0.04	3.04	2.34	7.67	12.82	8.44	5.71	0.74	0.15	1.58	44.38
1940	1.61	3.46	1.70	1.78	2.16	10.46	8.51	6.00	5.58	0.00	0.12	4.35	45.73
1941	3.85	2.79	3.82	6.77	1.14E	8.98E	10.97E	3.38E	3.43	3.49	3.65	0.94	53.21E
1942	1.17	2.36	6.38E	1.87E	3.21E	11.98E	5.71E	4.90	4.53	0.03	0.11	2.19	44.44E
1943	0.55	0.33	6.15	6.85	7.40	11.66	7.47	7.53	6.40	1.90	0.34	0.15	56.73
1944	3.11	0.83	5.55	3.40	3.33	6.92	6.99	9.13	4.67	8.77	0.59	0.47	53.76
1945	2.82	0.36	0.39	1.50	1.14	15.77	18.18	6.54	7.20	1.91	0.29	4.13	60.23
1946	2.97	5.42	2.80	2.00	4.94	8.48	9.86	5.24	6.31	3.41	0.65	0.40	52.48
1947	0.45	5.53	6.41	6.50	5.52	3.89	7.49	7.78	7.07	5.88	2.29	1.26	60.07
1948	6.10	0.37	4.89	2.81	0.20	1.48	15.11	11.40	6.17	4.44	1.79	3.30	58.06
1949	0.73	1.10	0.27	6.60	2.11	10.85	7.73	15.12	12.56	2.71	0.37	1.42	61.57
1950	0.03	0.40	3.22	3.46	7.54	2.64	5.47	4.51	16.88	5.60	0.14	3.80	53.69
1951	1.31	1.91	2.65	4.83	0.71	5.04	7.54	6.27	9.01	0.78	3.60	1.75	45.40
1952	0.59	6.90	6.69	1.67	5.07	7.28	7.18	4.87	10.27	6.39	0.46	0.50	57.87
1953	2.63	2.04	2.87E	5.61	0.21	6.39	9.57	9.97	10.25	1.99	3.28	5.34	60.15E
1954	0.88	1.09	1.58	2.71	3.62	1.84	10.04	6.81	2.38	2.13	1.87	0.70	35.65
1955	2.34	2.66	4.43	2.56	2.40	8.25	6.47	5.21	2.59	2.03	3.57	0.23	42.74
1956	3.45	2.13	0.23	2.50	2.89	1.97	7.32	6.17	1.93	6.42	0.10	0.49	35.60
1957	0.87	2.17	6.35	3.95	9.75	9.98	6.93	6.76	6.44	3.03	0.95	5.80	62.98
1958	5.68	5.14	9.28	3.67E	2.95	3.01	11.12	6.82	1.04	4.57	0.97	4.09	58.34E
1959	4.29	3.27	13.75	5.84	4.11	7.52	13.87	5.63	5.65	5.96	0.84	1.54	72.27
1960	1.70	5.91	14.38	4.84	1.88	8.59	13.95	6.11	14.07	3.31	0.03	2.34	77.11
1961	2.00	2.42	0.82	1.38	2.02	4.80	9.01	8.97	1.54	1.11	3.78	2.13	39.98
1962	1.80	4.16	2.04	0.92	6.59	5.83	5.76	6.02	7.41	1.20	1.17	1.31	44.21
1963	3.04	6.30	1.24	2.87	3.00	4.11	7.26	3.20	5.24	0.24	5.05	2.10	43.65
1964	6.46	4.66	4.91	0.92	4.09	4.82	8.77	4.00	14.53	0.93	0.69	5.35	60.13
1965	2.02	3.94	2.36	0.86	0.54	7.71	12.49	10.46	4.31	1.65	0.73	1.30	48.37
1966	3.78	6.31	0.12	3.41	7.57	11.69	8.66	7.09	8.11	0.61	0.17	0.69	58.21
1967	1.82	4.13	1.22	0.00	2.22	9.10	12.85	12.70	5.36	0.63	0.18	2.78	52.99
1968	0.76	1.54	2.94	0.32	8.09	9.83	5.66	10.28	2.57	5.29	3.23	2.72	53.23
1969	2.14	4.51	6.67	1.93	2.07	5.51	6.10	9.93	6.11	7.42	3.21	5.63	61.23
1970	4.47	5.70	4.63	0.21	2.94	3.03	3.81	8.54	4.17	2.92	0.84	0.48	41.74
1971	4.17	6.42	1.60	2.79	2.94	4.99	5.08	8.91	7.95	5.54	0.99	1.93	53.31
1972	2.52	6.34	8.66	0.12	5.82	6.05	3.89	7.40	3.37	1.70	5.96	2.95	54.78
1973	6.32	4.89	4.32	4.72	3.75	4.34	3.88	5.09	4.24	0.19	2.89	6.55	51.18
1974	0.24	2.35	5.07	0.37	6.29	16.85	5.02	8.31	4.84	0.18	0.30	1.33	51.15
1975	1.89	3.05	2.42	1.03	4.70	4.72E	7.02E	8.99	4.88	5.15	1.90	0.65	46.40E
1976	2.46	0.62	1.17	3.40	11.49	7.47	3.29	3.32	4.81	1.08	2.20	2.31	43.62
1977	3.86	2.80	2.05	0.25	2.13	1.98	10.21	7.50	7.50	0.28	2.02	3.44	44.02
1978	3.92	4.88	2.51	0.37	5.78	2.87	7.53	5.56	5.81	1.11	0.02	3.54	43.90
1979	6.00	2.40	2.86	3.22	6.81	2.52	3.60	7.35	10.28	0.56	1.48	0.80	47.88
1980	3.04	1.10	3.72	3.51	5.73	4.75	4.62	7.77E	4.93	2.47	5.17	0.31	47.12E
1981	0.59	4.07	2.61	0.00	1.83	7.88	5.59	11.46	4.48	1.70	1.70	4.35E	46.26E
1982	4.20	8.55	9.97	5.48	5.45	11.43	5.27	7.46	8.49	2.50	1.10	0.52	70.42
1983	2.85	6.42	7.57	8.45	0.65	4.00	6.95	8.25E	5.96	1.13	2.26	7.39	61.88E
1984	1.80	4.07	2.11	3.58	5.21	6.99	11.30	4.17	1.44	0.09	1.61	0.00	42.3/
MEAN	2.59	3.42	4.00	2.88	3.92	6.92	8.14	7.26	6.28	2.70	1.73	2.26	52.10
NORM	2.88	3.72	4.12	2.36	4.27	6.09	7.62	7.20	6.05	2.56	1.92	2.37	51.1/

E - Estimated by NOAA

Table 6 Monthly and Annual Rainfall Data for Clermont

YEAR	RAINFALL IN INCHES -					CLERMONT					NOAA NUMBER: 1641		
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YRLY
1893	1.47	4.87	4.79	0.68	4.91	8.74	8.68	5.23	4.78	1.72	2.48	5.53	53.88
1894	1.92	1.82	0.59	0.29	1.37	5.90	7.68	10.64	19.78	3.96	1.67	1.22	56.84
1895	4.07	3.06	1.28	5.14	3.73	3.23	7.73	5.36	2.40	2.97	1.53	1.34	41.84
1896	4.77	3.95	1.37	0.10	2.12	7.36	6.17	4.29	3.90	1.05	1.81	1.07	37.96
1897	1.52	5.44	0.45	2.01	0.85	4.05	7.82	7.44	8.48	5.40	1.18	2.52	47.16
1898	0.30	0.81	0.99	0.49	1.29	2.53	7.44	13.48	2.01	5.27	1.30	3.75	39.66
1899	5.27	7.65	0.85	2.66	2.29	5.59	6.63	11.73	6.23E	5.75	0.40	1.35	56.40E
1900	2.33	3.60	2.40	2.25	4.60	10.62	7.45	4.63	3.13	4.63	0.10	5.15	50.89
1901	1.03	2.44	3.20	2.20	5.87	7.51	4.52	7.78	11.20	0.40	0.50	0.73	47.38
1902	1.42	7.29	3.61	1.67	1.00	2.50	4.64	6.47	8.79	3.78	1.38	1.45	44.00
1903	5.79	5.55	4.83	0.02	2.47	8.15	8.04	6.84	6.39	0.95	2.05	0.83	51.91
1904	5.73	2.97	2.13	0.97	1.24	12.73	3.30	7.61	5.00	5.01	2.27	1.23	50.19
1905	0.27	2.40	2.84	2.10	2.88	5.87	5.03	10.91	15.61	0.88	0.03	6.64	55.46
1906	5.57	0.85	2.62	0.50	11.23	9.89	7.61	4.43	2.19	0.86	0.25	0.18	46.18
1907	0.05	0.62	0.00	1.68	5.57	8.40	12.27	5.81	6.59	0.95	0.53	7.28	49.75
1908	2.43	0.92	0.03	11.35	2.05	2.11	3.51	7.48	16.02	1.44	1.68	0.76	49.78
1909	1.60	3.58	0.45	2.53	3.94	12.11	17.01	8.89	2.33	0.20	1.05	0.84	54.53
1910	0.80	3.76	1.76E	0.44	6.45	6.89	10.80	11.95	1.56	13.56	2.28	1.05	61.30E
1911	0.70	0.00	1.43	0.35	2.68	6.24	7.90	7.43	3.11	3.50	4.63	3.96	41.93
1912	7.82	1.16	4.00	2.19	8.25	15.42	5.68	3.85	7.60	4.58	2.50	0.63E	63.68E
1913	1.47	4.92	6.06	2.98	1.33	1.80	4.74	5.46	4.20	2.12	0.20	2.37	37.65
1914	6.74	3.13	0.57	1.69	1.30	2.40	3.37	5.28E	5.05E	4.22E	2.13	2.44	38.32E
1915	1.43	3.59	1.23	1.60	4.99	3.54	12.95	4.70	4.42	9.66	3.60	0.95	52.66
1916	0.52	0.27	0.61	1.67	6.94	4.58	4.55	4.71	4.41	2.64	4.18	3.28	38.36
1917	0.72	1.33	1.31	2.71	3.07	6.25	6.70E	4.47	7.07	2.86	0.50E	0.64	37.63E
1918	2.92	0.24	1.58	6.09	2.69	7.94E	6.10E	5.22	5.70	1.20	4.17	1.78	45.63E
1919	2.72	4.90	4.86	1.74	10.21	5.59	5.09	10.92	2.79	0.93	2.05	4.58	56.38
1920	2.25	4.13	0.60	7.08	5.09	11.25	4.88	9.33	8.73	0.00	1.91	1.93	57.18
1921	1.05	1.11	0.94	1.80	7.68	5.56	5.32	5.36	4.62	7.56	0.97	4.25	46.22
1922	0.71	3.21	0.90	0.23	6.88	4.92	8.07	10.89	6.38	5.51	0.51	1.62	49.83
1923	0.33	0.95	2.43	0.64	12.99	7.02	12.07	10.28	6.41	2.19	0.05	1.16	56.52
1924	1.71	3.45	9.24	2.40	4.71	8.17	7.65	2.74	5.10	9.73	0.24	0.93	56.07
1925	4.49	1.51	1.68	0.39	4.14	8.38	7.13	5.96	2.10	1.17	3.19	6.17	46.31
1926	5.15	1.60	6.17	3.89	0.76	8.91	8.74	10.31	4.53	1.03	2.34	0.47	53.90
1927	0.11	3.75	2.99	1.02	0.51	7.32	5.27	9.68	4.11	2.06	0.59	1.18	38.59
1928	0.69	1.13	2.16	9.40	4.23	3.49	9.17	10.35	12.71	0.58	0.08	0.68	54.67
1929	2.30	0.57	1.70	1.90	4.64	9.65	7.14	8.96	11.69	2.04	2.17	2.56	55.32
1930	2.04	4.07	11.81	2.85	3.67	10.22	7.69	4.26	12.02	3.04	0.55	5.53	67.75
1931	3.05	1.35	7.93	5.44	4.92	1.25	6.95	5.71	3.72	1.06	0.18	2.70	44.26
1932	1.19	0.26	1.98	0.31	3.41	8.82	2.18	8.94	4.41	1.01	5.61	0.04	38.16

Table 6 Continued

YEAR	RAINFALL IN INCHES - CLERMONT						NOAA NUMBER: 1641						
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YRLY
1933	2.67	3.18	4.85	6.24	3.07	7.49	7.03	6.53	18.29	3.13	2.38	0.26	65.12
1934	0.72	4.85	2.53	8.94	6.31	12.93	7.30	3.05	4.33	1.69	1.01	0.77	54.43
1935	0.19	3.82	0.53	5.57	4.49	7.17	10.73	2.89	13.59	2.59	0.14	3.18	54.89
1936	3.41	5.65	4.25	1.42	3.62	8.74	4.98	4.50	3.86	6.55	0.32	1.58	48.88
1937	0.00	5.67	2.69	2.86	4.44	4.39	10.20	9.04	3.92	5.32	3.69	1.12	53.34
1938	0.95	0.29	1.70	0.51	2.97	6.74	12.34	4.00	4.25	2.60	0.55	0.16	37.06
1939	0.96	1.14	1.10	5.15	3.05	11.45	8.57	13.44	3.72	1.03	0.13	1.56	51.30
1940	2.30	3.53	3.67	2.07	1.10	7.02	9.09	5.98	4.57	0.04	0.16	8.30	47.83
1941	5.31	4.76	3.39	5.40	1.09	6.62	9.42	0.97	3.80	3.54	4.46	3.90	52.66
1942	3.03	2.94	7.35	2.73	3.26	10.58	3.48	6.16	3.33	0.39	0.12	3.74	47.11
1943	0.93	0.55	3.90	2.20	3.75	3.53	14.51	9.50	8.12	1.07	0.48	0.66	49.20
1944	2.68	0.27	4.46	2.22	2.46	7.86	16.58	4.50	5.41	9.33	0.34	0.00	56.11
1945	2.76	0.17	0.54	0.59	1.55	16.50	9.85	7.82	8.33	0.57	0.50E	4.02E	53.20E
1946	2.12E	3.88	2.65	1.00	9.09	4.22	9.14	8.06	3.48	1.55	2.83	0.45	48.47E
1947	0.48	4.27	6.67	4.91	2.66	8.04	6.75	6.07	8.90	2.93	1.56	0.91	54.15
1948	5.86	0.33	4.19	2.94	0.65	1.70	13.00	7.60	5.32	2.03	1.32	1.57	46.51
1949	0.25	0.85	0.80	2.67	0.92	10.32	6.80	14.26	3.26	1.87	1.23	2.39	45.62
1950	0.05	0.29	3.85	4.36	4.07	4.28	4.72	6.41	15.42	6.85	0.20	4.29	54.79
1951	0.67	2.98E*	1.35	6.92	2.93	7.06	7.71	4.69	9.42	1.65	4.72	2.00	52.10E
1952	1.06	5.32	4.18	2.25	1.95	3.99	3.60	7.19	4.67	6.02	1.08	0.70	42.01
1953	2.43	2.22	4.53	6.81	1.57	9.26	10.16	12.06	6.56	2.47	3.59	5.21	66.87
1954	0.85	2.12	1.28	1.63	1.27	6.08	8.05	3.11	4.23	3.02	2.30	1.69	35.63
1955	1.93	1.04	1.91	2.49	4.73	6.20	6.53	4.85	4.81	1.84	2.95	0.96	40.24
1956	1.72	1.71	0.15	3.47	7.89	5.22	9.92	4.60	5.10	8.64	0.51	0.29	49.22
1957	1.52	2.12	3.40	5.24	4.99	7.74	10.72	5.35	6.51	0.99	0.58	2.88	52.04
1958	4.29	4.20	7.88	4.74	1.89	5.55	13.13	6.38	2.20	6.52	1.90	3.67	62.35
1959	4.76	4.41	9.47	5.88	4.88	7.81	8.52	5.72	9.68	4.88	0.88	1.20	68.09
1960	1.25	5.47	12.95	5.29	2.50	4.38	12.50	7.09	11.38	2.24	0.14	1.08	66.27
1961	1.38	3.46	0.95	0.79	1.91	5.32	3.71	6.86	1.08	3.00	1.56	2.26	32.28
1962	0.88	2.55	3.56	2.79	1.20	9.00	4.73	5.58	4.82	3.23	1.58	0.41	40.33
1963	3.22	5.64	3.34	1.39	1.87	5.85	7.38	4.50	8.60	0.27	5.62	2.36	50.04
1964	5.91	3.76	6.24	2.11	1.83	5.39	8.36	7.90	8.12	1.22	1.22	3.09	55.15
1965	2.02	3.14	2.76	1.64	0.12	6.94	11.78	7.98	3.68	3.69	1.11	2.95	47.81
1966	4.73	4.46	1.95	2.70	4.96	9.17	3.91	10.32	11.81	1.47	0.19	0.95	56.62
1967	1.27	5.67	0.81	0.01	1.89	6.16	12.62	16.23	6.20	0.26	0.22	2.19	53.53
1968	0.75	2.24	1.36	0.29	4.73	11.54	8.10	9.93	5.28	3.89	3.74	1.54	53.39
1969	1.51	3.06	6.26	2.56	1.45	6.62	7.22	11.36	9.29	6.61	2.11	5.66	63.71
1970	4.64	4.92	4.58	0.61	3.38	7.17	5.76	4.26	7.89	2.69	0.81	1.50	48.21
1971	2.09	3.94	2.43	1.25	4.76	4.78	10.95	7.22	5.17	4.41	1.55	1.22	49.77
1972	1.24	5.26	4.43	2.52	1.70	9.90	3.35	8.14	1.62	2.90	3.41	2.20	46.67

Table 6 Continued

YEAR	RAINFALL IN INCHES - CLERMONT												NOAA NUMBER: 1641
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1973	4.70	1.94	4.49	2.67	4.80	5.38	8.48	7.60	8.92	1.02	1.20	3.74	54.94
1974	0.46	1.20	3.89	0.85	4.77	12.08	7.81	4.76	7.24	0.25	0.27	1.81	45.39
1975	2.58	2.35	0.82	2.66	7.18	5.88	7.23	8.41	6.83	2.14	2.66	1.07	49.81
1976	0.58	0.25	1.11	3.20	4.98	13.71	9.75	9.78	4.91	1.69	3.44	2.56	55.96
1977	2.96	2.05	1.64	0.16	1.03	3.10	8.70	6.70	5.96	1.70	3.12	3.29	40.41
1978	2.62	5.41	2.73	0.90	7.18	10.94	9.73	2.53	2.60	1.48	0.00	4.67	50.79
1979	6.06	1.83	3.47	3.60	8.99	2.89	4.54	9.43	21.14	1.29E	3.32	0.80	67.36E
1980	0.33	1.05	2.32E	3.56	6.24	4.23	7.75	3.92	3.49	1.33	3.32	0.40	37.94E
1981	0.33	4.43	2.96	0.00	1.42	10.38	6.45	9.30	6.87	0.71	3.35	5.81	52.01
1982	2.50	2.21	6.62	4.87	5.19	5.93	7.82	4.87	6.66	5.07	1.86	0.31	53.91
1983	2.43	7.64	7.31	3.24	2.42	8.51	2.92	6.14	4.55	5.67	1.93	4.94	57.70
1984	2.12	3.01	0.92	2.76	5.64	8.64	10.09	9.35	4.13	0.26	1.52	0.31	48.75
MEAN	2.27	2.91	3.15	2.71	3.82	7.12	7.83	7.18	6.53	2.99	1.67	2.25	50.43
NORM	2.35	3.19	3.54	2.70	3.65	6.98	8.09	7.15	6.64	2.76	1.97	2.14	51.16

E - Estimated by NOAA

E* - Estimated by SJRWMD

Table 7 Monthly and Annual Rainfall Data for Crescent City

YEAR	RAINFALL IN INCHES - CRESCENT CITY												NOAA NUMBER: 1978
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1897	1.66	4.17	0.52	4.82	2.38	7.06	8.56	6.85	12.29	4.42	1.78	2.69	57.20
1898	0.91	1.34	0.94	1.33	6.16	2.25	5.44	10.79	2.93	6.25	2.43	2.53	43.30
1899	4.54	4.64	0.99	3.88	0.95	8.17	11.63	8.59	4.84	5.52	0.55	1.41	55.71
1900	2.35	3.67	7.01	2.56	2.98	12.17	5.88	5.35	5.73	3.54	1.04	4.54	56.82
1901	2.19	4.83	3.81	1.02	3.44	7.10	3.39	10.75	11.27	1.27	1.80	2.28	53.15
1902	0.17	4.60	4.08	1.91	0.75	2.66	6.86	3.06	9.28	5.73	3.03	2.55	44.68
1903	6.39	5.08	4.98	0.50	5.52	6.98	2.92	5.20	6.15	1.03	1.45	2.01	48.21
1904	6.32	3.44	1.15	0.80	2.18	4.52	6.65	4.16	5.47E*	5.09	2.63	2.23	44.64E
1905	0.49	3.45	3.97	1.62	3.48	4.67	3.41	16.59	9.05	1.51	1.24	4.61	54.09
1906	3.75	3.11	2.14	2.11	7.94	8.56	13.23	4.89	2.84	6.06	0.40	0.21	55.24
1907	0.38	2.63	1.44	2.62	7.15	4.54	5.78	4.26	7.39	0.94	1.06	5.44	43.63
1908	1.96	2.11	0.40	2.60	0.55	4.14	4.89	7.20	14.10	2.54	2.53	1.12	44.14
1909	0.86	1.62	2.32	0.87	3.61E*	1.75E*	9.05E*	6.37E*	2.63	0.04	1.60	1.18	31.90E
1910	0.99	2.38	1.61	1.00	2.64	6.07E*	6.93E*	10.66E*	2.58E*	13.31E*	3.29E*	1.50E*	52.96E
1911	1.24E*	0.14E*	0.91E*	0.44E*	3.24E*	6.11	6.53	8.14E*	3.89E*	3.28B*	4.40E*	4.31E*	42.63E
1912	6.25E	2.20E	4.25	4.14	7.84	10.05	4.43	6.22	4.48	4.50E	1.60E	2.50E	58.46E
1913	1.00E	4.10E	7.72	2.69	0.91	1.88	4.42	6.65	2.38	2.33	0.33	3.02	37.43E
1914	6.19	7.19	0.99	2.03	2.84	3.96	9.01	3.29	7.14	3.67	1.37	4.07	51.75
1915	4.07	4.06	2.65	0.98	8.14	3.68	9.07	11.02	8.39	10.27	0.78	3.13	66.24
1916	0.64	0.63	0.00	1.04	5.42	11.00	3.69	4.96	3.40	4.18	3.11	5.62	43.69
1917	0.82	1.01	2.25	2.80E	2.73	6.78	8.82	7.68	4.95	1.90	0.54	1.22	41.50E
1918	2.41	0.22	2.54	5.53	2.65	6.64	3.88	8.33	3.55	10.82	2.10	3.05	51.72
1919	1.41	4.04	4.94	1.51	10.88	9.06	12.85	5.94	5.18	1.51	2.25	3.77	63.34
1920	2.47	8.90	0.51	4.00	6.80	10.19	11.75	5.65	8.40	0.07	3.12	3.17	65.03
1921	1.49	1.13	2.74	1.08	4.89	6.06	10.96E*	6.35E*	2.25E*	7.50E*	3.95E*	1.55E*	49.95E
1922	2.00E	2.35	3.21	1.96	7.70	13.45	5.00	3.52	7.66	8.73	0.35	1.97	57.90E
1923	1.26	2.01	3.23	1.80E	18.50	9.43	5.67	4.38	3.69	3.33	0.10	1.47	54.87E
1924	2.25	3.15	10.22	2.31	2.78	8.60	8.29	3.15	4.38	17.12	0.39	0.86	63.50
1925	3.88	1.37	2.28	0.85	3.48	8.29	6.30	4.09	5.22	2.77	1.59	7.56	47.68
1926	5.06	2.04	5.49	6.09	1.94	9.50E	10.75E	6.50E	6.00E	2.25E	3.32	0.72	59.66E
1927	0.38	2.92	0.99	1.12	0.18	7.95	6.10	5.93	2.86	3.10	4.42	1.47	37.42
1928	0.69	1.35	2.27	9.72	4.86	2.23	9.26	5.63	16.35	2.54	0.38	1.93	57.21
1929	3.34	2.44	1.48	3.50	7.73	6.19	14.23	2.79	4.39	1.10	0.31	3.26	50.76
1930	2.66	3.32	9.27	2.44	2.46	16.25	1.95	4.91	9.39	0.74	1.18	6.27	60.84
1931	1.82	1.41	6.19	4.91	4.93	4.16	2.72	8.48	2.85	1.98	0.37	7.44	47.26
1932	0.33	1.64	6.30	0.54	5.84	7.75	1.16	11.09	3.46	1.74	7.46	0.18	47.49
1933	1.67	3.60	2.17	5.76	3.14	3.87	10.84	11.14	7.07	7.84	1.76	0.98	59.84
1934	0.74	4.53	3.70	6.89	7.27	12.41	5.16	7.46	1.97	3.16	0.86	0.46	54.61

Table 7 Continued

YEAR	RAINFALL IN INCHES -						NOAA NUMBER: 1978						
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YRLY
1935	1.23	2.33	0.83	2.82	5.32	6.77	7.39	5.63	7.65	0.74	0.68	1.90	43.29
1936	3.16	7.68	3.66	0.97	3.33	7.59	3.29	4.52	1.56	7.31	1.00	3.40	47.47
1937	3.09	4.82	3.89	6.15	3.76	3.55	6.39	10.32	7.54	4.16	5.76	0.87	60.30
1938	2.14	1.43	1.30	0.64	3.50	7.77	5.50	7.98	2.64	4.78	1.69	0.36	39.73
1939	1.52	1.54	1.01	3.43	2.02	7.76	8.18	9.78	6.47	1.85	0.91	2.10	46.57
1940	2.28	3.26	2.51	1.90	0.83	11.30	9.25	6.03	4.00	0.00	0.25	8.81	50.42
1941	3.91	4.45	2.81	3.96	1.38	12.39	12.48	8.84	7.54	9.86	3.00	4.41	75.03
1942	1.97	3.47	8.61	0.98	1.50	12.55	5.05	5.24	4.06	0.42	0.57	4.69	49.11
1943	0.98	0.52	4.11	3.54	6.11	6.27	10.37	11.25	12.74	1.45	4.12	0.97	62.43
1944	3.09	1.05	6.42	6.64	2.30	9.18	7.45	8.12	4.89	9.03	0.36	0.26	58.79
1945	3.76	0.48	0.51	3.54	1.53	10.17	8.73	10.10	8.49	1.82	0.27	6.10	55.50
1946	1.76	4.66	3.40	2.72	7.93	6.78	5.44	7.13	7.27	1.85	3.86	0.42	53.22
1947	0.49	4.64	5.23	4.05	7.60	6.32	8.96	6.19	13.00	4.75	4.02	1.92	67.17
1948	4.06	1.16	3.29	3.19	2.41	3.72	8.00	5.40	6.52	1.52	1.87	2.93	44.07
1949	0.45	4.14	1.46E*	5.56	0.21	5.00	3.67	10.06	8.58	4.97	1.23	1.40	46.73E
1950	0.00	0.95	3.69	5.62	4.07	1.94	4.83	4.64	9.05	8.74	0.48	2.68	46.69
1951	0.48	2.25E*	2.59	1.75	2.47	3.07	7.71	3.73	14.21	5.83	4.80	3.69	52.58E
1952	0.51	10.95	3.74	2.09	6.17	2.35	4.60	9.74	7.29	4.46	0.38	1.25	53.53
1953	2.60	1.90	5.12	6.21	0.24	3.49	3.24	11.75	15.22	7.97	2.28	7.66	67.68
1954	0.57	3.03	2.27	3.26	2.16	4.52	4.23	2.48	4.45	6.49	2.63	1.88	37.97
1955	2.00	1.38	1.80	3.16	2.25	4.01	9.73	4.73	8.56E	6.97	1.73	1.32	47.64E
1956	2.76	1.84	0.31	3.36	2.79	7.25	6.54	7.10	2.69	6.99	0.18	0.12	41.93
1957	0.88	2.79	2.68	2.15	8.82	6.88	8.12	8.90	3.37	1.97	1.37	1.37	49.30
1958	4.36	5.64E*	6.80E*	3.96E*	4.56E*	5.72E*	8.25	7.64	2.11	9.76	2.90	3.05	64.75E
1959	4.59	2.97	11.38	5.26	7.01	6.36	4.66	3.91	10.51	4.51	1.19	1.73	64.08
1960	2.01	5.97	10.04	1.75	0.59	9.57	19.01	5.57	10.08E	2.83	1.53	1.49	70.44E
1961	2.69	3.59	2.73	2.62	2.55	4.40	5.78	7.91	2.15	1.05	4.54	1.20	41.21
1962	2.13	0.26	2.76	1.68	1.61	7.06	9.17	3.98	3.98	2.56	1.59	2.81	39.59
1963	3.29	5.89	2.36	0.75	2.64	6.05	9.04	4.86	12.44	0.83	5.55	3.03	56.73
1964	6.55	4.92	3.98	5.53	2.31	2.76	12.55	13.60	11.79	2.57	3.20	4.71	74.47
1965	3.25	4.84	3.29	0.40	0.81	9.58	7.38	7.87	5.43	3.56	2.11	2.35	50.87
1966	3.52	6.42	1.66	2.73	6.71	9.09	5.19	10.64	8.81	1.77	0.18	0.99	57.71
1967	2.00	6.90	0.45	0.40	3.06	8.69	9.59	8.15	4.51	0.58	0.03	2.39	46.75
1968	0.67	2.68	2.27	0.27	6.35	9.34	7.60	8.53	5.72	9.36	1.85	1.49	56.13
1969	1.76	2.98	4.44	2.83	2.74	3.93	5.10	12.43	8.91	8.49	3.07	5.83	62.51
1970	4.26	5.33	6.96	2.66	3.06	2.38	7.08	5.85	5.52	1.88	0.22	2.07	47.27
1971	1.83	6.32	2.59	4.59	2.15	6.11	11.27	4.33	5.26	6.69	1.65	3.33	56.12
1972	4.57	3.41	7.25	3.36	4.47	5.33	3.61	10.17	0.85	1.95	7.10E	3.75	55.82E

Table 7 Continued

YEAR	RAINFALL IN INCHES -						NOAA NUMBER: 1978						
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YRLY
1973	5.03	3.92	7.18	3.01	4.79	5.49	3.29	9.13	10.82	2.37	0.54	4.39	59.96
1974	0.28	1.59	4.33	0.38	5.34	11.49	9.76	4.30	6.38	0.69	0.89	1.55	46.98
1975	2.59	1.64	2.01	3.40	2.85	8.00	5.43	5.97	6.31	3.16	2.21	1.82	45.39
1976	3.00	1.12	1.85	3.15	10.46	8.69	5.93	7.04	11.15	1.02	3.10	5.22	61.73
1977	3.81	3.80	0.46	1.12	1.62	4.55	4.64	7.32	6.54	0.33	5.31	6.25	45.75
1978	4.16	4.93	5.41	1.80	1.67	5.86	15.05	2.00	2.59	2.34	0.50	5.12	51.43
1979	5.43	2.96	1.72	4.18	8.86	4.57	3.47	6.81	12.86	0.00	2.50	1.71	55.07
1980	5.48	0.60	4.28	3.51	4.72	5.36	5.70	6.68	2.79	2.72	4.57	0.43	46.84
1981	0.49	4.11	3.38	0.13	0.60	1.70	6.10	10.53	2.25	1.74	4.91	3.18	39.12
1982	2.65	1.46	6.90	8.03	0.79	9.35	8.88	4.38	6.47	4.06	1.13	1.73	55.83
1983	3.39	5.09	6.39	3.95	3.28	10.37	7.27	5.75	4.78	4.30	2.37	5.24	62.18
1984	2.30	3.75	2.58	3.05	4.65	3.48	8.90	6.18	8.58	0.95	1.80	0.15	46.37
MEAN	2.46	3.26	3.50	2.89	4.04	6.73	7.23	7.04	6.51	3.97	2.06	2.75	52.44
NORM	2.90	3.76	3.82	2.71	3.86	6.06	7.42	7.10	7.11	3.72	2.32	2.80	53.58

E - Estimated by NOAA

E* - Estimated by SJRWMD

Table 8 Monthly and Annual Rainfall Data for Daytona Beach

YEAR	RAINFALL IN INCHES - DAYTONA BCH AP NOAA NUMBER: 2158												YRLY
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1923	0.80E	0.93	2.48	1.24	6.58	7.45	5.13	6.77	2.15	5.58	0.09	1.14	40.34E
1924	2.35	3.42	7.34	1.72	3.06	5.22	7.04	3.01	12.79	24.82	1.61	2.33	74.71
1925	2.60	1.77	2.07	0.92	6.01	3.21	5.61	2.39	1.51	2.41	1.45	6.80	36.75
1926	4.40	1.45	4.07	4.32	1.23	12.62	11.73	3.59	3.19	2.67	3.22	0.84	53.33
1927	0.59	2.09	1.36	0.89	0.40	9.08	3.68	3.19	2.82	4.15	2.16	1.10	31.51
1928	0.98	1.44	3.08	4.35	5.94	5.26	4.99	3.53	7.34	3.17	0.21	0.80	41.09
1929	0.39	0.60	1.27	3.48	3.22	1.66	6.30	3.81	6.61	2.00	0.72	2.86	32.92
1930	2.13	2.55	8.17	1.87	2.85	15.44	2.05	2.80	5.66	2.56	2.04	6.58	54.70
1931	3.87	1.01	2.66	7.46	3.50	1.68	5.67	8.72	5.26	0.83	0.59	2.50	43.75
1932	1.53	0.71	2.81	0.38	6.77	10.00	1.64	5.52	3.57	4.14	9.58	0.14	46.79
1933	3.45	2.12	1.17	2.88	2.60	3.44	4.56	5.70	5.18	5.83	2.66	0.25	39.84
1934	0.55	3.11	3.59	5.24	12.15	11.50	6.04	5.00	3.21	2.56	0.40	1.81	55.16
1935	1.98	3.87	0.25	3.73	5.03	6.84	8.75E	5.17	7.71	3.26	1.34	1.78	49.71E
1936	3.94	8.82	2.24	0.91	2.97	9.74	4.28	3.45	1.99	4.78	2.10	2.50	47.72
1937	1.13E*	4.50E*	4.80E*	3.88	3.35	1.92	3.99	5.52	8.38	4.05	7.70	1.35	50.57E
1938	0.98	2.00	1.00	0.66	2.40	3.31	7.43	0.50	12.26	3.01	2.10	1.25	36.90
1939	1.26	0.20	0.82	6.07	1.93	7.10	4.92	3.00	6.69	3.43	0.55	0.57	36.54
1940	1.74	1.59	1.79	2.29	1.31	2.73	8.13	3.84	10.14	0.15	0.06	3.50	37.27
1941	3.44	4.30	3.59	2.45	1.35	7.89	10.03	5.93	2.28	13.58	5.56	3.71	64.11
1942	2.04	2.19	6.13	0.84	2.04	11.01	2.12	3.65	6.35	0.47	1.05	2.10	39.99
1943	1.45	0.18	6.41	2.65	2.94	3.94	10.87	11.29	11.08	7.10	0.59	0.71	59.21
1944	1.59	0.30	7.14	2.95	0.36	7.28	13.77	8.67	6.28	4.04	0.60	0.11	53.09
1945	3.53	0.89	0.47	1.50	1.48	5.04	7.04	6.08	9.00	4.78	0.78	4.14	44.73
1946	1.59	2.76	1.62	0.49	2.65	3.80	8.00	10.05	10.08	3.57	2.70	0.59	47.90
1947	0.74	6.03	5.16	4.89	4.58	12.44	9.39	6.12	6.04	5.56	1.84	0.73	63.52
1948	3.92	1.16	5.14	2.36	0.49	2.40	10.43	7.31	9.82	8.29	1.07	1.93	54.32
1949	0.37	1.95	2.01	7.12	1.40	4.24	5.96	11.46	6.26	3.65	1.86	3.93	50.21
1950	0.15	0.59	3.53	2.79	2.13	6.45	5.56	3.88	5.86	13.00	0.74	2.54	47.22
1951	0.77	2.46	1.18	3.28	2.53	2.66	3.88	4.19	14.02	8.54	3.15	2.88	49.54
1952	0.66	6.76	3.01	1.66	4.39	1.35	1.25E	9.02	11.92	5.41	1.96	0.71	48.10E
1953	1.75	3.35	7.75	4.97	1.46	1.37	8.67	19.89	10.00	2.70	1.20	4.85	67.96
1954	0.37	0.46	2.33	6.29	3.21	2.35	3.50	3.04	1.88	4.91	3.98	1.24	33.56
1955	2.47	1.43	1.84	1.78	1.55	7.76	5.67	2.64	6.66	3.17	2.61	1.22	38.80
1956	2.55	0.90	0.25	2.42	2.48	7.41	3.01	4.06	1.94	5.82	0.46	0.06	31.36
1957	0.97	1.62	3.13	1.73	5.65	4.23	10.53	4.01	10.65	1.80	0.82	1.34	46.48
1958	3.94	4.73	5.52	2.24	2.27	6.06	1.96	4.00	2.19	8.52	1.77	1.95	45.15
1959	4.53	2.13	7.70	3.17	2.40	8.13	5.68	3.60	5.26	7.12	4.26	2.26	56.24
1960	1.16	9.13	7.52	0.76	0.62	10.75	8.70	6.84	10.96	0.97	0.53	1.24	59.18
1961	1.96	3.70	1.17	2.16	2.39	6.81	5.16	7.68	3.20	2.25	2.85	0.73	40.06
1962	0.90	0.82	1.82	0.78	0.16	7.96	10.04	8.50	8.84	3.57	2.49	0.71	46.59

Table 8 Continued

YEAR	RAINFALL IN INCHES -						DAYTONA BCH AP						NOAA NUMBER: 2158	
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YRLY	
1963	2.91	5.83	1.46	1.40	6.82	7.42	6.89	2.01	5.43	2.71	7.98	2.17	53.03	
1964	5.29	2.65	4.84	3.61	2.58	4.73	7.67	10.81	11.39	3.54	3.13	2.52	62.76	
1965	2.22	3.00	3.05	1.00	0.08	9.00	3.72	2.97	4.33	3.65	0.97	2.14	36.13	
1966	2.89	5.58	0.36	2.56	6.77	15.19	7.09	7.93	4.49	4.60	1.19	1.60	60.25	
1967	1.26	3.98	0.31	0.00	0.73	7.51	9.04	3.02	5.56	0.19	0.00	2.98	34.58	
1968	0.42	1.73	1.79	0.40	4.79	14.38	6.25	11.09	6.07	7.44	2.43	1.38	58.17	
1969	1.53	2.03	2.74	0.12	6.47	2.47	2.61	9.40	8.89	6.97	1.96	5.03	50.22	
1970	3.94	3.79	3.59	2.08	1.68	2.62	3.65	3.61	3.54	3.87	0.31	0.72	33.40	
1971	0.61	5.48	2.00	2.57	3.12	4.73	3.20	3.97	7.20	9.53	1.33	2.49	46.23	
1972	2.37	3.97	6.66	1.41	4.02	7.06	3.22	8.29	0.42	3.08	10.96	2.48	53.94	
1973	4.66	2.02	2.63	3.09	2.41	4.32	4.69	7.58	5.14	4.40	0.75	2.54	44.23	
1974	0.30	1.10	3.19	0.44	2.66	8.65	6.31	9.96	10.50	1.42	0.48	2.20	47.21	
1975	1.66	2.27	1.52	2.96	2.99	9.00	6.89	3.16	6.61	5.84	1.46	0.83	45.19	
1976	0.60	0.70	2.03	4.27	12.33	11.14	1.07	3.80	5.10	1.90	3.38	6.00	52.32	
1977	4.69	2.45	1.43	0.41	4.61	1.15	2.23	7.91	6.55	1.46	3.04	4.74	40.67	
1978	2.89	5.98	2.31	3.30	0.56	7.48	5.53	7.99	4.63	8.31	0.07	4.89	53.94	
1979	7.10	1.94	4.08	3.96	6.13	3.03	11.69	5.24	15.20	2.13	7.96	0.56	69.02	
1980	3.75	0.76	2.41	2.54	3.62	5.57	5.82	4.13	1.83	2.42	3.12	1.39	37.36	
1981	0.32	5.54	3.00	0.29	1.74	1.03	4.69	7.19	7.59	1.08	2.57	4.64	39.68	
1982	2.46	2.08	5.81	6.03	4.68	8.29	5.31	3.21	4.96	3.23	1.58	2.53	50.17	
1983	2.51	5.96	7.71	6.17	3.86	6.37	1.92	6.82	8.57	10.11	2.01	11.98	73.99	
1984	1.46	3.44	1.31	5.29	6.09	2.84	6.77	4.02	10.73	1.09	3.52	0.20	46.76	
MEAN	2.12	2.78	3.22	2.67	3.36	6.35	5.96	5.83	6.64	4.63	2.28	2.32	48.16	
NORM	2.37	3.09	2.99	2.25	3.38	6.41	5.52	6.34	6.68	4.27	2.55	2.19	48.04	

E - Estimated by NOAA

E* - Estimated by SJRWMD

Table 9 Monthly and Annual Rainfall Data for Deland

YEAR	RAINFALL IN INCHES - DELAND												NOAA NUMBER: 2229
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1909	1.75	1.97	3.19	2.30	4.61	3.65	18.94	11.34	3.30	0.17	1.07	1.15	53.44
1910	0.57	3.65	2.78	0.61	1.71	15.29	6.76	11.93	1.95	14.28	1.62	0.63	61.78
1911	0.94	0.02	1.67	3.23	3.54	3.45	7.25	7.28	3.78	2.46	4.98	2.76	41.36
1912	7.00	1.27	3.50	2.81	8.53	16.49	4.95	6.21	4.44	2.65	2.37	4.28	64.50
1913	0.71	3.89	7.00E	3.62	1.97	3.12	2.89	6.38	5.12	1.85	0.61	2.24	39.40E
1914	6.64	3.93	0.80	1.23	3.39	4.47	6.90	6.68	7.45	4.68	1.33	4.21	51.71
1915	4.50	3.18	2.72	2.32	9.69	5.45	5.41	6.14	5.50E	11.28	1.38	1.10	58.67E
1916	0.92	0.74	0.85	1.25	5.04	7.19	7.32	8.20	6.54	6.92	7.09	2.62	54.68
1917	0.50	1.97	2.14	2.00	2.87	4.21	6.49	6.25E	9.77	1.80	0.13	1.38	39.51E
1918	2.36	0.21	3.04	4.71	1.47	5.92	7.71	4.56	5.83	7.45	3.38	5.02	51.66
1919	1.40	3.33	4.99	1.50	9.65	5.63	8.37	5.65	4.00	1.27	1.93	3.33	51.05
1920	2.68	8.81	1.09	4.94	4.66	7.51	7.86	4.29	7.09	0.25	4.53	1.04	54.75
1921	0.98	1.69	1.24	1.29	9.26	3.61	5.56	2.14	1.46	7.98	3.07	1.88	40.16
1922	0.90	1.10	1.57	0.25	8.51	5.90	4.04	7.47	10.04	12.04	0.60	3.64	56.06
1923	1.16	0.79	2.59	2.81	6.64	11.21	7.91	8.75	7.21	2.88	0.12	1.54	53.61
1924	2.29	3.86	8.66	2.09	2.95	11.09	16.08	4.98	6.66	22.40	0.56	2.41	84.03
1925	2.88	2.09	1.44	1.45	9.20	12.62	6.71	6.44	0.42	5.01	1.40	8.36	58.02
1926	4.38	1.02	5.56	4.07	3.42	9.71	13.98	6.78	9.63	1.09	5.46	0.44	65.54
1927	0.36	2.91	2.87	1.49	0.54	12.06	7.43	3.69	4.09	3.89	1.44	1.85	42.62
1928	0.89	0.98	3.54	7.66	3.61	3.95	8.39	6.05	12.44	3.74	0.48	1.11	52.84
1929	2.63	0.43	1.31	3.51	6.90	7.42	5.84	10.82	9.13	3.28	0.51	3.14	54.92
1930	1.51	2.60	9.65	2.06	3.37	16.95	3.38	8.52	12.32	1.72	0.87	7.17	70.12
1931	3.35	1.82	5.88	6.11	6.57	1.38	7.50	8.72	6.28	1.30	0.34	2.12	51.37
1932	0.59	1.13	2.48	0.48	5.37	7.58	6.05	7.62	3.54	1.19	7.14	0.11	43.28
1933	2.86	1.81	2.72	6.37	1.03	8.44	12.08	9.59	10.00	4.93	2.50	0.29	62.62
1934	0.48	2.52	3.28	3.82	6.56	17.83	8.85	5.43	5.27	2.94	0.21	0.94	58.13
1935	1.09	3.38	2.91	2.07	4.36	4.79	6.94	7.55	5.93	3.07	0.78	2.56	45.43
1936	4.54	9.31	2.88	1.01	3.51	6.72	6.26	4.74	2.73	7.10	2.48	1.65	52.93
1937	1.72	4.83	4.38	4.74	3.49	6.38	7.45	5.45	8.18	4.09	5.97	1.21	57.89
1938	1.22	0.84	1.60	0.87	4.25	8.92	9.44	3.56	4.73	4.50	2.44	0.27	42.64
1939	1.24	0.65	1.30	6.99	3.64	14.03	7.83	14.53	7.56	3.28	0.23	1.50	62.78
1940	1.69	2.67	2.14	3.59	0.94	9.87	11.72	6.60	2.27	0.38	0.11	5.06	47.04
1941	3.33	4.82	1.09	3.43	1.45	14.82	8.26	7.42	6.12	5.47	3.46	2.63	62.30
1942	2.94	2.66	6.62	1.91	1.89	11.93	7.50	2.46	8.39	0.12	0.32	2.26	49.00
1943	1.06	0.33	4.09	2.35	3.29	6.03	14.06	8.21	8.65	6.11	0.30	0.59	55.07
1944	1.76	0.86	6.89	4.50	4.89	7.41	14.27	12.74	4.01	9.06	0.49	0.16	67.04
1945	2.56	1.42	0.57	2.15	2.87	12.51	5.35	10.70	15.01	2.49	1.32	3.12	60.07
1946	2.04	2.88	1.44	0.58	5.04	9.63	9.22	5.58	4.27	2.73	1.73	0.22	45.36
1947	0.33	4.61	5.32	7.02	2.60	9.48	7.42	8.45	8.34	4.77	2.47	0.92	61.73
1948	5.05	1.36	4.46	4.25	1.39	3.23	5.77	6.08	7.64	5.25	0.95	2.97	48.40
1949	0.25	0.94	1.87	4.45	1.36	7.00	10.72	12.10	5.57	8.37	0.90	3.19	56.72

Table 9 Continued

YEAR	RAINFALL IN INCHES - DELAND												NOAA NUMBER: 2229
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1950	0.19	0.36	2.65	2.29	2.00	6.14	6.29	4.46	10.68	14.25	0.33	3.65	53.29
1951	0.74	2.68	0.88	2.66	2.07	5.87	10.15	6.33	7.79	3.76	3.81	2.46	49.20
1952	0.49	6.09	4.40	1.42	4.63	3.04	3.10	5.56	9.03	6.94	0.96	0.38	46.04
1953	2.73	4.25	6.74	7.37	1.26	5.03	7.40	18.81	6.97	7.38	2.15	4.78	74.87
1954	0.77	0.93	2.43	2.68	1.62	1.88	11.78	5.69	5.67	4.41	2.68	1.58	42.12
1955	2.21	2.21	2.41	1.39	2.57	8.13	4.78	6.03	7.55	3.75	2.69	1.14	44.86
1956	3.97	2.36	1.18	3.41	3.31	8.12	3.48	7.56	5.21	8.38	0.69	0.00	47.67
1957	1.52	2.18	3.12	2.40	11.21	4.91	11.74	5.06	5.57	5.99	0.92	1.81	56.43
1958	4.93	8.11	7.27	4.32	3.81	6.62	7.53	5.39	1.69	8.06	4.19	2.07	63.99
1959	3.83E*	2.22E	9.43E	4.79E	3.67	7.64E*	5.29E*	4.99E*	8.36E*	5.59E*	2.32E*	1.84E*	59.97E
1960	1.49E*	6.38E*	8.64E*	1.69E*	0.63E*	9.30	12.05	5.01	13.83	1.09	0.88	1.73	62.72E
1961	2.28	5.29	1.50	2.43	2.02E	7.81	3.78	16.10	1.97	3.49	2.64	0.54	49.85E
1962	0.96	0.81	1.89	2.64	0.64	4.88	8.85	4.84	10.37	1.42	2.79	1.45	41.54
1963	4.10	5.32	1.85	1.25	5.36	4.01	10.75	5.17	8.11	1.03	6.89	1.06	54.90
1964	4.17	3.67	4.76	1.11	1.97	6.21	7.91	10.52	8.12E	2.60	1.24	3.14	55.42E
1965	2.06	3.58	3.35	0.83	0.64	8.41	6.10	2.60	5.05	6.10	1.34	2.55	42.61
1966	3.63	5.02	1.31	3.16	8.05	10.91	3.98	5.81	7.42	4.65	0.71	0.76	55.41
1967	1.43	4.76	1.22	0.37	1.65	10.08	5.78	8.32	5.64	0.03	0.10	2.47	41.85
1968	0.43	2.41	2.81	0.50	3.24	17.51	8.74	12.80	4.16	10.38	2.40	1.49	66.87
1969	1.41	2.68	3.59	0.43	3.44	6.02	8.25	11.10	13.53	11.87	1.05	5.38E	68.75E
1970	4.38E	4.41E	4.79	3.50	2.42	3.79	10.02	6.75	4.32	3.35E	0.44	0.26	48.43E
1971	1.60	7.63	1.81	1.88	2.41	5.87E	7.20E	3.56	2.22	6.83	2.26	3.28	46.55E
1972	2.50	2.74	8.26	2.94	5.18	5.81	4.90	10.95	0.34	5.83	6.94	2.25	58.64
1973	4.69	1.83	3.11	3.76	6.48	7.68	7.67	7.44	13.14	3.24	0.48	3.06	62.58
1974	0.36	1.55	2.01	0.94	1.76	13.72	7.33	6.54E	5.59	1.62	1.03	2.09	44.54E
1975	3.69	2.19	1.82	4.88	9.93	9.27	8.96	7.20	5.88	3.70	2.97	0.86	61.35
1976	1.14	1.38	1.88	1.54	14.42	5.40	6.41	13.24	5.46	1.06	3.24	4.83	60.00
1977	4.45	3.63	0.96	0.58	3.17	3.33	5.31E	6.83	6.34E	2.17	3.17	3.48	43.42E
1978	2.98	5.35	3.08	2.48	2.13	11.17	10.84	6.17	1.67	3.32	0.63	3.92	53.74
1979	6.66	1.57	3.34	2.40	7.73E	3.82	6.84E	7.21	15.69	3.50	5.82	0.46	65.04E
1980	2.54	1.09	3.08	2.98	4.52	9.89	9.20	9.53	6.17	1.66	2.22	0.12	53.00
1981	0.39	3.27	1.97	0.88	1.42	3.16	12.50	11.47	13.85	3.46	2.42	5.46	60.25
1982	2.87	3.34	7.21	8.32	3.65	12.99	12.35	7.24	11.94	3.08	0.93E*	1.97	75.89E
1983	3.69	7.34	6.03	8.09	2.94	9.76	3.69	6.34	6.61	5.50	2.98	8.33	71.30
1984	1.89E*	4.46	1.30	4.56	6.17	6.03	9.35	6.44	9.27	1.65E*	1.74	0.00	52.86
MEAN	2.28	2.93	3.37	2.90	4.13	7.88	7.99	7.46	6.81	4.70	2.07	2.29	54.81
NORM	2.60	3.48	3.43	2.42	4.06	7.20	7.54	7.77	6.76	4.44	2.32	2.04	54.06

E - Estimated by NOAA

E* - Estimated by SJRWMD

Table 10 Monthly and Annual Rainfall Data for Federal Point

YEAR	RAINFALL IN INCHES - FEDERAL POINT												NOAA NUMBER: 2915
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1892	3.85E*	0.26	0.95E*	0.77	1.16	8.07	2.50	12.10	13.51	3.32	0.05	1.80	48.34E
1893	0.67	9.53	8.40	3.91	6.83	6.28	4.62	9.89	7.29	7.87	3.16	2.68	71.13
1894	4.23	2.16	1.84	1.78	2.33	3.09	9.54	6.99	19.19	3.86	7.61	1.73	64.35
1895	2.51	3.74	1.57	3.44	4.03	7.51	7.66	3.61	6.14	1.22	3.60	1.52	46.55
1896	4.08	2.57	2.47	0.08	0.68	9.36	6.90	6.01	3.59	8.58	4.44	3.67	52.43
1897	3.63	5.55	1.31	5.13	1.39	4.44	7.05	5.29	17.30	7.28	2.39	3.71	64.47
1898	0.83	1.09	1.30	7.45	1.17	3.04	13.01	10.59	2.31	4.82	2.21	3.15	50.97
1899	3.35	4.34	1.78	7.41	1.90	5.34	11.25	6.18	4.62	4.81	0.32	2.03	53.33
1900	3.99	2.10	5.54	5.18	3.67	9.70	6.12	2.21	8.17	9.99	1.19	5.54	63.40
1901	2.97	4.91	7.07	1.11	3.68	9.77	5.05	9.62	10.20	3.54	2.09	2.65	62.66
1902	0.73	3.72	3.77	1.65	1.04	4.50E	3.72	5.19	9.31	6.97	3.52	6.00	50.12E
1903	5.56	5.46	3.53	0.24	9.07	6.04	5.30	4.19	13.96	0.86	1.18	1.24	56.63
1904	6.95	6.00	2.23	1.77	1.41	5.14	3.75	6.06	4.04	7.88	2.38	1.19	48.80
1905	1.04	3.81	4.35	1.16	6.49	3.22	4.81	13.65	5.40	4.60	0.91	3.59	53.03
1906	3.53	3.51	2.23	3.34	12.81	10.49	9.20	8.60	2.88	4.11	0.06	0.44	61.20
1907	0.47	1.07	1.06	3.23	5.03	4.18	9.36	7.58	7.99	0.76	1.19	4.80	46.72
1908	2.72	2.09	0.34	2.86	2.38	6.01	8.34	4.76	11.31	3.10	0.74	0.89	45.54
1909	2.42	2.04	3.40	1.14	4.34	2.41	6.81	8.68	7.09	0.66	1.15	1.35	41.49
1910	0.83	1.54	1.95	1.10	2.90	9.35	7.28	7.57	4.36	11.99	2.47	0.98	52.32
1911	1.52	0.09	1.36	0.36	2.22	5.50	9.56	7.53	2.88	3.07	3.84	4.76	42.69
1912	5.76	1.85	5.10	3.65	3.88	12.28	5.76	7.97	7.66	1.74	1.47	1.89	59.01
1913	0.96	4.63	5.67	3.13	1.43	3.91	3.30	5.96	3.46	1.68	0.60	3.50	38.23
1914	4.97	4.00	1.69	1.52	2.56	2.07	5.32	5.71	6.21	5.11	1.19	4.60	44.95
1915	2.97	3.61	3.39	1.22	7.39	2.00	9.50	4.49	8.22	11.02	1.19	4.68	59.68
1916	0.59	0.78	0.69	0.88	3.82	7.45	3.34	4.65	1.59	4.75	4.20	8.42	41.16
1917	0.96	2.28	5.91	1.68	1.03	9.10	6.49	4.87	3.61	1.11	0.17	1.10	38.31
1918	3.23	0.03	2.25	7.87	2.12	2.70	3.11	6.11	4.59	8.32	2.96	3.32	46.61
1919	1.74	4.13	8.14	2.50	4.11	11.93	9.27	8.75	10.27	4.98	3.02	5.57	74.41
1920	2.87	13.52	1.31	3.79	8.01	7.95	6.10	3.53	7.69	0.79	2.37	3.39	61.32
1921	1.63	1.12	0.18	1.32	7.09	3.34	8.07	8.34	1.38	7.48	3.28	0.98	44.21
1922	3.07	4.66	1.34	1.83	8.72	8.59	4.81	4.81	5.93	11.36	0.30	2.26	57.68
1923	1.44	1.64	2.05	1.21	10.50	12.01	5.04	3.38	4.09	2.67	0.06	1.89	45.98
1924	3.43	2.80	11.01	2.18	2.99	6.58	9.97	3.21	7.01	13.71	0.33	0.97	64.19
1925	3.31	1.48	2.15	0.60E	2.59	5.50	5.85	4.32	3.36	1.91	1.30	8.45	40.82E
1926	3.57	1.60	3.99	4.20E	0.85	10.71	7.78	6.70	7.61	0.18	3.28	1.15	51.62E
1927	0.25	3.81	1.57	1.04	1.66	8.45	7.58	7.87	1.18	2.00E	2.76	1.71	39.88E
1928	0.92	1.64	2.39	8.38	4.22	8.21	8.49	4.09	17.29	3.59	0.00	1.03	60.25
1929	4.49	1.66	1.91	5.47	6.79	8.27	9.05	6.72	8.25	2.55	0.21	3.20	58.57
1930	3.02	3.02	8.51	1.13	2.43	14.83	3.72	2.84	6.95	1.85	2.62	7.47	58.39
1931	2.76	1.59	5.95	4.61	6.94	3.58	3.22	6.50	1.50	1.45	0.75	4.61	43.46

Table 10 Continued

YEAR	RAINFALL IN INCHES -			FEDERAL POINT			NOAA NUMBER: 2915						
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YRLY
1932	0.54	1.09	5.32	0.65	4.21	8.43	5.49	6.96	5.94	4.33	7.75	0.29	51.00
1933	1.40	3.28	1.47	5.98	2.19	4.40	8.25	5.00	6.84	6.38	1.01	0.50	46.70
1934	0.78	4.58	3.10	5.71	7.16	7.33	7.75	4.03	4.69	6.20	0.84	0.98	53.15
1935	2.48	2.18	0.52	2.25	4.17	5.62	10.07	7.19	14.05	2.46	0.15	1.94	53.08
1936	3.62	10.75	2.96	0.66	1.77	7.37	2.40	3.92	1.40	5.60	1.17E*	2.69E*	44.31E
1937	2.73E*	4.14	2.76	7.06E	1.26	2.51	13.67	7.92	9.53	3.92	3.94	1.09	60.53E
1938	1.69	2.18	1.55	1.10	4.78	6.72	11.80	9.30	4.96	8.60	1.38	0.40	54.46
1939	1.43	4.32	0.59	2.51	3.52	8.64	4.66	5.91	5.61	1.36	1.22	2.14	41.91
1940	2.53	3.77	2.13	2.93	1.95	5.60	4.43	12.72	6.11	0.00	0.55	9.08	51.80
1941	2.90	3.43	2.45	2.58	0.96	8.80	12.23	7.54	6.69	11.29	3.69	4.98	67.54
1942	1.82	4.30	7.66	0.27	3.44	13.27	5.21	5.32	5.30	1.59	0.88	3.93	52.99
1943	2.01	0.22	2.96	2.05	8.08	5.75	11.06	8.51	7.22	2.78	0.92	1.46	53.02
1944	4.03	1.15	8.42	5.60	1.42	5.91	3.03E*	5.12	8.59	6.06	0.78	0.68	50.79E
1945	3.93	0.31	0.23	5.09	1.86	7.55	5.93	12.49	10.34	2.58	1.63	8.67	60.61
1946	2.43	1.98	2.56	1.20	7.87	5.24	6.68	9.51	9.43	2.98	2.83	0.20	52.91
1947	1.40	5.39	6.10	5.97	3.56	7.25	5.60	6.52	9.07	6.18	3.29	1.77	62.10
1948	6.50	1.48	9.47	1.89	1.27	2.79	11.47	9.12	8.98	6.14	1.17	3.60	63.88
1949	0.62	3.55	1.51	4.77	1.43E *	8.00	9.40	13.75	8.85	5.92	1.25	0.52	59.57E
1950	0.09	0.54	3.88	2.26	2.23	2.30	7.61	6.30	9.13	10.28	0.62	3.79	49.03
1951	1.12	2.17	1.25	1.44	1.93	3.21	11.14	4.62	9.40	9.91	4.65	2.30	53.14
1952	1.02	5.75	3.05	2.87	3.26	1.47	4.14	6.78	6.81	8.64	0.43	0.86	45.08
1953	2.75	2.08	4.18	6.69	1.06	2.90	8.06	14.59	9.14	6.07	1.73	5.77	65.02
1954	0.67	2.20	1.94	1.58	1.83	1.60	3.75	3.10	5.45	7.11	3.83	1.83	34.89
1955	3.49	2.72	1.84	1.86	2.46	5.56	5.15	3.41	9.12	5.24	1.69	0.70	43.24
1956	2.46	2.54	0.49	4.15	3.22	4.34E	4.34	4.45	3.09	12.34	0.36	0.12	41.90E
1957	0.74	2.21	3.72	1.72	3.87	9.73	10.29	11.39	5.73	2.83	1.49	1.32	55.04
1958	4.05	2.91	6.34	3.62	3.20	4.99	5.82	5.21	6.72	6.31	2.65	3.59	55.41
1959	4.25	2.78	9.74	3.52	5.12	4.71	6.52	7.38	6.97	4.22	1.90	1.41	58.52
1960	1.83	3.67	8.94	1.09	1.97	7.55	10.42	7.05	13.34	5.86	0.25	1.33	63.30
1961	3.26	3.48	3.18	5.16	3.20	4.88	6.37	8.63	1.71	1.05	3.31	0.94	45.17
1962	1.91	0.81	3.35	1.27	2.32	8.23	10.50	11.19	8.80	1.58	1.79	1.43	53.18
1963	2.26	3.39	1.43	1.12	6.29	7.31	6.85	4.72	15.08	1.57	3.03	3.82	56.87
1964	7.84	5.96	2.39	5.23	5.03	5.60	7.26	9.40	12.81	2.06	6.31	3.86	73.75
1965	1.11	4.69	4.43	1.16	4.63	10.25	4.27	9.95	7.89	3.07	1.16	2.30	54.91
1966	4.19	8.92	0.89	1.90	11.95	7.76	7.67	4.37	6.83	2.70	0.84	0.72	58.74
1967	3.87	5.77	0.55	0.10	1.84	6.43	7.33	6.98	5.94	0.85	0.03	5.12	44.81
1968	0.33	2.17	1.84	1.05	3.90	6.88	6.62	15.22	3.91	5.26	2.90	1.36	51.44
1969	1.62	3.46	5.87	0.54	3.28	2.83	6.47	4.84	11.85	7.98	2.93	4.37	56.04
1970	5.39	6.04	5.59	2.67	1.51	3.92	6.10E	6.59E	4.64	2.52	0.30	1.69	46.96E
1971	2.11	4.19	2.49	2.32	1.77	6.43	6.61	3.71	3.37	3.23	2.52	6.06	44.81

Table 10 Continued

YEAR	RAINFALL IN INCHES -				FEDERAL POINT				NOAA NUMBER: 2915				YR/LY
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1972	3.23	3.56	7.30	3.88	6.30	7.63	4.40	12.01	1.88	4.71	7.18	3.35	65.43
1973	4.17	3.49	6.25	4.68	6.22	4.52	8.28	11.01	3.74	3.27	0.31	4.21	60.15
1974	0.32E	2.74	4.30	0.65	3.10	14.81	7.14	7.75	7.58	0.50	0.57	1.96	51.42E
1975	3.19E	3.24	2.07	2.48	3.23	7.00	5.87	6.32	7.43E	2.11	5.25	1.87	50.06E
1976	1.94	0.99	1.70	1.09	13.62	9.14	2.91	8.59	8.72	0.72	3.62	9.29	62.33
1977	3.28	2.87	0.86	1.37	2.17	3.43	3.18	4.99E	3.04	0.64	4.09	7.28	37.20E
1978	3.22	4.24	4.07	1.83E	4.60	4.64	13.09	4.18	4.65	1.16	0.12	4.49	50.29E
1979	7.95	3.18	1.07	3.20	5.31	4.41	6.59	1.55E	17.76	0.93	2.75	4.44	59.14E
1980	5.74	2.17	3.12E	4.41	4.59	5.21	5.62	2.66	2.31	3.55	4.35	0.26	43.99E
1981	0.82	4.55	3.36	0.49	0.43	3.60	3.68	11.49	3.37	2.83	2.52	2.66	39.80
1982	3.01	2.09	5.46	4.46	4.68	12.35	5.51	14.17	6.89	4.58	1.19	0.98	65.37
1983	3.36	5.79	7.43	6.19	1.99	12.16	4.97	4.42	7.43	5.75	3.79	5.59	68.87
1984	1.59	6.16	3.32	2.79	4.06	6.10	10.10	1.91	12.56	2.35	4.26	0.22	55.42
MEAN	2.68	3.30	3.45	2.80	3.88	6.54	6.90	6.98	7.18	4.47	2.10	2.90	53.18
NORM	2.98	3.48	3.47	2.49	4.09	5.91	6.76	7.09	7.19	3.93	2.41	2.93	52.73

E - Estimated by NOAA

E* - Estimated by SJRWMD

Table 11 Monthly and Annual Rainfall Data for Fellsmere

YEAR	RAINFALL IN INCHES - FELLSMERE												NOAA NUMBER: 2936
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1912	3.89	2.69	2.02	1.71	6.00	9.61	3.81	4.85	5.80	4.42	0.90	1.17	46.87
1913	0.96	4.91	3.58	2.57	4.26	5.14	3.11	7.31	4.28	2.11	0.69	2.31	41.23
1914	4.04	2.63	1.12	3.79	2.21	2.52	4.81	5.08	10.44	6.03	2.87	3.18	48.72
1915	7.18	2.57	1.21	1.29	7.36	7.10	6.35	14.31	4.21	6.96	1.65	1.01	61.20
1916	1.52	2.99	0.72	2.97	7.55	5.58	5.16	7.08	7.68	9.44	2.18	1.09	53.96
1917	1.79	0.94	0.48	1.10	3.45	5.59	7.47	6.04	11.76	1.63	0.51	0.74	41.50
1918	3.38	1.64	2.04	2.48	2.08	6.35	4.98	3.95	9.56	5.96	1.49	2.07	45.98
1919	1.19	3.06	2.44	0.61	3.29	4.52	9.20	9.27	10.13	1.19	5.73	2.63	53.26
1920	1.65	1.89	0.85	6.34	1.75	8.88	6.38	7.71	9.12	1.88	3.17	0.80	50.42
1921	0.64	3.26	1.07	1.48	6.00	4.12	7.48	2.67	1.73	7.86	2.07	2.23	40.61
1922	1.46	1.39	1.02	1.00	3.32	4.15	9.13	6.70	11.74	12.14	1.36	0.56	53.97
1923	1.10	0.56	0.52	5.82	7.24	12.88	7.17	2.89	8.99	3.32	0.33	1.21	52.03
1924	3.53	2.57	5.72	2.27	1.11	3.05	10.54	4.28	6.35	18.47	0.50	3.49	61.88
1925	4.56	0.65	2.23	1.91	7.10	7.93	9.16	10.77	2.41	1.66	6.40	3.44	58.22
1926	4.78	1.01	4.45	6.29	2.63	7.99	13.95	12.74	12.49	3.54	2.52	0.83	73.22
1927	1.02	2.94	1.44	2.24	1.86	5.82	3.04	12.43	4.42	4.48	2.66	1.03	43.38
1928	0.48	2.80	4.32	2.57	7.03	4.44	11.11	14.00E*	15.71	7.31	0.94	0.76	71.47E
1929	1.70	0.78	1.02	3.87	5.08	12.15	6.62	6.55	25.15	9.55	1.73	1.52	75.72
1930	2.60	3.86	7.10	7.13	8.87	9.84	4.74	4.76	9.67	3.06	4.48	4.05	70.16
1931	3.29	1.22	5.70	4.97	6.50	0.00	4.48	3.64	5.07	10.34	1.38	4.89	51.48
1932	1.33	0.60	3.13	0.76	6.42	10.70	1.43	8.19	7.64	3.13	6.57	0.36	50.26
1933	3.20	1.41	2.77	4.38	2.54	5.48	11.65	5.70	9.18	13.54	2.74	0.07	62.66
1934	1.02	3.43	2.67	0.44	7.87	15.98	8.83	4.81	9.64	3.30	1.47	0.70	60.16
1935	0.39	1.68	0.00	7.12	5.68	12.33	4.52	3.17	14.27	9.29	0.64	3.63	62.72
1936	3.57	6.78	3.32	2.60	6.45	7.76	7.99	8.66	7.39	8.30	2.76	1.42	67.00
1937	0.97	4.04	3.73	5.40	5.47	2.90	6.28	6.40	6.28	14.55	3.55	1.41	60.98
1938	3.02	1.57	0.80	0.82	3.83	6.32	5.34	3.74	9.76	4.42	0.99	0.39	41.00
1939	0.58	0.69	2.30	6.16	7.89	4.92	10.74	7.26	10.99	6.19	1.47	0.99	60.18
1940	3.37	2.79	6.71	1.60	2.15	4.60	9.87	7.99	12.25	1.42	0.15	5.68	58.58
1941	5.74	4.68	2.67	5.10	2.36	8.79	8.24	10.96	10.03	12.25	5.05	2.96	78.83
1942	3.03	4.56	5.27	2.84	6.41	13.84	6.22	5.94	6.15	2.20	1.20	2.94	60.60
1943	0.38	1.14	4.50	2.73	3.19	5.33	12.39	9.15	6.68	8.66	2.08	0.62	56.85
1944	0.08	0.28	3.03	4.29	1.65	10.87	8.43	11.34	9.97	12.31	0.36	0.45	63.06
1945	1.61	0.00	0.71	0.82	1.31	12.55	8.60	6.87	11.71	4.01	2.85	1.40	52.44
1946	2.51	1.52	2.45	0.14	7.12	5.40	9.12	13.11	6.65	3.34	4.17	0.88	56.41
1947	1.58	5.00	6.15	1.86	3.68	12.66	11.00	4.14	20.93	6.59	2.47	1.07	77.13
1948	2.77	0.43	3.41	3.86	4.01	3.26	4.60	8.10	15.27	6.57	1.01	3.98	57.27
1949	0.79	2.09	0.48E*	3.96	3.04E*	9.20	4.83	12.19	9.24	3.85	0.79	4.34	54.80E
1950	0.67	0.59	2.97	1.85	3.05	3.25	4.44	9.90	4.96	14.01	4.00	0.98	50.6 /
1951	0.41	3.94	1.11	9.38	2.63	4.43	8.94	9.55	7.69	4.80	1.18	0.44	54.50

Table 11 Continued

YEAR	RAINFALL IN INCHES - FELLSMERE												NOAA NUMBER: 2936
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1952	2.34	4.60	5.46	1.97	3.68	1.79	9.57	10.09	5.98	8.43	1.32	0.71E	55.94E
1953	1.97	2.08	4.17	3.80	0.88	9.14	5.88	11.43	9.60	12.05	4.95	1.89	67.84
1954	0.94	1.29	2.71	2.83	7.16	9.76	4.85	3.68	9.36	6.62	4.19	1.71	55.10
1955	3.05	1.87	4.34	2.05	3.62	6.38	4.14	6.49	8.86	6.87	0.34	4.32	52.33
1956	0.26	0.83	0.16	2.61	2.81	5.98	9.09	9.38	8.00	19.35	0.92	0.50	59.89
1957	1.45	2.98	3.91	5.28	4.56	4.51	9.37	8.66	5.88	2.45	1.01	2.93	52.99
1958	8.42	3.31	5.09	4.26	2.06	3.79	5.67	7.57	5.87	5.30	0.45	2.68	54.47
1959	3.38	2.34	10.31	2.91	5.37	16.10	4.38	4.82	8.87	8.09	2.79	1.57	70.93
1960	0.42	5.51	8.29	4.02	2.08	7.76	9.83	2.79	21.37	3.08	0.73	0.00	65.88
1961	2.95	0.90	2.47	4.29	7.02	3.80	3.13	7.87	1.21	5.99	0.69	0.25	40.57
1962	0.47	1.10	2.72	1.65	1.94	8.10	8.40	13.55	8.13	0.73	2.74E	0.54	50.07E
1963	1.26E	2.72E	1.91E	0.22	5.77	6.91	2.49	6.48	11.82	2.33	3.91	4.06	49.88E
1964	2.45	3.30	0.89	0.52	2.28	4.11	3.83	12.65	3.62	6.22	0.35	1.93	42.15
1965	0.00	1.13	4.87E	0.45	0.11	6.13	10.82	5.40	6.30	10.02	0.95	1.80E	47.98E
1966	3.96	3.87	0.83	1.77E *	6.68E *	7.27E *	4.87E *	7.72	6.26E *	4.27	0.37E *	0.39E *	48.26E
1967	0.33	0.45	1.36E	0.35	1.02	4.11	5.92	4.28	4.09	3.85	0.50	1.68E	27.94E
1968	1.09	2.08	0.50	2.46	12.78	19.17	3.67	5.15	4.36	8.70	2.21E	0.32E	62.49E
1969	2.14	1.44E	6.71E	0.77	4.52E	2.26E	3.59E	10.01E	3.58E	8.27	4.45	2.75	50.49E
1970	5.05	2.71	4.43	0.00	3.31	4.51	3.70	2.88E	7.57E	4.01E	0.09	0.39	38.65E
1971	0.34	5.11	1.68	0.85	3.65E	7.91	8.56	3.15	6.86	10.92	2.04	1.00	52.07E
1972	0.81	4.04	2.24	3.87	6.06	12.45	4.12	8.90	1.15	0.93	2.64	2.10	49.31
1973	5.39E *	1.63E *	2.48	6.20E *	3.94E *	12.22	9.15	4.58	5.00	4.39E	0.98	1.00E *	56.96E
1974	0.08E *	1.65E *	0.03E *	1.28	2.23	9.34E *	8.82E *	5.00E *	2.43E *	0.90E *	0.19E *	1.57	33.52E
1975	0.28E *	0.90E *	2.01E *	0.46E *	1.90E *	8.85	8.03	7.30	2.72	5.56	1.07	0.98	40.06E
1976	0.73	0.47E	0.43	0.94	12.21	7.96	7.62	6.56	5.62	2.66	2.17E	2.65	50.02E
1977	1.71	1.69E	1.14	0.63	4.50	6.14	2.65	9.48	8.00	2.56	3.03	3.75	45.28E
1978	1.52	2.60	2.49	0.10	5.32	6.15	10.48	3.50	2.77	3.01	1.43	3.42	42.79
1979	5.47	1.27	1.43	2.93	9.61	6.30	3.11	5.24	15.21	1.11	2.02	1.23	54.93
1980	3.88	3.00	1.85	3.38	3.36	4.52	4.13	2.44	4.63	0.86	1.80	2.18	36.03
1981	0.34	2.71	2.93	0.24	2.99	3.12	5.53	8.60	7.03	1.41	2.04	0.78	37.72
1982	1.26	3.82	5.39	3.73	6.04	6.86	7.83	4.69	3.93	1.60	4.60	2.26	52.01
1983	4.84	8.88	5.09	2.44	2.16	4.93	5.29	6.25	3.97	8.97	2.60	6.50	61.92
1984	0.65	3.74	1.71	1.31	2.92	2.75	6.74	3.80	6.63	1.09	17.78	0.84	49.96
MEAN	2.15	2.43	2.87	2.73	4.47	7.11	6.81	7.19	8.08	5.98	2.28	1.84	53.94
NORM	2.08	2.36	2.93	2.41	4.44	7.26	6.29	6.89	6.76	5.48	1.72	1.69	50.31

E - Estimated by NOAA

E* - Estimated by SJRWMD

Table 12 Monthly and Annual Rainfall Data for Fernandina Beach

YEAR	RAINFALL IN INCHES - FERNANDINA B												NOAA NUMBER: 2944
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1902	0.50	4.03	5.25	1.37	2.32	3.69	5.36	4.54	20.25	10.09	4.58	7.28	69.26
1903	6.84	6.49	3.54	1.44	16.27	4.61	1.17	3.06	4.13	1.93	4.32	1.70E	55.50E
1904	7.50	6.33	2.10	0.84	2.50	4.54	2.13	2.40	8.50	8.99	5.66	1.00	52.49
1905	2.62	5.44	6.54	2.03	8.09	2.32	5.11	15.89	14.64	10.56	1.07	9.00	83.31
1906	4.54	4.61	1.37	0.96	9.12	6.61	14.59	4.45	4.95	4.03	0.00	1.42	56.65
1907	0.31	0.80	0.62	8.76	3.13	4.43	8.23	3.36	8.99	2.84	2.22	4.59	48.28
1908	2.65	2.26	0.62	8.52	2.56	2.01	16.79	1.93	15.89	1.28	1.03	0.63	56.17
1909	1.56	1.87	3.92	1.44	2.00	5.37	4.85	3.02	6.31	0.20	3.27	2.90	36.71
1910	0.91	2.95	2.29	2.96	1.79	9.24	2.17	12.99	6.87	5.26	1.13	0.82	49.38
1911	0.98	0.30	4.14	1.38	1.40	0.75	2.18	9.42	0.71	4.97	4.46	4.60	35.29
1912	3.10	3.54	3.43	3.47	3.21	5.13	8.22	6.27	10.60	8.49	1.86	3.41	60.73
1913	2.16	5.60	5.10	1.43	1.74	5.00E	3.17	4.71	3.63	1.90	0.52	2.01	36.97E
1914	3.17	6.01	2.44	0.16	0.69	4.98	5.31	4.71	6.50	2.65	7.15	5.54	49.31
1915	3.45	2.15	3.54	0.54	3.99	5.93	8.48	8.52	5.56	4.23	1.10	2.46	49.95
1916	1.38	0.48	0.68	0.98	3.00	5.91	6.50E	6.62	3.10	6.51	1.99	6.29	43.44E
1917	0.34	1.41	2.27	0.84	2.39	4.88	4.45	5.94	4.47	0.68	1.56	1.26	30.49
1918	3.45	0.17	3.65	7.19	0.77	4.84	1.70	3.28	6.18	3.79	3.62	3.05	41.69
1919	1.15	4.35	4.85	0.97	4.35	12.19	7.79	10.55	4.75	1.75	1.35	3.90	57.95
1920	1.85	7.00	1.72	4.20	5.77	5.03	3.60	4.92	7.74	0.40	6.05	3.50	51.78
1921	2.10	0.90	1.10	3.60	2.22	1.77	6.44	5.50	2.50	6.25	2.15	2.65	37.18
1922	2.30	1.80	1.05	0.75	6.80	6.36	7.60	3.94	2.17	8.01	0.75	2.28	43.81
1923	3.11	1.02	1.55	0.79	5.49	2.87	7.51	1.54	3.07	2.25	0.76	1.50	31.46
1924	4.62	2.72	10.08	3.23	1.31	4.51	5.40	2.17	11.47	7.30	0.00	1.79	54.60
1925	3.50	1.38	1.06	0.67	3.22	2.91	5.71	7.71	2.67	4.15	2.45	7.87	43.30
1926	5.62	1.59	3.51	3.09E*	1.58E*	6.90E*	11.56E*	4.34E*	8.18E*	2.34E*	3.74E*	1.59E*	54.04E
1927	0.60	4.44	3.13	0.37	1.13	7.99	8.55	7.18	0.73	0.87	1.48	2.99	39.46
1928	0.95	3.10	4.75	10.81	4.41	6.66	5.34	4.34	10.40	4.76	0.62	1.18	57.32
1929	5.65	2.39	2.20	5.98	4.35	5.10	4.64	3.78	10.15	0.38	0.84	3.64	49.10
1930	4.00E	2.36	8.01	1.58	1.95	11.51	2.27	0.35	6.82	0.42	3.97	1.41	44.65E
1931	2.79	1.35	4.01	4.12	1.45	1.52	1.29	3.01	1.27	0.10	0.70	1.18	22.79
1932	0.65	1.18E*	4.52	0.84	2.92	13.85	2.29	5.66	14.72	3.64	4.67	0.79	55.73E
1933	2.79	3.64	4.10	7.27	2.67	5.77	4.46	8.76	4.97	9.01	1.05	0.75	55.24
1934	1.51	2.65	2.23	4.80	5.27	11.24	11.57	3.46	1.69	5.01	0.45	1.78	51.66
1935	2.04	1.30	1.56	3.59	4.90	3.97	7.46	1.69	8.65	0.90	0.25	1.90	38.21
1936	2.35	5.20	3.22	0.65	1.48	4.59	7.69	5.11	1.77	6.26	0.66	2.70	41.68
1937	2.27	3.91	3.45	4.92	0.74	9.20	6.65	5.60	12.36	4.81	4.06	1.31	59.28
1938	2.57	2.02	1.08	1.45	3.99	5.06	2.30	1.95	4.32	11.97	0.66	1.68	39.05
1939	1.29	2.99	2.68	3.94	2.31	5.52	1.40	3.20	9.76	3.53	1.64	1.90	40.16
1940	2.92	3.99	1.87	4.27	2.73	5.12	9.31	6.84	1.64	0.12	0.52	5.77	45.10
1941	2.25	3.61	2.58	2.33	0.84	6.01	8.32	5.28	10.59	5.63	2.27	5.11	54.82
1942	4.38	4.86	6.42	0.20	3.15	7.71	3.52	2.29	11.79	0.19	0.20	2.45	47.16
1943	1.49	0.23	4.96	1.78	2.43	1.69	4.67	14.04	6.80	0.55	0.17	1.98	40.79
1944	3.36	2.14	6.36	5.39	1.02	7.22	13.88	5.10	8.52	7.88	1.46	0.31	62.64
1945	4.23	0.85	0.03	2.39	2.97	6.66	14.43	8.00	11.65	4.17	0.62	5.84	61.84
1946	2.45	0.97	5.10	3.69	6.83	2.81	6.15	5.32	8.25	2.78	1.96	0.29	46.60

Table 12 Continued

RAINFALL IN INCHES - FERNANDINA B NOAA NUMBER: 2944

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YRLY
1947	1.25	3.05	6.13	2.32	2.45	8.46	7.41	7.50	9.61	17.13	5.80	4.74	75.85
1948	4.71	1.97	8.71	4.54	2.36	3.82	8.88	4.72	14.45	5.70	0.47	4.75	65.08
1949	1.61	3.82	0.75	3.87	1.85	7.89	1.28	13.40	6.69	2.38	3.09	1.67	48.30
1950	0.00	1.02	5.82	3.05	6.03	1.96	7.95	2.98	13.96	8.29	1.09	1.36	53.51
1951	0.85	1.22	1.84	0.69	1.19	6.67	6.95	2.59	6.44	10.08	2.54	3.75	44.81
1952	0.64	4.87	3.07	2.65	5.21	0.38	2.22	10.98	13.60	2.68	0.65	0.91	47.86
1953	2.18	3.46	2.09	6.96	1.58	4.45	14.68	13.49	10.22	3.72	5.13	7.59	75.55
1954	0.81	1.18	1.98	0.88	1.06	2.74	7.90	2.65	14.91	2.98	2.56	2.45	42.10
1955	3.52	1.60	1.18	1.81	2.62	4.63	1.69	8.63	9.83	4.23	1.20	0.56	41.50
1956	2.95	2.22	1.25	2.29	3.96	8.32	3.65	0.96	3.61	12.47	0.11	0.08	41.87
1957	0.23	2.69	5.64	1.76	6.01	7.29	9.03	6.81	4.07	3.72	1.76	1.08	50.09
1958	3.24	3.86	3.25	6.25	1.23	3.05	2.79	2.32	3.18	5.13	2.15	3.44	39.89
1959	4.79	7.09	8.03	1.91	10.50	3.27	2.69	4.04	5.94	2.49	3.46	0.83	55.04
1960	1.75	4.97	5.90	1.78	2.92	4.34	4.66	7.23	16.70	2.40	0.74	1.30	54.69
1961	3.70	3.82	1.82	7.98	3.46	4.87	3.66	9.64	0.61	0.72	0.93	0.44	41.65
1962	2.39	1.45	5.56	3.04	1.31	9.98	6.68	8.69	5.12	1.62	3.69	3.99	53.52
1963	5.16	6.02	2.15	2.12	7.95	5.86E	6.72	3.85	2.00	3.17	4.59	51.71E	
1964	7.67	7.73	1.45	2.73	4.05	4.73	10.93	7.38	6.73	5.87	4.34	3.90	67.51
1965	0.90	3.94	4.06	0.89	4.63	3.89	7.49	3.71	8.72	2.65	1.34	3.27	45.49
1966	5.50	6.50	1.56	1.65	7.22	4.07	7.97	3.43	7.01	2.56	0.37	1.38E	49.22E
1967	0.89	4.65	1.01	0.20	1.46	8.51	6.19	4.96	5.12	3.19	0.25	3.40	39.83
1968	1.05	1.55E	0.69	1.35	4.06	8.43	8.20	13.91	3.15	4.63	2.50E	2.32E	51.84E
1969	0.79E	2.91E	5.27	1.71	2.66	3.07	5.69	13.97	9.17	8.47	23.80	4.94	82.45E
1970	4.72	6.33	10.04	2.28	5.05E	3.19	3.96	6.72	2.32	5.09	0.00	1.39	51.09E
1971	3.11	2.70	2.65	2.59	2.22	2.68	6.12	5.39	4.82	4.19	0.61E	6.37	43.45E
1972	4.35	4.55	5.70	0.88	4.32	9.30E	6.37E	5.39	2.34E	4.24E	4.45E	1.69	53.58E
1973	4.44	3.39E*	8.61E*	4.06E*	6.28E*	5.14E*	4.19E*	4.78E*	5.19E*	3.38E*	0.20E*	5.17E*	54.83E
1974	0.81E	1.97	2.78	1.69	3.05	6.20	6.88	9.72	10.61	0.49	0.74	2.45	47.39E
1975	3.45	3.51	3.55	5.66	2.98	5.59	8.45	4.12	11.84	2.40	2.05	1.97	55.57
1976	2.54	1.82	3.64	1.47E	8.44	4.85	3.82	6.23	15.07	3.67	5.00	4.61	61.16E
1977	3.24	2.87	1.69	1.63	2.54	5.50	6.89	7.32	7.13	0.90	3.74	2.81	46.26
1978	4.19	4.88	2.67	1.96	6.19	5.31	5.50	3.29	3.82	0.73	0.99	1.81	41.34
1979	6.01	3.83	1.39	3.57	7.72	7.00	6.08	2.25	23.82	1.16	3.84	2.18	68.85
1980	2.83	1.92	6.76	4.76	1.34	2.71	1.99	3.38	2.65	5.35	2.44	0.41	36.54
1981	0.91	3.44	4.72	1.22	0.81	3.34	5.60	7.21	2.84	1.14	4.30	3.27	38.80
1982	2.84	1.73	3.99	4.47	4.78	5.54	13.35	2.78	4.75	3.69	1.32	2.36	51.60
1983	7.53	4.48	8.30	5.55	1.85	7.68	6.35	2.98	4.20	4.59	4.09	4.77	62.37
1984	2.39	3.70	9.21	3.12	1.09	6.10	6.60	4.09	8.68	0.41	3.60	0.12	49.11
MEAN	2.77	3.15	3.66	2.88	3.52	5.48	6.25	5.77	7.39	4.10	2.40	2.80	50.1/
NORM	2.96	3.65	3.58	2.64	3.91	5.27	5.97	6.36	7.59	3.77	2.82	2.70	51.22

E - Estimated by NOAA

E* - Estimated by SJRWMD

Table 13 Monthly and Annual Rainfall Data for Fort Drum

YEAR	RAINFALL IN INCHES - FORT DRUM												NOAA NUMBER: 3137
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1943	0.31	0.37	5.50	1.85	6.58	4.93	8.90	5.74	4.43	7.47	1.56	0.42	48.06
1944	0.64	0.17	2.27	6.10	2.11	4.12	6.29	6.05	1.80	10.30	1.21	0.44	41.50
1945	1.11	0.00	0.45	4.09	1.35	3.86E*	8.93	6.60	13.52	2.08	3.12	2.70	47.81E
1946	1.44	2.02	2.22	0.22	6.77	11.20	5.87E*	3.02	4.98	2.04	1.60	2.15	43.53E
1947	2.68	4.14	6.02	2.51	4.45	7.50	8.04	6.83	12.02	3.69	0.76	0.76	59.40
1948	4.34	0.71	2.82	3.60	3.34	3.36	4.15	8.24	13.97	4.33	0.63	0.56	50.05
1949	0.62E*	0.47	0.47	4.02	2.23	8.39	6.91	15.92	10.58E*	3.43E*	0.44	1.47	54.95E
1950	0.30	0.61	1.57	2.04	3.66	3.69	3.87	9.45	3.85	7.68	1.14	0.45	38.31
1951	0.00	2.94	0.74	11.99	3.87	6.64E*	6.48	2.78	4.47	8.84E*	3.80E*	0.60E*	53.15E
1952	1.65	4.82	4.04	2.04	4.16	2.30	8.88	8.63	4.77	10.30	0.86	0.83	53.28
1953	2.05E*	2.16E*	6.06E*	3.73E*	1.59E*	6.63E*	6.15E*	10.80E*	9.37E*	10.10E*	4.06E*	1.70E*	64.40E
1954	1.15E*	1.67E*	2.02E*	4.76E*	6.92E*	10.87E*	6.46E*	5.19E*	7.49E*	4.99E*	4.03E*	1.08E*	56.63E
1955	2.14E*	1.20E*	2.51E*	2.31E*	3.12E*	7.80E*	4.14E*	4.96E*	7.26E*	4.76E*	0.32E*	3.23E*	43.75E
1956	0.49E*	1.28E*	0.47E*	0.00	3.44	7.15	5.92	6.77	6.23	11.28	0.61	0.16	43.80E
1957	0.88	2.35	5.47	6.60	4.82	4.08	9.51	8.78	9.84	3.51	1.25	3.36	60.45
1958	6.52	1.98	4.60	2.67	3.37	8.39	5.34	5.85	1.48	2.93	0.47	2.36	45.96
1959	2.68	1.62	7.41	4.90	5.92	9.42	5.37	6.11	5.51	12.06	1.55	1.34	63.89
1960	0.40	5.05	6.20	2.68	2.26	6.28	8.41	3.66	13.85	3.93	0.46E*	0.78	53.96E
1961	2.27	0.95	2.13	2.09	4.12	4.17	3.51	9.72	0.68	4.14	1.44	0.16	35.38
1962	0.53	1.52	2.83	1.55	4.38	13.92	5.55	14.04	7.83	0.34	3.43	0.36	56.28
1963	1.90	5.36	1.28	1.38	5.35	6.65	2.68	2.99	17.57	2.27	4.28	3.72	55.43
1964	1.65	3.99	1.54	3.58	4.15	2.09	5.09	9.42	8.82	2.64	0.32	3.01	46.30
1965	0.38	3.55	4.71	0.64	0.05	4.55	8.13	5.72	5.94	7.77	0.69	1.61	43.74
1966	4.34	4.10	0.85	2.01	7.37	8.24	4.59	6.95	5.71	3.29	0.82	0.39	48.66
1967	0.31	3.88	1.10	0.00	0.47E	8.98E	12.18E	5.13E	6.31E	1.30E	0.77E	2.20E	42.63E
1968	0.93	1.82	0.63	0.25	3.63	14.21	12.68	2.28	2.36	7.46	2.27	0.46	48.98
1969	2.63	1.46	7.11	3.84	4.89	2.42	3.88	10.72	4.00	11.09	2.89	2.08	57.01
1970	4.74	3.52	4.93	0.07	2.21	3.62	4.82	3.51	4.57	2.96	0.11	0.86	35.92
1971	0.11	3.38	1.62	0.53	5.28	12.60	10.44	5.14	6.90	4.27	0.41	1.40	52.08
1972	1.09	4.59	3.17	1.60	6.95	8.66	4.41	9.02	2.09	1.73	3.10	1.68	48.09
1973	4.97	2.52	2.83	2.24	6.41	10.40	13.83	6.44E	7.81	2.89	0.36E	1.70	62.40E
1974	1.02	1.83	0.08	2.50	3.63	10.63	10.54	10.90	8.09	2.46	0.78	1.48	53.94

Table 13 Continued

YEAR	RAINFALL IN INCHES - PORT DRUM												NOAA NUMBER: 3137
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1975	0.18	1.89	2.22	1.24	10.59	4.71	15.95	4.22	6.39	5.43	1.31	1.00	55.13
1976	0.35	0.62	1.08	3.03	14.52	7.05	7.39	4.44	10.16	0.65	1.48	3.49	54.26
1977	1.10	1.23	0.53	0.55	3.14	6.41	6.24	8.62	7.13	0.84	5.00	4.29	45.08
1978	1.19	2.80	3.34	0.14	6.36	12.09	9.98	5.34	7.96	1.83	2.83	3.34	57.20
1979	6.80	0.77	0.98	2.91	14.33	1.74	5.69	3.80	20.75	0.77	0.89	1.80	61.23
1980	2.52	2.92	3.89	3.36	2.76	6.13	4.38	3.18	2.92	0.79	2.66	2.02	37.53
1981	0.33	3.35	1.85	0.20	1.54	4.29	4.08	8.82	3.54	2.42	1.52	0.79	32.73
1982	1.12	2.92	6.86	5.47	5.55	8.42	8.80	9.20	5.76	2.44	2.93	1.79	61.26
1983	4.02	7.60	5.20	1.15	1.48	10.85	7.20	10.68	4.65	4.46	2.38	4.62	64.29
1984	0.45	4.24	2.41	1.78	5.23	4.53	9.35	9.08	5.63	0.57	3.81	1.52	48.60
MEAN	1.77	2.48	2.95	2.58	4.63	7.00	7.17	7.02	7.12	4.49	1.77	1.67	50.65
NORM	1.90	2.59	2.88	2.51	5.00	7.29	7.29	6.50	7.14	4.59	1.77	1.75	51.21

E - Estimated by NOAA

E* - Estimated by SJRWMD

Table 14 Monthly and Annual Rainfall Data for Fort Pierce

YEAR	RAINFALL IN INCHES -						FORT PIERCE						NOAA NUMBER: 3207		
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YRLY		
1901	4.08E	1.79	3.81	1.33	6.92	11.64	3.04	9.43	6.84	2.18	0.66	3.91	55.63E		
1902	2.99	3.72	2.95	2.00	0.62	5.92	6.74	5.11	9.47	11.37	2.42	2.26	55.57		
1903	4.78	10.19	7.53	0.00	1.77	4.93	4.60	5.82	12.93	0.00	8.36	0.60	61.51		
1904	2.74	1.81	3.27	1.92	3.24	7.39	3.27	2.98	6.42	9.75	5.40	0.08	48.27		
1905	0.60	0.00	2.43	4.95	3.25	2.62	5.51	3.71	5.61	5.72	1.46	3.41	39.27		
1906	3.07	2.85	2.55	2.07	8.26	12.05	6.04	6.70	2.61	7.34	4.27	0.21	58.02		
1907	0.40	0.22	0.68	1.19	4.77	7.98E	4.47	2.89	6.54E	3.74E	2.87	5.54	41.29E		
1908	1.10	1.28	0.33	2.92	2.44	5.93	9.10	7.51	15.44	10.05	6.45	0.45	63.00		
1909	4.63	0.17	2.60	3.60	5.93	5.77	9.49	6.25	7.39	2.25	2.93	2.20	53.21		
1910	0.57	1.18	1.28	0.28	4.15	4.60	6.28	12.60	3.02	12.79	1.08	0.20	48.03		
1911	0.68E	0.08E	1.96E	2.75	7.05	3.55	2.75	3.40	1.80	8.00	2.00	5.40	39.42E		
1912	2.80	1.40	1.80	3.40	6.30	10.20	0.75	5.42	3.95	6.10	1.60	1.90	45.62		
1913	2.50	3.40	4.90	3.00	3.58	2.62	1.09	4.69	6.22	2.47	0.36	1.50	36.33		
1914	2.86	2.95	0.62	4.53	3.29	3.05	7.17	4.28	11.13	5.93	4.18	3.44	53.43		
1915	9.36	2.24	2.74	1.36	2.25	5.41	8.81	7.91	7.44	10.88	3.35	1.89	63.64		
1916	1.78	2.05	0.60	1.84	4.04	5.75	3.53	2.98	8.06	10.34	2.94	1.19	45.10		
1917	0.90	3.23	0.19	0.44	1.18	4.66	4.79	3.18	6.65	3.37	0.49	2.65	31.73		
1918	3.51	0.69	4.38	6.74	1.35	6.30	8.21	2.74	14.22	6.02	0.89	1.31	56.36		
1919	2.16	4.30	5.64	2.15	2.94	4.18	9.43	5.33	2.82	0.60	7.32	2.14	49.01		
1920	7.38	1.97	2.13	4.22	4.50	2.83	5.91	5.32	9.67	4.09	3.50	0.78	52.30		
1921	0.43	1.99	1.56	1.36	6.26	1.96	6.90	1.63	0.75	11.31	0.98	1.02	36.15		
1922	2.19	3.19	0.60	0.65	2.54	2.94	4.34	5.88	8.44	10.46	2.10	0.67	44.00		
1923	1.28	0.30	0.79	4.84	7.72	8.40	5.39	1.09	8.50	2.93	0.46	1.12	42.82		
1924	5.16	1.47	3.63	2.22	4.42	0.69	7.38	1.41	7.19	19.31	0.38	1.28	54.54		
1925	4.99	2.15	3.31	1.75	7.16	5.21	6.44	5.49	1.91	1.79	10.65	6.77	57.62		
1926	7.48	1.84	2.40	4.75	0.72	9.52	12.74	7.74	11.07	1.88	0.71	1.03	61.88		
1927	0.65	0.86	1.56	1.21	0.92	3.00	4.93	5.13	11.81	10.22	1.95	0.56	42.80		
1928	1.04	1.27	3.56	0.25	3.88	3.98	2.84	14.22	13.28E	3.50	1.70	0.35	49.87E		
1929	1.89	0.59	2.32	1.46	11.09	6.25	5.45	3.04	6.97	8.76	1.60	2.51	51.93		
1930	1.78	5.28	5.43	7.72	7.41	11.88	2.78	3.84	7.34	4.78	2.90	3.49	64.63		
1931	3.27	0.79	3.76	11.16	1.80	1.17	6.39	3.45	6.89	6.27	1.48	1.37	47.80		
1932	1.45	1.44	3.04	1.74	4.16	12.90	1.48	6.41	5.44	4.05	6.86	0.94	49.91		
1933	1.98	1.18	4.23	9.86	1.65	5.45	2.98E*	8.87	6.27	12.97	3.62	0.75	59.81E		
1934	1.49	5.54	2.12	5.44	5.72	4.97	2.89	4.00	3.68	2.95	1.06	1.32	41.18		
1935	0.22	1.61	0.27	5.36	3.44	9.15	4.00	3.52	5.94	10.63	0.77	0.99	45.90		
1936	1.83	5.86	3.44	2.74	5.87	12.00	3.06	2.60	10.33	16.41	4.54	4.42	73.10		
1937	1.60	4.95	9.08	5.09	9.90	2.80E	3.32	4.75	7.75	12.46	6.94	0.73	69.37E		
1938	0.46	1.11	0.49	0.39	3.25	5.72	3.95	2.65	8.42	6.46	4.07	1.25	38.22		
1939	0.48	0.46	1.11	5.16	4.61	4.59	6.21	3.30	5.12	10.42	1.55	1.12	44.13		
1940	2.98	2.53	4.92	0.96	3.76	6.34	4.54	5.55	12.40	1.95	0.23	3.51	49.67		
1941	5.92	5.64	3.03	7.51E	3.02	5.73	6.89	3.74	14.19	5.80	6.30	4.32	72.09E		
1942	2.16	4.24	6.17	1.17	7.94	7.65	1.94	2.43	5.95	1.84	0.87	5.08	47.44		
1943	0.29	1.28	5.57	1.11	4.96	5.10	6.65	9.29	6.30	5.84	2.65	0.59	49.63		
1944	0.12	0.27	1.66	6.74	2.15	7.46	5.82	4.49	4.90	11.56	1.55	0.57	47.29		
1945	1.16	0.15	1.33	1.69	0.98	4.23	4.32	5.38	17.05	6.74	4.28	4.17	51.48		

Table 14 Continued

YEAR	RAINFALL IN INCHES - FORT PIERCE												NOAA NUMBER: 3207
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1946	1.20	0.77	2.32	0.42	6.75	3.71	5.23	5.53	6.23	4.75	3.13	3.01	43.05
1947	1.17	3.48	6.75	4.62	5.23	5.58	8.79	6.97	15.22	12.35	6.03	1.32	77.51
1948	5.11	0.58	2.27	5.10	4.27	3.74	5.56	6.82	14.31	4.78	1.43	1.00	54.97
1949	1.01	1.88	0.81	2.77	3.53	6.90	4.38	11.47	8.97	5.80	0.37	5.57	53.46
1950	0.54	2.05E*	4.04	3.28	3.83	3.68	4.18	12.12	8.59	6.17	2.48	0.72	51.68E
1951	0.31	3.05E*	0.76	10.25	3.84	4.02	3.11	5.21	6.93	10.73	2.94	0.84	51.99E
1952	2.45	7.08E	2.31	2.11	1.04	1.03	6.96	7.58	5.43	13.50	0.55	1.32	51.36E
1953	1.98	1.40	9.83	3.36	1.37	5.81	4.27	6.58	7.16	10.14	4.40	1.32	57.62
1954	2.32	1.60	2.13	10.82	4.91	12.48	5.92	5.81	9.50	7.46	6.08	0.60	69.63
1955	1.64	1.32	2.41	3.26	4.24	7.43	3.35	7.35	4.83	7.67	0.09	4.98	48.57
1956	0.41	2.76	0.53	2.76	2.03	1.58	5.73	4.03	7.82	10.51	0.55	0.90	39.61
1957	0.99	3.87	5.03	5.31	5.22	5.72	10.67	6.77	6.93	7.69	1.96	2.56	62.72
1958	8.39	0.88	3.49	2.00	6.88	5.70	1.79	5.70	3.15	8.94	0.81	4.07	51.80
1959	2.52	0.96	7.76	1.41	4.54	13.51	4.97	5.86	10.55	11.41	3.78	2.92	70.19
1960	0.19	6.14	3.93	5.85	4.30	6.52	6.05	7.78	16.73	4.85	0.84	1.10	64.28
1961	3.24	1.39	3.40	1.14	7.18	5.47	1.25	5.19	3.24	5.09	1.22	0.49	38.30
1962	0.64	0.71	2.82	3.19	2.20	5.11	12.65	8.46	5.19	3.63	1.68	0.28	46.56
1963	0.80	4.82	1.67	0.35	2.71	5.43	5.10	2.66	19.90	7.49	3.05	8.21	62.19
1964	2.16	6.13	1.36	5.44	3.24	2.44	7.16	9.80	6.19	9.96	0.47	1.64	55.99
1965	0.45	5.61	3.40	2.07E	0.66	5.52	5.90	1.37	3.28	7.10	1.42	1.52	38.30E
1966	3.73	7.60	2.29	3.01	6.57	11.26	4.96	2.72	6.76	4.52	2.28	1.31	57.01
1967	1.29	2.69	1.66	0.34	0.37	8.57	5.20	5.03	5.32	6.92	0.27	1.81	39.47
1968	0.48	2.08	0.87	0.87	3.80	15.84	6.61	6.91	7.87	7.06	1.97	0.13	54.49
1969	2.29	1.05	7.78	1.18	8.27	3.45	4.99	8.94	9.81	11.41	5.67	3.10	67.94
1970	3.92	2.60	7.26	0.45	7.81	3.20	3.81	4.92	12.32	9.67	1.41	1.13	58.50
1971	0.46	3.57	1.55	1.67	2.18	6.82	9.43	3.78	4.87	6.19	1.78	4.29	46.59
1972	2.37	4.55	2.69	4.31	5.21	10.11	5.33	4.60	2.04	5.37	4.03	1.77	52.38
1973	3.37	2.61	2.18	2.06	5.49	7.95	5.16	6.55	9.11	6.47	1.49	1.38	53.82
1974	2.66	0.86	0.48	2.07	4.93	8.08	12.62	4.48	6.21	3.62	2.10	1.82	49.93
1975	0.19	2.21	1.91	1.44	7.82	5.16	5.70	3.19	8.43	2.62	3.38	1.35	43.40
1976	0.40	1.52	0.72	4.51	7.74	7.70	2.68	4.44	5.45	0.66	2.87	3.47	42.16
1977	2.03	1.76	0.70	1.03	5.54	3.63	2.69	4.89	10.22	4.47	2.48	5.12	44.56
1978	3.21	2.93	2.95	1.96	5.48	5.67	9.37	5.33	4.94	8.00	2.28	7.25	59.37
1979	5.39	0.93	1.13	1.90	5.56	5.22	7.92	3.97	14.22	1.44	2.10	1.66	51.44
1980	3.12	2.79	2.15	2.90	2.54	4.65	6.59	1.31	6.30	6.94	4.78	1.97	46.04
1981	0.57	2.16	1.04	0.35	4.84	0.78	5.72	12.25	5.84	4.05	2.21	0.38	40.19
1982	1.39	3.63	7.48	4.10	12.97	8.28	5.64	5.24	4.86	2.76	8.70	1.79	66.84
1983	4.35	8.21	5.51	1.70	1.66	3.96	1.53	10.74	8.18	10.82	0.91	3.94	61.51
1984	0.94	2.77	4.05	0.76	7.85	4.15	3.80	7.41	6.93	1.34	9.33	0.86	50.19
MEAN	2.27	2.55	2.97	3.04	4.50	5.98	5.44	5.57	7.81	6.89	2.81	2.14	51.97
NORM	2.11	2.92	2.90	2.97	4.46	6.50	5.93	5.37	7.69	7.05	2.29	2.34	52.53

E - Estimated by NOAA

E* - Estimated by SJRWMD

Table 15 Monthly and Annual Rainfall Data for Gainesville

YEAR	RAINFALL IN INCHES - GAINESVILLE												NOAA NUMBER: 3321
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1897	2.05E*	8.78E*	0.96	4.89	2.18	4.41	7.18	5.99	7.29	4.31	1.08	4.35	53.47E
1898	1.07	3.49	0.83	2.85	2.06	3.28	12.71	8.21	3.47	6.27	2.93	3.31	50.48
1899	3.81	4.15	0.80E	0.14	1.75	2.43	6.89	7.69	3.98	1.76	0.57	1.15	35.12E
1900	3.98	1.85	7.85	7.83	4.05	10.12	4.15	2.33	2.66	2.39	0.69	4.34	52.24
1901	2.69	9.20	6.97	1.60	2.03	8.66	7.76	9.54	4.08	3.30	0.27	2.97	59.07
1902	0.27	3.43	4.15	1.70	1.14	8.21	4.85	2.77	10.42	3.30	4.27	7.31	51.82
1903	5.15	5.29	6.68	0.37	5.05	5.71	5.72	8.63	4.12	0.70	0.25	1.49	49.16
1904	11.79	2.83	1.35	1.83	0.88	6.08	7.33	4.29	4.95	2.77	2.63	2.32	49.05
1905	0.94	3.29	2.64	1.54	4.27	8.82	8.30	14.90	5.99	2.95	0.46	5.63	59.73
1906	3.00	1.73	1.57	0.56	6.67	10.55	10.28	4.49	2.29	1.83	0.11	0.35	43.43
1907	0.81	0.87	0.32	3.08	3.91	4.35	6.78	5.55	10.39	2.57	2.38	4.54	45.55
1908	3.28	2.95	0.16	1.66	1.78	8.95	6.28	5.31	9.62	2.38	0.65	0.10	43.12
1909	3.15	1.71	1.88	1.02	1.83	4.28	16.41	4.84	1.48	1.00	0.30	3.77	41.67
1910	1.44	2.04	2.67	1.49	1.46	11.89	6.89	9.32	1.27	6.70	2.79	0.76	48.72
1911	1.84	0.13	1.09	1.23	4.45	2.91	3.45	8.16	5.87	1.50	4.53	3.68	38.84
1912	5.38	2.47	5.99	1.42	3.25	11.63	5.98	7.71	8.72	4.14	1.33	3.02	61.04
1913	2.94	4.83	5.79	0.63	2.67	4.07	9.39	7.93	6.50	2.53	0.29	6.70	54.27
1914	5.29	3.60	3.40	1.28	0.16	4.82	7.02	3.08	7.23	3.03	1.54	5.18	45.63
1915	3.00	2.98	4.39	0.88	2.43	5.02	3.81	5.32	5.34	7.21	2.59	4.88	47.85
1916	0.61	0.22	0.82	1.20	5.15	6.15	8.00	7.12	3.69	2.04	3.95	7.25	46.20
1917	0.98	2.53	1.40	2.34	0.88	2.70	6.73	5.74	6.60	0.55	0.72	1.62	32.79
1918	2.90	0.25	1.98	5.11	2.72	4.61	4.36	10.21	5.46	3.81	3.39	3.46	48.26
1919	2.06	4.50	5.37	1.36	4.67	7.83	6.49	8.12	6.90	3.32	1.46	2.23	54.31
1920	3.19	6.61	1.01	8.24	5.52	5.99	7.00	5.73	11.36	0.34	4.86	3.86	63.71
1921	3.39	0.82	0.14	1.32	3.03	5.70	15.03	2.82	2.46	6.03	4.97	1.44	47.15
1922	3.03	3.45	3.25	2.16	7.59	3.93	5.09	6.25	4.26	7.86	0.17	4.29	51.33
1923	1.05	2.06	1.95	0.89	8.01	12.51	2.30	7.04	1.81	1.94	0.23	1.93	41.72
1924	5.53	3.56	9.97	5.15	0.84	5.66	14.45	3.20	6.50	5.53	0.39	1.18	61.96
1925	5.43	2.30	1.41	0.88	2.46	4.84	8.11	6.06	2.00	3.21	0.97	8.02	45.69
1926	5.59	1.42	4.93	4.51	1.60	8.85	7.03	7.00	5.69	0.88	4.39	1.60	53.49
1927	0.19	5.78	2.33	0.46	0.46	10.53	5.46	5.48	1.02	2.33	1.03	1.82	36.89
1928	1.26	2.73	2.91	8.52	4.50	7.64	9.23	11.91	9.38	1.41	0.22	1.03	60.74
1929	6.33	1.51	4.53	4.24	3.89	7.06	6.24	5.71	8.86	1.31	0.25	4.88	54.81
1930	3.87	3.11	6.49	2.12	4.99	12.03	3.10	3.40	8.64	1.08	1.68	4.90	55.41
1931	2.02	2.72	5.05	2.83	2.85	1.53	10.35	6.82	1.41	0.16	0.49	0.84	37.07
1932	1.41	1.90	5.26	1.61	1.21	10.00	3.89	4.78	3.44	1.15	5.89	0.37	40.91
1933	2.86	2.55	3.74	8.40	3.71	1.62	6.27	7.57	8.21	3.24	0.59	0.56	49.32
1934	0.44	4.65	2.58	6.03	6.52	8.57	6.33	5.01	1.68	5.75	0.52	0.86	48.94

Table 15 Continued

YEAR	RAINFALL IN INCHES - GAINESVILLE												NOAA NUMBER: 3321
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1935	1.74	2.05	0.69	2.72	2.67	5.83	11.18	12.15	11.03	0.40	0.67	1.97	53.10
1936	3.97	7.88	2.78	0.46	3.09	7.21	7.00	5.11	1.08	8.13	0.10	2.63	49.44
1937	3.32	4.60	3.03	5.81	2.68	2.74	4.72	13.92	4.49	4.40	3.88	1.76	55.35
1938	1.90	2.24	1.38	0.68	5.34	9.63	5.11	5.95	4.61	9.19	0.74	0.53	47.30
1939	1.84	5.70	1.00	4.51	3.77	10.45	6.67	7.28	2.15	1.51	1.65	3.33	49.86
1940	2.65	4.17	2.89	6.91	3.34	5.77	5.86	5.47	2.70	0.09	0.32	8.72	48.89
1941	3.51	3.26	2.27	3.71	1.77	10.57	5.76	6.12	3.15	5.88	2.90	6.24	55.14
1942	4.09	4.54	7.25	0.52	0.54	9.31	2.79	5.08	5.88	2.21	0.39	4.70	47.30
1943	1.45	0.12	2.77	2.55	4.94	5.53	6.50	8.07	5.41	0.26	0.40	2.43	40.43
1944	4.02	1.59	8.57	6.44	1.80	2.22	9.32	7.16	2.66	10.00	0.31	1.13	55.22
1945	2.25	1.63	0.00	4.28	2.72	5.42	9.52	15.15	4.26	1.39	2.00	9.22	57.84
1946	1.95	2.74	2.26	1.70	7.00	11.58	10.25	5.67	4.13	4.57	1.28	0.19	53.32
1947	1.40	4.67	8.75	1.70	4.16	5.52	9.98	5.26	9.84	7.20	3.28	2.00	63.76
1948	6.19	1.83	8.51	2.06	2.99	3.31	7.94	9.82	3.35	5.96	1.20	3.10	56.26
1949	1.16	5.94	2.45	8.95	0.49	7.57	9.95	14.43	6.72	1.09	4.17	0.26	63.18
1950	0.11	0.54	4.75	2.16	0.92	2.80	12.63	1.45	11.99	6.35	0.24	2.79	46.73
1951	1.07	1.05	5.00	2.16	2.31	3.95	9.73	10.99	7.46	3.22	6.48	2.55	55.97
1952	1.04	7.32	2.33	3.20	4.44	3.31	3.85	3.99	4.66	4.73	0.88	2.39	42.14
1953	4.60	1.05	3.87	8.43	2.29	12.35	6.71	12.78	6.18	3.19	2.60	7.62	71.67
1954	1.12	1.64	2.58	3.05	3.54	3.81	3.75	5.02	4.79	2.70	1.44	1.80	35.24
1955	3.60	3.14	1.66	1.21	1.88	7.83	10.51	4.71	4.40	1.15	2.54	0.09	42.72
1956	3.14	4.19	0.84	2.78	4.51	9.67	7.24	6.81	3.05	5.57	0.16	0.02	47.98
1957	0.59	2.37	5.12	3.94	6.69	7.51	8.72	10.33	6.50	1.94	2.12	0.87	56.70
1958	4.10	3.80	7.15	5.68	5.54	4.91	7.62	8.98	1.56	3.91	3.36	3.25	59.86
1959	3.72	4.37	10.48	4.12	9.25	4.44	4.00	7.33	5.25	5.65	1.69	0.84	61.14
1960	2.51	3.76	7.48	2.73	1.37	12.80	9.40	7.63	6.38	6.12	0.12	2.64	62.94
1961	2.50	6.15	1.27	3.54	1.07	4.14	9.10	12.83	3.15	0.77	2.35	0.88	47.75
1962	1.66	1.87	2.30	1.79	2.19	8.35	7.04	8.62	6.00	3.28	1.92	1.69	46.71
1963	2.21	4.52	2.56	1.30	3.51	3.57	6.83	3.21	3.14	0.26	3.25	2.91	37.27
1964	8.87	6.61	1.87	4.23	1.61	4.86	10.59	14.15	13.04	2.15	2.40	6.57	76.95
1965	2.51	5.80	4.82	1.78	2.21	15.74	10.86	7.62	5.16	1.54	1.55	4.41	64.00
1966	3.58	6.18	1.93	1.85	8.92	7.26	4.46	5.11	12.25	1.44	0.59	1.13	54.70
1967	3.55	5.52	1.33	0.39	4.35	9.31	10.16	7.74	3.03	0.29	0.99	5.88	52.54
1968	0.67	2.36	2.23	0.18	3.15	5.95	9.45	12.27	5.21	4.25	3.09	1.02	49.83
1969	1.51	4.59	5.42	0.91	2.97	2.77	6.55	8.48	9.64	1.27	3.70	5.74	53.55
1970	4.32	7.92	7.55	2.98	6.93	6.53	7.36	10.80	1.87	1.97	0.15	2.15	60.53
1971	3.00	3.85	2.08	2.99	3.75	3.59	5.47	12.73	3.10	4.46	2.22	3.10	50.34
1972	4.98	3.31	7.51	2.89	9.19	10.22	3.16	12.99	1.12	0.99	7.27	4.15	67.78

Table 15 Continued

YEAR	RAINFALL IN INCHES - GAINESVILLE												NOAA NUMBER: 3321
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1973	4.16	4.33	6.14	5.74	3.97	6.72	6.29	2.93	3.84	0.51	0.84	5.13	50.60
1974	0.25	2.58	2.39	1.17	5.68	10.05	7.95	7.20	7.27	0.91	1.03	4.03	50.51
1975	3.11	4.25	0.99	2.21	5.01	4.87	6.45	4.41	12.55	3.01	1.05	3.69	51.60
1976	1.20	1.49	1.46	3.19	6.65	11.37	4.59	2.84	5.36	2.21	2.78	4.97	48.11
1977	3.35	4.16	1.22	0.83	0.46	2.26	1.44	7.10	5.72	0.13	1.95	4.94	33.56
1978	6.20	4.98	4.52	0.64	3.45	3.90	10.36	9.64	0.25	0.47	0.00	4.79	49.20
1979	8.69	2.34	1.17	8.18	3.36	4.55	4.39	7.39	12.23	0.11	1.32	6.09	59.82
1980	6.20	1.88	2.97	4.18	5.08	2.29	8.66	3.18	3.71	1.70	1.43	0.28	41.56
1981	1.20	6.21	3.54	0.40	0.83	6.79	2.91	4.98	1.10	0.81	4.20	2.97	35.94
1982	5.21	5.00	5.42	8.73	3.11	8.74	6.76	6.18	7.10	1.21	1.65	1.47	60.58
1983	2.89	5.29	7.19	7.26	4.20	10.04	4.18	1.64	10.95	1.36	4.44	5.91	65.35
1984	1.19	4.76	3.24	3.26	6.92	2.88	6.15	3.36	2.40	1.79	2.86	0.44	39.25
MEAN	3.00	3.53	3.54	3.03	3.54	6.67	7.21	7.16	5.43	2.91	1.86	3.13	51.01
NORM	3.27	3.91	3.61	2.94	4.18	6.63	7.09	7.99	5.60	2.33	2.04	3.19	52.78

E - Estimated by NOAA

E* - Estimated by SJRWMD

Table 16 Monthly and Annual Rainfall Data for Glen St. Mary

YEAR	RAINFALL IN INCHES - GLEN ST MARY												NOAA NUMBER: 3470
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1896	2.10E	2.86	3.68	0.37	3.22	10.12	6.25	7.62	0.70	3.35	3.69	2.50	46.46E
1897	1.28	11.06	2.47	4.51	1.20	7.53	6.49	12.11	9.35	5.26	1.47	3.25	65.98
1898	0.46	3.12	1.49	1.74	1.86	5.57	15.79	7.43	3.65	3.51	1.87	5.23	51.72
1899	4.59	3.89	1.71	4.23	4.03	4.91	7.00	5.18	2.94	2.49	0.00E	1.05	42.02E
1900	2.66	5.28	12.37	8.15	0.68	5.32	11.99	1.75	2.22	3.07	2.09	4.23	59.81
1901	3.30E	6.67	7.87	1.70	5.33	8.61	4.95E	10.96	7.88	1.75	0.66	3.72	63.40E
1902	0.41	3.93	7.98	1.35	1.50	5.23	4.50	4.79	6.92	3.69	3.36	5.30	48.96
1903	6.31	5.59	4.43	1.45	10.95	5.57	9.27	7.07	4.31	1.70	1.05	1.39	59.09
1904	6.35	2.51	0.97	1.08	1.34	2.86	9.09	5.60	6.16	3.91	3.00	1.36	44.23
1905	2.07	5.35E	5.50E	3.09	5.24	4.36	3.24	12.48	6.54	1.27	0.85	6.28	56.27E
1906	4.42	3.32	2.36	0.13	13.38	4.51	9.59	5.77	3.60	1.37	0.00	1.18	49.63
1907	0.36	1.13	0.73	6.70	7.47	3.26	4.12	5.18	8.38	1.97	1.35E	4.17	44.82E
1908	3.03	2.65	0.61	1.85	3.53	5.35	7.37	1.11	7.44	2.69	0.31	1.91	37.85
1909	0.34	1.99	6.44	1.72	3.21	7.29	11.75E	6.96	1.63	0.00	0.88	3.02	45.23E
1910	0.91	3.19	1.63	1.58	1.72	7.71	9.95	9.75	0.63	5.71	1.45E	0.34	44.57E
1911	0.92	0.15	1.40	0.55	7.29	4.25E	6.82	17.73	4.55	4.09	3.59	4.35	55.69E
1912	2.03	3.80	1.78	10.41	2.28	7.64	6.15	3.00	6.67	5.66	0.58	2.36	52.36
1913	2.15	6.37	6.59	1.67	2.54	4.10	4.00	6.15	3.62	0.61	2.00	5.89	45.69
1914	5.97	6.85E	2.07	2.23	1.04	5.38	5.30	4.22	11.82	2.10	1.64	5.85	54.47E
1915	4.60E	2.70E	3.20E	0.36	4.95	2.39	3.19	9.66	3.05	6.52	1.80	3.06	45.48E
1916	1.14	1.14	1.16	1.18	4.46	5.13	6.65	3.48	1.50	5.58	2.44	8.24	42.10
1917	0.09	2.12	2.51	1.17	3.08	7.36	3.60	6.25E	4.45	0.20	0.60	2.60E	34.03E
1918	4.89	0.41	2.61	8.43	1.65	5.50E	6.10	8.55	5.26	4.29	3.40E	2.80E	53.89E
1919	2.12	5.24	4.90	1.85	5.97E	11.27	9.19E*	6.83E*	4.10E*	1.64E*	2.22E*	4.50E*	59.83E
1920	1.14	6.80	0.85	5.25	4.65	6.34	7.80	5.95	10.20	0.25	3.75	3.60	56.58
1921	3.93	1.45	0.62	2.11	4.65	1.66	8.30	5.60	0.25	5.20	1.18	1.15	36.10
1922	2.93	5.18	2.90	0.35	7.90	4.39	3.45	10.29	5.60E	10.77	0.00	2.87	56.63E
1923	2.05	2.50	1.10	1.53	8.20E	7.10E	9.54	4.73	3.46	1.74	0.41	1.38	43.74E
1924	5.16	4.02	12.21	2.46	1.52	5.47	10.21	4.19	7.16	4.79	1.24	2.06	60.49
1925	4.26	1.20	1.23	0.70	4.41	6.80E	4.63	7.41	0.94	3.80	1.10	6.62	43.10E
1926	5.01	1.84	2.65	3.09	1.70	9.20E	11.60E	5.80E	7.10E	1.77	5.35	1.45E	56.56E
1927	0.40	6.22	2.93	1.33	0.20	7.69	8.76	8.72	1.90E	1.50	0.68	2.24	42.57E
1928	0.41	4.90	5.40E	10.20E	5.40E	5.41	8.24	5.67	13.21	1.88	0.95	2.02	63.69E
1929	4.55	2.68	3.77	7.05	6.19	6.84	7.70	6.00	10.00	2.04	1.12	3.74	61.68
1930	4.82	1.36	12.03	2.30	2.01	14.90	3.93	3.74	6.33	1.21	2.77	3.90	59.30
1931	3.88	2.27	5.03	1.95	4.98	2.49	7.81	4.77	1.06	0.24	0.39	1.42	36.29
1932	1.47	1.72	5.99	0.93	1.31	13.74	7.02	7.18	6.65	2.44	5.40	0.73	54.58
1933	2.78	2.95	6.64	6.11	0.55	8.84	8.03	5.24	6.87	2.14	0.33	0.82	51.30

Table 16 Continued

YEAR	RAINFALL IN INCHES - GLEN ST MARY												NOAA NUMBER: 3470
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1934	0.71	2.72	3.00	2.56	4.93	17.42	6.95	5.15	0.91	4.25	0.52	1.39	50.51
1935	2.22	2.61	1.34	2.13	4.36	5.14	12.93	5.10	8.81	0.22	0.53	2.29	47.68
1936	5.10	6.31	3.61	2.07	2.74	11.01	4.86	4.60	2.53	8.54	0.00	2.69	54.06
1937	3.77	6.25	2.72	5.78	1.39	5.29	10.19	5.38	10.85	5.15	3.89	1.15	61.81
1938	3.89	2.48	1.64	1.20	4.41	10.08	6.02	7.74	4.64	8.22	0.31	1.56	52.19
1939	1.87	2.39	1.25	4.11	1.59	7.53	9.12	7.62	3.89	0.88	2.74	2.46	45.45
1940	2.74	3.84	2.01	3.11	2.02	8.06	10.06	5.41	2.57	0.23	0.44	8.09	48.58
1941	1.92	3.85	2.02	1.56	1.19	7.29	5.24	2.19	3.69	8.61	3.22	10.59	51.37
1942	3.66	6.19	6.39	0.52	1.80	9.02	5.66	6.40	3.70	0.87	0.52	2.38	47.11
1943	2.00	0.43	3.33	1.45	3.95	6.82	8.41	5.98	3.50	0.03	0.65	2.36	38.91
1944	3.93	2.16	8.53	2.52	3.12	3.28	16.03	13.11	6.16	10.05	2.30	0.47	71.66
1945	5.58	1.68	0.20	3.00	0.73	5.30	18.05	11.97	5.71	2.72	0.59	9.03	64.56
1946	2.69	1.49	3.52	2.54	6.79	8.85	6.92	5.64	9.31	4.82	1.32	0.38	54.27
1947	2.41	5.05	5.99	2.50	5.21	2.71	9.31	5.65	13.05	13.41	9.91	6.72	81.92
1948	6.16	4.98	14.69	4.59	0.57	4.58	11.97	11.07	2.79	6.17	2.98	4.53	75.08
1949	1.36	7.37	1.09	4.32	3.23	6.84	5.78	12.85	6.55	4.23	4.27	0.98	58.87
1950	0.05	1.30	4.61	1.61	4.44	7.81	11.51	3.44	14.56	11.01	0.38	1.93	62.65
1951	0.61	1.53	3.20	1.57	2.10	2.98	2.74	7.74	5.52	1.47	3.49	3.06	36.01
1952	1.29	6.04	3.18	2.93	6.25	2.27	7.70	3.42	6.20	2.11	0.77	0.99	43.15
1953	3.46	3.86	2.08	8.79	0.39	7.48	7.50	13.60	8.99	2.78	3.21	8.82	70.96
1954	1.40	2.04	2.44	5.13	2.03	0.84	5.73	3.41E	6.00	1.73	0.54	3.06	34.35E
1955	3.66	2.39	1.40	1.20	2.85	4.36	11.11	4.56	9.31	2.49	1.19	0.50	45.02
1956	2.90	3.33	1.23	2.68	5.68	7.69	4.74	1.91	5.82	8.18	0.81	0.50	45.47
1957	0.59	2.02	4.71	3.66	13.81	11.32	8.99	7.49	5.35	1.57	3.26	1.35	64.12
1958	4.04	4.28	5.19	7.82	4.24	9.40	7.58	7.88	1.66	3.60	2.70	3.24	61.63
1959	5.86	5.13	9.81	3.05	10.82	6.25	10.18	5.12	9.25	5.46	2.98	1.24	75.15
1960	2.82	6.62E	7.92	4.10	1.27	4.13	11.52	6.02	11.60	2.33	0.12	1.91	60.36E
1961	3.51	4.30	1.29	5.84	2.98	6.48	8.85	13.01	4.57	0.31	1.93	0.69	53.76
1962	2.17	0.81	4.04	2.50	1.53	9.20	8.44	7.88	3.48	2.00	2.14	3.29	47.48
1963	6.62	5.72	3.48	1.25	3.22	14.16	8.92	7.31	12.20	0.19	2.85	2.85	68.77
1964	7.22E	6.80	1.72	5.18	8.51	2.31	15.72	7.32	16.79	1.98	2.30	9.10	84.95E
1965	1.16	5.15	4.20	0.91	1.52	11.52	7.99E	9.96	7.42	3.13	2.87	5.70	61.53E
1966	6.31	6.70	4.57	2.10	8.37	4.63	8.43	6.25	6.45	3.62	0.33	2.65	60.41
1967	3.57	5.27	1.52	0.14	2.99	7.89	6.56	11.10E	1.80E	0.88E	0.74	6.31	48.77E
1968	0.98	2.82E	1.37E	0.81E	4.73E	8.75	7.73	15.60E	7.17	1.96	2.08	1.56	55.56E
1969	2.15	4.45	5.20	1.33	5.37	4.93	7.72	7.83	8.72	3.92	8.06	5.98	65.66
1970	5.01	7.39	10.40	2.50	4.24	4.56	7.54	13.39	4.81	2.05	0.70E	1.81	64.40E
1971	4.98	2.56	3.60	1.98	4.33	13.21	8.14E	12.19	0.45	2.98	1.27	7.37	63.06E

Table 16 Continued

YEAR	RAINFALL IN INCHES - GLEN ST MARY												NOAA NUMBER: 3470
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1972	6.51	3.77	5.37E	2.48	6.41	9.79	3.73	10.39	0.24	1.72	4.92	2.61	57.94E
1973	4.60	3.80	6.12	6.91E	4.77	7.69E	4.80	5.59	4.07	0.43	0.75	5.19	54.72E
1974	1.08E	1.29	4.81E	1.70E	6.09E	6.22	7.14E	11.36	8.04	0.32	0.67	2.78	51.50E
1975	4.38	2.83	2.30	6.94	7.12	4.87	8.93	7.95	8.16	1.86	0.66	1.79	57.79
1976	2.45	1.31	3.65	4.00	10.49	4.36	5.36	7.53	6.63	1.93	3.43	4.98	56.12
1977	4.19	5.52	2.53	1.05E	4.16	5.95	8.76	6.77	9.87	1.03E	3.21E	3.32	56.36E
1978	5.10	3.53	2.83E	2.64	8.87	2.32	7.38	6.85	0.49	0.80	0.09	2.96	43.86E
1979	5.85	1.82	1.35	4.96	4.47	4.63	9.84	6.16E	11.52	0.78	3.31	2.67	57.36E
1980	3.03	2.97	6.83E	0.00	3.02E	3.61	6.47	2.86	2.95	3.29	2.25	0.49	37.77E
1981	0.89	6.55	4.82	1.70	1.10	9.30	4.95	13.11	1.51	0.70	3.06	4.11	51.80
1982	2.14	2.01	4.49	5.64	3.63	5.09	5.47	4.06	4.10	2.12E *	0.24	2.30E *	41.29E
1983	5.20	4.39	8.21	4.66	2.88	4.89	6.15	4.37E *	7.17E *	2.45	3.74	9.71	63.82E
1984	1.83	4.51	7.61	5.79	4.35	5.78	6.40	6.28	8.34	1.76	4.10	0.26	57.01
MEAN	3.07	3.72	4.04	3.06	4.14	6.61	7.84	7.20	5.82	3.10	1.96	3.29	53.85
NORM	3.58	3.87	3.94	3.20	5.09	6.46	7.87	7.95	6.52	2.23	2.12	3.29	56.12

E - Estimated by NOAA

E* - Estimated by SJRWMD

Table 17 Monthly and Annual Rainfall Data for Hart Lake

YEAR	RAINFALL IN INCHES - HART LAKE												NOAA NUMBER: 3840
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1943	1.64	0.59	4.32	1.83	9.40	7.71	9.11	8.53	8.20	1.21	0.00	0.85	53.39
1944	1.12	0.10	6.66	1.97	0.00	8.90	7.33	7.94	9.29	5.54	0.91	0.16	49.92
1945	3.46	0.20	0.64	1.44	1.74	17.65	9.50	5.64	11.16	3.41	0.85	0.00	55.69
1946	1.33	0.00	1.14	0.89	3.25	0.00	7.62	6.88	5.13	2.32	0.60	0.04	29.20
1947	2.53	4.55	4.24	5.52	5.38	9.90	10.34	4.09	6.37	3.04	2.10	1.30	59.36
1948	6.37	0.52	3.74	1.15	0.55	6.36	9.70	10.87	12.62	3.24	0.83	1.23	57.18
1949	0.25	0.24	1.09	4.97	0.76	9.18	10.77	10.88	10.33	3.07	2.07	5.79	59.40
1950	0.23	0.63	3.78	5.49	2.77	4.17	5.36	5.96	6.79	7.61	0.33	4.41	47.53
1951	0.50	2.79	0.92	3.73E	2.74	7.01	12.37	6.99	7.11	3.08	5.67	1.68	54.59E
1952	0.72	4.62	4.50	2.34	5.84	2.69	4.76	7.94	3.90	2.08	2.00	1.32	42.71
1953	1.59	2.62	4.65	9.64	1.07	6.66	5.67	12.64	14.21	4.30	4.89	3.84	71.78
1954	0.85	1.25	1.91E	4.64	3.77	11.93	10.19	6.22	4.07	4.31	2.34	1.40	52.88E
1955	1.68	1.66	1.77	2.26	2.71	3.73	5.17	3.12	4.98	2.11	2.01	1.28	32.48
1956	2.52	0.70	0.04	2.42	1.36	7.20	6.22	7.24	8.52	14.51	0.25	0.40	51.38
1957	1.13	3.48	3.30	5.85	6.10	4.64	5.81	7.36	9.15	3.14	0.34	3.60	53.90
1958	5.89	3.59	6.78	4.87	3.34	5.33	5.76	4.56	4.14	2.32	1.89	2.94	51.41
1959	3.88	1.96	9.33	5.39	5.79	8.50	10.47	8.17	13.50	6.58	0.58	1.70	75.85
1960	1.11	3.10	14.03	1.50	2.05	9.49	14.11	5.60	16.82	3.50	0.41	1.01	72.73
1961	2.12	1.89	2.18	1.04	2.38	3.77	2.94	9.90	3.18	2.02	1.45	0.76	33.63
1962	1.58	2.16	3.18	0.78	1.84	6.61	8.18	7.30	7.25	1.05	2.74	0.50	43.17
1963	2.61	5.82	2.45	0.24	3.22	5.16	6.28	3.53	4.81	0.42	9.96	2.29	46.79
1964	4.04	3.83	3.12	1.03	2.04	3.04	7.05	10.15	6.59	1.86	0.27	0.90	43.92
1965	1.84	4.87	3.34	0.31	1.09	5.95	10.68	6.07	5.61	4.84	1.54	2.66	48.80
1966	4.77	5.98	2.89	1.64	7.29	7.55	4.87	8.61	10.13	1.41	0.51	1.39	57.04
1967	0.87	4.21	0.89	0.49	1.65	8.22	12.61	7.10	4.56	0.38	0.06	3.06	44.10
1968	0.25	3.16	1.96	0.78	6.02	19.04	8.20E	6.42E	5.37	4.25	2.42	0.41	58.28E
1969	3.97	2.12	5.80	2.65	3.72	4.10	6.63	10.41	7.91	5.91	1.86	5.60	60.68
1970	3.07	2.85	3.98	0.90	2.21	6.50	5.30	3.67	2.43	3.27	0.24	1.62	36.04
1971	1.22	3.88	2.43	1.62	4.60	6.87	5.82	3.47	4.24	7.13	0.82	1.48	43.58
1972	1.52	3.90	4.26	1.06	3.09	5.66	3.20	5.74	0.81	4.68	2.89	2.33	39.14
1973	4.99	2.96	3.37	1.88E	2.80	6.73	3.12	4.75	9.32	1.52	0.14	2.20	43.78E
1974	0.03	1.12	1.90	0.68	5.39	15.73	10.37	5.30E	7.11	0.39	0.50E	1.64	50.16E
1975	1.22	0.96	0.72	1.33	3.46	7.82	12.73	6.63	5.21	4.06	0.95	0.57	45.66
1976	0.22	0.64	2.02	2.21	7.65	10.31	5.77	7.33	4.01	1.30	1.83	3.37	46.66
1977	2.11	1.87	1.20	0.20	1.62	5.37	8.01	6.31	9.63	2.58	1.74	3.53	44.11
1978	2.45	4.28	1.48	0.35	3.62	7.24	13.57	2.61	5.11	2.30	0.52	3.80	47.33
MEAN	2.10	2.47	3.33	2.36	3.40	7.41	7.93	6.83	7.21	3.46	1.63	1.97	50.10

E - Estimated by NOAA

Table 18 Monthly and Annual Rainfall Data for High Springs

YEAR	RAINFALL IN INCHES - HIGH SPRGS												NOAA NUMBER: 3956
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1945	6.17	0.89	0.01	5.66	0.48	5.79	6.37	10.67	5.74	2.11	1.48	8.69	54.06
1946	2.62	2.55	3.59	1.79	8.00	9.90	10.82	4.63	3.06	3.57	0.78E *	0.39E *	51.70E
1947	1.83	4.41	4.43	2.15	4.67	4.97E	6.90	3.56	12.34	7.69	4.71	2.79	60.45E
1948	4.45	2.09	12.23	3.21	2.17	5.76	7.37	8.36	6.39	5.58	2.48	5.55	65.64
1949	1.42	4.25	3.25	4.31	1.65	6.94	6.96	15.87	2.63	3.72	4.97	0.35	56.32
1950	0.11	1.35	4.41	1.64	3.52	4.45	9.64	6.30	14.49	9.00	0.32	3.12	58.35
1951	0.87E *	1.70	4.54	3.79	2.13	7.23	7.08	3.20	5.61	0.98	4.04	2.63	43.80E
1952	1.08	7.07	3.00	3.45	2.37	3.05	2.55	7.54	6.20	4.22	1.07	0.60	42.20
1953	3.51	1.32	3.54	6.37	0.07	10.37	5.86	10.96	6.78	2.78	2.61	8.17	62.34
1954	0.94	1.81	3.13	4.08	0.55	2.79	6.37	5.13	11.85	2.45	0.61	1.42	41.13
1955	4.20	4.00	1.53	1.56	2.31	4.99	3.65	5.36	1.75	1.74	1.57	0.24	32.90
1956	3.35	2.82	0.76	3.08	4.58	8.32	6.79	5.28	4.43	4.66	0.13	0.08	44.28
1957	0.27	2.13	4.40	5.30	4.35	11.30	4.32	8.35	8.46	3.01	1.96	1.41	55.26
1958	4.15	4.17	6.71	3.73	4.02	7.92	4.68	7.00	0.84	2.21	3.35	3.02	51.80
1959	4.22	5.66	9.26	3.84	13.70	3.29	6.42	4.70	4.14	6.03	2.05	0.83	64.14
1960	2.55	4.97	7.68	3.07	1.77	10.96	8.74	8.24	7.00	3.82	0.00	2.03	60.83
1961	5.34	4.43	2.09	3.93	2.06	7.64	8.82	10.52	1.68	0.92	4.10	0.68	52.21
1962	1.04E	0.93E	3.92	3.06	3.17	10.58	5.74E	5.59	5.55	1.11	3.15	1.29	45.13E
1963	1.05	3.78	3.12	0.65	3.90	3.37E	6.35	6.08	4.04	0.73	6.00	2.82E	41.89E
1964	5.94	4.62	2.48	5.33	1.65	2.62	9.14	7.35	10.48	1.99	1.86	10.79	64.25
1965	1.12	6.83	5.23	1.76	1.06	12.29	8.59	8.66	7.02	1.16	1.88	3.94	59.54
1966	2.76	7.36	1.78	1.41	10.76	6.13	7.32	7.48	8.01	1.51	0.40	1.26	56.18
1967	3.50	6.52	0.84	0.33	3.51	5.15	6.43	7.57	2.10	0.10	0.82	8.55	45.42
1968	1.24	1.37	2.27	0.40	2.76	2.78	10.84	12.14	2.19	2.12	2.87	1.16	42.14
1969	1.15	4.83	4.96	0.20	2.78	7.28	8.22	6.11	4.39	3.14	4.07	4.87	52.00
1970	3.59	3.68	6.91	1.88	4.71	5.40	3.99	16.28	2.43	4.27	0.26	1.08	54.48
1971	4.25	3.43	2.14	1.79	1.70	8.60	11.70	18.68	0.31	7.29	1.77	3.49	65.15
1972	4.60	3.76	5.32	2.59	5.44	5.25	3.39	11.27	0.59	0.58	5.30E	2.07	50.16E
1973	4.49	3.55	7.96	6.05	4.78	3.88	6.62	5.44	3.23	0.53	0.22	4.65E	51.40E
1974	0.99E *	1.98E *	3.42E *	1.68E *	4.94E *	7.89E *	7.19	8.78	5.21E	0.21	1.12	3.54	46.95E
1975	3.91	3.95	2.32	4.71	5.08	4.41	15.28	4.33	9.01	4.08	1.02	3.15	61.25
1976	1.85	2.00	1.73	2.47	8.73	6.37	4.31	6.46	4.48	1.39	2.83	4.33	46.95
1977	3.18	4.06	1.45	1.39	2.57	6.91	3.32	9.94	3.86	0.16	1.76	6.38	44.98
1978	4.99	5.17	3.84	1.90	6.84	6.31	13.93	6.64	0.50	1.21	0.00	4.17	55.50
1979	11.36	2.71	0.80	6.79	10.31	5.68	8.96	9.22	8.48	0.10	2.65	3.98	71.04
1980	5.81	1.13	5.24	4.53	6.15	3.00E	11.20	6.65	1.91	2.47	2.71	0.51	51.31E
1981	0.93	10.67	6.44	0.20	0.93	2.97	5.76	8.31	2.25	0.96	3.22	2.00	44.64
1982	4.42	3.49	6.30	7.09	2.39	15.96	9.53	6.90	6.28	0.78	0.82	3.31	67.27
1983	2.97	4.31	5.68	6.23	0.24	5.52	4.81	5.11	3.52	2.94	4.36	5.29	50.98
1984	2.51	4.48	4.04	4.31	6.86	7.69	7.89	3.24	3.71	2.25	2.67	1.30	50.95
MEAN	3.12	3.76	4.07	3.19	3.99	6.54	7.35	7.85	5.07	2.64	2.20	3.15	52.93
NORM	3.24	3.72	3.75	3.04	4.29	6.39	7.26	8.03	4.75	2.23	2.07	3.10	51.87

E - Estimated by NOAA

E* - Estimated by SJRWMD

Table 19 Monthly and Annual Rainfall Data for Hilliard

YEAR	RAINFALL IN INCHES - HILLIARD, FL. - FOLKSTON 3SW, GA.												NOAA NUMBER: 3978 - 3460
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1909	0.74	4.03	3.12	1.11	5.61	7.63	10.40	5.78	2.17	0.40	1.42	0.14	42.55
1910	0.12	2.00	2.20	0.95	2.55	11.02	5.65	13.57	1.16	7.81	2.70	0.75	50.48
1911	0.87	0.30	4.82	1.78	3.70	4.53	5.09	17.39	2.85	6.98	3.15	5.00	56.46
1912	3.86	3.11	4.76	3.12	4.25	5.44	7.90	5.28	11.86	4.10	1.00	2.42	57.10
1913	2.25	4.50	4.01	0.43	1.26	6.88	6.77	6.25	2.90	1.30	0.68	3.71	40.94
1914	4.64	8.13	2.52	0.55	0.20	3.53	6.88	7.71	6.00	3.73	3.23	4.05	51.17
1915	4.50E	2.90E	3.30E	1.14	9.29	3.17	5.73	8.95	5.47	6.54	1.17	3.24	55.40E
1916	1.45	0.85	0.77	1.41	3.73	4.83	7.82	4.38	2.08	2.99	1.42	8.06	39.79
1917	1.09	2.18	3.36	1.94	4.47	6.29	7.64	9.76	2.90	0.10	0.36	1.32	41.41
1918	2.83	0.63	2.12	6.04	1.93	4.51	4.44	5.93	6.88	3.98	4.12	4.13	47.54
1919	2.52	4.24	4.47	1.57	8.16	9.16	13.58	9.68	4.71	2.27	1.05	2.82	64.23
1920	1.34	7.69	1.96	8.73	4.63	4.98	8.18	8.06	10.23	0.26	3.89	4.88	64.83
1921	2.59	1.52	0.69	1.65	4.45	6.09	9.87	3.47	1.72	3.75	2.38	2.49	40.67
1922	3.39	3.37	3.35	0.53	11.28	5.39	5.15	13.89	2.20E	6.31	1.72	1.90E	58.48E
1923	0.65E	1.15E	5.20E	2.57	8.15	3.75	10.13	8.02	4.69	1.18	0.34	1.47	47.30E
1924	1.68	1.87	9.72	4.11	1.24	6.00	11.57	2.51	7.52	5.58	1.75	2.33	55.88
1925	4.37	5.00	0.63	1.22	1.45	6.43	6.08	12.08	1.84	5.15	1.28	9.65	55.18
1926	4.29	2.68	4.15	2.29	1.50	4.48	12.30	5.49	6.81	2.45	4.11	1.60	52.15
1927	0.72	5.42	3.48	0.35	0.38	9.88	12.69	6.42	1.95	1.51	0.00	0.87	43.67
1928	0.42	3.91	5.90E	13.75	2.75	7.67	17.44	6.15	15.00E	1.94	0.20E	1.50E	76.63E
1929	5.12	3.50	4.52	4.22	5.29	6.04	13.25	6.51	8.22	3.63	0.85	3.50E	64.65E
1930	5.29	1.65	8.95	4.70	1.17	12.54	5.38	4.23	4.86	0.79	3.70	2.77	56.03
1931	2.51	2.10	4.50	2.06	4.46	3.20	4.85	5.97	0.57	0.18	0.94	0.49	31.83
1932	1.37	1.38	5.07	0.80	2.82	9.72	10.21	8.45	9.81	3.52	3.85	0.50	57.50
1933	3.00	4.20	4.05	3.98	2.20	3.10	9.45	3.68	3.90	3.87	0.78E*	0.76E*	42.97E
1934	1.35	2.42	2.05	1.95	7.02	8.18	5.25	4.67	1.45	3.40	0.43E*	1.29E*	39.46E
1935	2.50	2.57	1.80	2.87	1.85	2.80	5.60	6.20	5.23	0.45	0.39	2.10	34.36
1936	3.09E*	5.54E*	2.10	1.50E*	2.20E*	7.26E*	6.14E*	5.23E*	1.97E*	8.21	0.65	3.01	46.90E
1937	3.52E*	4.74E*	2.89E*	4.90E*	1.12E*	6.41E*	8.84E*	7.25E*	11.23	5.24	3.51E*	1.03E*	60.68E
1938	3.89E*	1.97E*	1.95	2.65	4.00	6.90	8.52	4.43	4.35	9.75	0.65	1.31E*	50.37E
1939	1.64E*	2.62E*	1.78E*	4.22E*	2.74E*	5.96E*	6.07E*	5.59E*	6.51E*	0.72	1.15	2.16E*	41.16E
1940	2.87E*	4.03E*	1.58	3.55	2.34E*	7.51E*	9.27E*	10.34	3.37	0.40	1.14	6.18	52.58E
1941	1.61	2.63	2.26E*	1.63E*	1.05	9.56	6.76E*	4.12E*	7.88E*	5.64	1.59	5.70	50.43E
1942	4.77	6.90	4.03	0.35	1.57	11.62	5.47	7.32	8.07	0.03	0.37	2.62	53.12
1943	1.79E*	0.05	4.49	1.51	1.69	3.68	8.77	7.52	5.79E*	0.35E*	1.27	2.25	39.16E
1944	4.09	2.28	6.15	5.32	2.21E*	5.63E*	5.85	12.82	6.39	9.84	1.65E*	0.36E*	62.59E
1945	5.02E*	0.86	0.04	4.34	2.32E*	6.65E*	17.86	8.54	8.32	3.02	0.58E*	7.50E*	65.05E
1946	2.83	1.75	5.83	4.22	6.08	5.86	11.39	4.01	9.01	3.77	1.89E*	0.18	56.82E
1947	1.98	2.84	6.91	4.15	3.92	7.41	5.90	9.43	14.77	14.32	5.40	5.94	82.97
1948	4.12	1.94	10.45	5.86	2.59	4.78	11.03	4.64	8.08	3.23	2.01	3.48	62.21
1949	1.59	2.90	0.92	3.98	4.24	6.74	7.13	10.89	7.15	2.80	1.21	2.10	51.65

Table 19 Continued

YEAR	RAINFALL IN INCHES - HILLIARD, FL. - FOLKSTON 3SW, GA.												NOAA NUMBER: 3978 - 3460
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1950	0.23	1.42E *	7.31E *	1.79E *	2.30E *	4.19E *	8.32E *	3.52E *	9.53	11.07	0.48	2.07	52.23E
1951	0.99	1.36	4.71	1.43	1.53	5.75	6.58E *	4.21E *	4.65E *	5.42	2.73	4.87	44.23E
1952	1.34	4.51	2.15	2.06	5.16	2.92	8.42	6.76	2.90	1.33	1.30	1.58	40.43
1953	2.71E *	2.60	1.64	7.13	0.88	3.78	8.62	11.47	11.21	2.06	1.70	6.14	59.94E
1954	0.49	0.98	1.16	1.75	2.00	3.24	2.35	2.92	5.19	1.45	1.29	2.26	25.08
1955	4.56	1.75	1.19	2.57	3.90	6.81	9.95	7.35	4.77	2.55	1.03	0.25	46.68
1956	2.60	2.70	1.43	3.72	2.89	3.40	3.07	3.35	3.88	5.43	0.02	0.05	32.54
1957	0.37	1.66	6.02	4.70	6.62	7.85	7.29	7.49	5.28	2.02	4.13	1.21	54.64
1958	2.59	3.58	3.91	6.24	3.89	6.93	6.23	4.74	1.28	1.99	1.44	1.82	44.64
1959	5.66	6.01	10.03	1.38	9.76	4.32	9.84	2.99	2.77	4.75	2.95	0.73	61.19
1960	1.55	5.27	4.37	1.64	3.47	5.42	8.49	6.58E *	13.49	2.33	0.31	2.43	55.35E
1961	3.52	2.89	2.20	9.14	6.02	3.90	4.45	11.23	0.75	0.06	1.57	1.38	47.11
1962	1.65	2.31	8.04	2.92	2.50	8.93	8.93	3.80	5.05	1.51	3.67	1.44	50.75
1963	3.54	5.99	1.61	1.16	1.30	7.12	4.89	4.23	4.24	0.51	2.53	3.16	40.28
1964	7.64	6.25	1.11	4.69	3.63	4.12	14.33	11.53	8.19	3.32	2.56	4.68	72.05
1965	1.09	4.40	8.29	2.36	0.99	8.78	7.25	8.29	5.52	0.66	1.20	3.72	52.55
1966	6.38	4.93	2.60	2.04	13.55	5.40	10.86	6.32	6.64	4.26	0.55	2.60	66.13
1967	4.53	4.51	0.60	0.50	4.50	7.23	7.72	11.16	2.34	0.56	1.33	4.24	49.22
1968	1.23	2.21	0.90	1.10	7.40	7.20	4.30	7.30	3.89E *	3.40	2.70	2.90	44.53E
1969	0.80	3.00	5.10	0.50	3.30	3.20	4.40	8.60	6.20	10.00	5.47E *	5.20	55.77E
1970	3.20	4.40	7.10	2.30	6.40	3.47E	8.00	10.36E	3.44E *	3.70E *	0.23E *	2.20	54.80E
1971	2.40	4.20	3.00	3.90	2.10	7.50	6.09E *	11.20	2.90	2.70	1.10	5.90	52.99E
1972	6.60	4.50	3.50	0.60	6.60	7.00	2.40	7.40	1.40	1.60	4.30	2.10	48.00
1973	4.10	3.70	8.70	10.80	7.40	5.90E	5.12E *	5.90	5.85E *	2.40	0.50	4.70	65.07E
1974	0.70	2.40	1.80	1.80	3.50	7.40	6.50	10.90	10.20	0.10	0.90	3.20	49.40
1975	4.90	3.90	4.40	8.90	4.90	3.70	10.80	2.70	3.20	2.60	0.60	1.60	52.20
1976	1.60	1.10	4.70	1.70	6.80	9.10	4.40	9.14E *	3.70	2.60	7.40	5.80	58.04E
1977	3.70	2.30	2.10	0.90	2.50	5.40	2.30	7.30	6.50	1.00	3.90	4.70	42.60
1978	2.88	2.78	4.58	1.93	3.47	5.39	14.88	4.67	2.93	1.16	0.16	2.18	47.01
1979	4.48	3.53	0.50	4.67	9.96	9.13	6.15	6.20	14.36	0.43	1.96	1.80	63.17
1980	3.15	3.10	5.78	4.75	3.87	3.68	3.82	5.66	4.23	5.96	3.09	1.16	48.25
1981	1.11	4.07	4.48	0.57	1.94	3.14	8.61	9.63	0.82	0.76	3.82	3.37	42.32
1982	3.89	2.99	4.46	5.50	2.17	5.06	5.80	6.00	6.89	3.22	2.82	4.32	53.12
1983	5.18	6.80	6.89	8.34	1.90	7.32	6.15	4.07	4.30	2.10	3.80	6.78	63.63
1984	2.72	3.75	9.32	3.54	3.26	6.59	7.30	5.00	4.19	2.47	3.73	0.17	52.04
MEAN	2.79	3.24	3.93	3.20	3.90	6.10	7.80	7.14	5.53	3.28	1.94	2.90	51.75
NORM	3.03	3.43	3.77	3.31	4.69	5.80	6.95	7.06	5.23	2.60	2.09	2.87	50.83

E - Estimated by NOAA

E* - Estimated by SJRWMD

Table 20 Monthly and Annual Rainfall Data for Inverness

YEAR	RAINFALL IN INCHES -						INVERNESS						NOAA NUMBER: 4289
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1899	7.04E	6.65	0.82	3.66	1.47	7.97	10.08	7.22	2.95	2.46	0.33	1.84	52.49E
1900	2.94E	4.59	6.33	6.43	4.54	5.86	6.39	4.17	3.68	3.19	0.62	3.61	52.35E
1901	1.67	4.72	6.45	1.74	3.29	10.63	8.75	14.32	4.12	2.31	1.26	3.99	63.25
1902	0.46	5.25	4.95	1.34	5.58	1.93	3.09	4.11	13.82	3.45	2.68	1.36	48.02
1903	5.73	5.08	5.72	0.10	3.60	3.86	12.67	10.27	4.43	0.85	0.94	1.55	54.80
1904	5.74	1.43	0.34	1.35	0.89	8.91	8.95	7.18	3.78	3.28	2.21	1.18	45.24
1905	0.75	3.01	3.08	2.21	5.39	7.65	19.67	10.56	9.48	0.36	0.57	5.39	68.12
1906	3.74	0.81	3.56	3.79	4.50	6.88	14.87	5.95	3.22	0.83	0.60	0.11	48.86
1907	0.45	2.48	0.03	1.50	4.56E	4.77E	8.28	5.06	9.40	0.59	1.06	4.07	42.25E
1908	2.95	1.64	0.47	1.37	1.42	8.01	5.10	7.73	11.03	1.22	4.14	1.20	46.28
1909	1.45	1.80	1.13E	1.56	5.42	4.36	22.57	9.05	0.96	1.63	0.22	2.83	52.98E
1910	1.18	3.79	0.70	0.24	3.81	9.39	13.86	9.75	1.06	3.32	1.98	0.89	49.97
1911	2.00	0.00	2.25	1.71	8.51	3.11	10.00	4.64	3.15	4.05	4.24	4.57	48.23
1912	5.84	2.01	2.87	1.62	6.80	7.16	4.72	8.42	11.12	3.73	3.92	2.87	61.08
1913	0.74	4.56	5.53	2.81	2.91	2.24	5.79	6.77	6.28	3.66	0.15	4.79	46.23
1914	5.84	4.77	0.77	1.34	2.55	4.17	5.73	4.46	6.75	2.34E	2.04E	3.82E	44.58E
1915	2.78E	4.29E	2.07E	2.41	5.71	6.82	8.71	6.77	3.12	9.34	2.66	4.29	58.97E
1916	0.42	0.65	0.57	1.41	2.96	6.44	3.79	8.03	2.29	3.09	6.33	4.41	40.39
1917	0.36	1.05	0.54	1.38	3.43	8.21	8.31	8.84	8.20E	1.96E	0.43	2.78	45.49E
1918	0.36	1.05	0.54	1.38	3.43	8.21	8.31	8.84	8.20	1.96	0.43	2.78	45.49
1919	2.05	3.39	4.50E	0.87	5.13	8.83	8.81	4.56	5.74	0.88	3.97	2.56	51.29E
1920	1.97	3.06	0.40	5.12	3.73	8.89	5.17	5.40	9.18	0.25	4.29	3.50	50.96
1921	1.77	1.71	1.24	1.50	5.51	3.15	9.86	6.15	4.97	8.20	1.62	4.08	49.76
1922	1.56	1.35	2.47	1.55	8.70	7.03	6.95	8.75	7.00	6.07	0.21	2.48	54.12
1923	1.20	1.24	1.81E	1.18E	11.30	8.59	6.14	7.01	5.43	4.17	0.24	1.57	49.88E
1924	3.34	4.26	11.06	1.28	2.97	8.63	14.92	6.46	4.56	4.93	0.70	0.93	64.04
1925	3.75	1.16	1.49	0.49	3.05	4.86	6.83	6.56	2.78	3.18E	3.43E	7.42E	45.00E
1926	5.88E	1.99E	5.64E	5.42E	0.99E	6.98E	6.73E	10.73E	7.98	0.83	2.86	0.80	56.83E
1927	0.20	2.60	2.31E	0.93E	0.69E	5.76E	9.96E	15.64E	2.01E	2.76E	0.78E	2.24E	45.88E
1928	0.84E	1.40E	3.86E	10.77E	1.97E	8.48E	6.70E	12.84E	9.36	0.98	0.07	1.19E	58.46E
1929	1.32	0.98	1.69	1.81	4.19	12.87	6.81	8.00	7.40	1.35	0.58	5.33	52.33
1930	2.60	3.25	12.88	2.84	4.92	15.78	2.96	5.92	8.39	1.36	0.28	7.03	68.21
1931	2.94	0.98	5.79	4.83	2.64	2.15	6.01	6.05	3.41	0.24	0.01	1.09	36.14
1932	0.41	1.56	4.75	0.57	4.15	8.52	3.22	8.42	2.25	1.78	3.92	0.15	39.70
1933	1.77	3.17	4.72	6.85	1.37	2.74	17.31	6.84	15.23	0.78	0.55	0.83	62.16
1934	1.01	2.91	1.91	4.95	11.66	14.18	9.00	8.88	2.64	6.89	0.34	0.29	64.66
1935	1.32	2.92	0.44	3.33	2.68	6.58	10.27	6.84	8.76	0.42	0.31	2.65	46.52
1936	5.40	6.77	6.89	4.69	3.07	7.29	9.54	6.91	4.12	5.94	1.34	2.70	64.66
1937	1.39	5.53	4.26	5.06	3.18	10.28	8.23	15.90	6.66	4.50	5.28	0.71	70.98
1938	1.03	0.66E	2.19	0.69	3.74	12.50	9.91	3.02	9.58	4.23	0.66	0.48	48.69E
1939	1.28	1.65	1.46	4.61	5.89	9.89	14.06	11.25	5.72	0.50	1.34	1.70	59.35
1940	2.92	3.83	3.06	2.65	0.20	9.11	12.03	3.33	7.09	0.00	0.22	4.51	48.95
1941	3.47	4.66	3.04	5.72	0.81	8.00	6.55	5.38E*	4.82E*	5.42E*	4.50	4.23	56.60E
1942	4.32	2.76	6.02	0.53	3.72	13.64	7.69	5.95	5.98	0.22	0.18	2.67	53.68
1943	0.24	1.56	5.06	1.56	4.75	6.93	16.04	11.59	7.53	0.60	0.57	0.57	57.00
1944	2.74	1.29	7.22	1.96	2.50	4.10	9.15	12.04	4.53	8.41	0.75	0.45	55.14

Table 20 Continued

YEAR	RAINFALL IN INCHES -						INVERNESS						NOAA NUMBER: 4289	
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YRLY	
1945	3.48	0.15	0.58	0.96	0.84	12.24	12.62	14.65	6.87	2.41	0.30	5.17	60.27	
1946	3.83	8.88	3.75	2.03	8.51	8.27	10.49	6.48	7.55	4.22	0.38	0.13	64.52	
1947	0.74	6.05	6.17	4.30	2.10	3.92	8.17	14.16	7.69	5.70	2.48	1.38	62.86	
1948	4.92	0.61	4.87	1.30	0.32	6.88	16.28	9.97	6.03	4.26	3.33	1.85	60.62	
1949	0.72	0.95	0.80	4.26	2.40	8.78	9.75	16.70	2.68	0.94	1.05	1.25	50.28	
1950	0.00	0.73	3.56	1.09	3.86	4.07	7.57	8.88	16.54	4.51	0.02	2.12	52.95	
1951	0.35	1.90	3.11	3.07	0.21	5.81E *	6.38E *	5.08E *	4.88	0.90E *	5.48	3.08	40.25E	
1952	0.64	10.21	5.35	1.57	7.27	4.81	2.61	7.06	4.64	4.18	0.40E	1.41	50.15E	
1953	2.50	3.20	3.85	7.88	1.91	7.85	11.45	15.87	6.72	3.72	3.46	7.80	76.21	
1954	1.63	2.53	2.69	1.55	5.22	2.73	8.58	11.35	1.74	2.07	1.56	2.64	44.29	
1955	2.77	2.61	2.47	0.82	1.34	7.61	9.63	4.70E	8.00	1.91	0.48	0.94	43.28E	
1956	2.09	0.99	0.00	3.16	3.60	7.13	4.85	5.98	2.45	5.71	0.28	0.26	36.50	
1957	0.67	2.27	5.18	2.29	6.39	5.66	9.52	8.96	7.30	1.03	0.74	1.57	51.58	
1958	6.38	3.45	8.05	4.37	2.92	4.29	9.91	7.43	2.84	10.60	1.28	3.72	65.24	
1959	3.70	1.82	9.94	5.15	10.59	6.61	10.71	8.12	5.16	5.53	1.38	1.79	70.50	
1960	1.74E	6.45	16.00	3.12	2.02	12.06	14.40	7.87	15.24	5.68	0.42	2.27	87.27E	
1961	2.21	2.29	0.77	2.32	2.41	5.46	7.65	16.19	0.76	0.03	3.40	2.45E	45.94E	
1962	1.73	2.31E	2.56E	1.35	2.02	10.35	7.24	9.84	7.60	0.98E	1.70E	1.57E	49.25E	
1963	6.47	4.92	1.64	1.01	6.15	3.76	11.00E	1.77	8.86	0.19	2.98	3.07	51.82E	
1964	5.96	5.43	8.18	2.34	2.73	3.14	14.71	8.10	11.92	1.59	0.38	4.24	68.72	
1965	2.00	3.80	2.97	2.88	0.40	12.04	12.82	12.97	6.12	1.83	1.19	2.50	61.52	
1966	3.33	3.75	0.83	4.62	5.20	6.64	8.44E	8.66	8.47	1.47	0.38	1.10	52.89E	
1967	2.52	4.75	0.66	0.00	1.30	9.97	9.61	11.26E	1.21	0.62	0.25	2.50	44.65E	
1968	1.50	2.52	3.04	0.73	4.05	8.02E	10.65	12.43	2.91	4.56	2.60	0.98	53.99E	
1969	2.35	3.41	6.79	1.16	4.00	4.68	6.17	11.03	6.85	4.60	1.69	5.40	58.13	
1970	3.95	5.34	3.89	2.04	4.52	6.03	4.56	13.15	3.27	3.20	1.06	1.09	52.10	
1971	3.11	5.56	2.21	3.29	2.23	8.08	5.97	10.20	7.67	4.91	1.18	1.18	55.59	
1972	2.38	4.34	6.51	1.31	5.84	4.93	3.71	8.75	1.25	1.95	6.21	5.23	52.41	
1973	4.13	2.45	5.96	2.34	2.67	7.33	9.61	4.50	9.09	0.69E	1.31	6.37	56.45E	
1974	0.26	2.35	3.77	0.31	2.64	17.44	5.21	9.43	4.17	0.00	0.39	2.07	48.04	
1975	2.09	2.74	1.45	2.70	6.66	4.57	8.34	10.04	7.60	5.33	1.59	0.95	54.06	
1976	2.28	0.58	0.85	2.96	11.97	6.23	5.97E	5.52	4.64	1.49	3.44	4.10	50.03E	
1977	4.17	3.92	1.71	0.31	0.74	1.69	8.19	12.24	6.49	0.74	3.10	5.30	48.60	
1978	5.60	6.16	6.21	0.20	2.17	6.88	9.44	8.84	2.10	0.82	0.00	4.22	52.64	
1979	6.06	2.51	1.69	3.13	8.79	3.91	6.65	5.91	13.15	1.44	1.81	1.89	56.94	
1980	5.78	1.27	3.31	3.43	5.20	7.54	7.39	6.41	5.70	2.18	7.73	0.34	56.28	
1981	0.91	3.37	4.86	0.76	3.00	1.95	8.37	7.90	4.74	3.04	1.98	5.05	45.93	
1982	2.91	3.16	8.83	5.00	6.92	15.45	11.24	7.61	12.23	0.82	0.50	0.80	75.47	
1983	1.78	6.25	7.96	4.22	1.49	7.94	4.97	8.84	7.42	2.35	3.43	4.89	61.54	
1984	2.40	4.96	1.75	4.89	7.33	5.94	8.44	4.63	3.17	1.00	2.26	0.11	46.88	
MEAN	2.57	3.11	3.72	2.57	4.00	7.22	8.95	8.51	6.21	2.76	1.74	2.62	53.98	
NORM	3.01	3.53	4.05	2.38	4.11	6.77	8.38	8.99	5.96	2.66	1.93	2.73	54.50	

E - Estimated by NOAA

E* - Estimated by SJRWMD

Table 21 Monthly and Annual Rainfall Data for Isleworth

YEAR	RAINFALL IN INCHES - ISLEWORTH												NOAA NUMBER: 4332
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1916	0.74E	0.43E	0.80	3.09	6.21	5.38	6.37	3.89	3.55	2.06	3.31	5.74	41.57E
1917	1.16	0.81	2.22	1.17	3.03	4.07	7.16	7.95	9.64	4.15	0.00	0.85	42.21
1918	3.11	0.00	2.34	7.57	2.89	6.00	6.33	2.25	6.73	4.29	3.38	2.59	47.48
1919	2.90	5.25	4.20	1.47	8.55	7.64	6.42	6.53	4.49	0.58	3.00	4.15	55.18
1920	1.17	4.35	0.27	6.69	3.97	4.23	7.54	6.90	10.75	0.00	3.22	1.98	51.07
1921	0.50	2.13	0.62	2.46	4.18	5.69E	8.68	3.68	0.95	8.39E	2.25E	2.73	42.26E
1922	0.84E	1.00	0.53	0.35	8.14	6.92	4.96	9.41	7.98	6.39	0.62	1.02	48.16E
1923	0.55	0.10	2.16	1.52	8.72	6.41	5.01	5.35	3.40	3.98	0.00	1.53	38.73
1924	2.60	4.46	7.20	3.25	4.00	9.06	9.47	4.77	8.65	8.00	0.20	0.54	62.20
1925	4.20	1.62	1.25	0.50	3.45	4.53	6.54	8.58	2.99	1.14	5.99	4.17	44.96
1926	5.18	1.43	4.88	5.91	0.80	12.11	11.79	6.92	3.47	1.02	3.70	0.36	57.57
1927	0.20	2.59	3.25	0.60	1.29	3.00	7.75	7.33	2.48	2.68	1.01	1.11	33.29
1928	0.90	1.33	3.80	8.77	3.56	6.05	5.24	9.56	9.25	0.73	0.42E	0.56	50.17E
1929	1.32	0.76	0.93	1.25	5.97	8.42	9.78	4.14	9.61	2.91	0.98	1.63	47.70
1930	2.28	4.03	9.19	3.49	3.41	17.50	4.79	5.80	9.90	2.20	1.02	5.00	68.61
1931	2.76	1.50	7.02	3.79	3.34	2.15	8.85	8.57	5.96	0.76	0.22	2.26	47.18
1932	0.75	0.62	3.50	1.29	7.14	10.04	1.00	11.76	3.34	1.33	4.93	0.04	45.74
1933	2.26	3.47	1.61	3.16	4.32	5.90	7.85	8.63	11.50	2.50	1.78	0.38	53.36
1934	0.91	4.47	3.08	4.52	7.80	15.89	9.24	6.57	3.80	3.98	0.30	0.48	61.04
1935	1.21	3.34	1.45	3.47	4.28	8.73	9.91	4.54	10.68	5.14	0.72	3.28	56.75
1936	4.04	7.65	3.20	0.47	8.56	8.97	5.76	4.86	4.77	3.62	1.85	1.00	54.75
1937	0.50	4.95	3.37	2.45	3.75	6.74	6.77	9.95	4.91	5.65	3.59	1.23	53.86
1938	1.13	0.37	2.51	0.03	9.29	3.89	7.15	4.09	5.77	3.87	0.63	0.33	39.06
1939	1.29	0.31	0.65	4.76	3.71	12.22	10.30	14.89	5.06	1.27	0.33	1.10	55.89
1940	1.94	3.59	3.13	2.22	2.55	8.37	8.09	4.73	4.58	0.03	0.22	5.62	45.07
1941	5.07	3.59	3.60	4.76	1.76	9.67	14.50	3.58	5.32	2.71	4.57	2.26	61.39
1942	2.22	2.95	5.36	1.87	1.31	12.47	6.98	5.03	6.23	0.40	0.17	2.67	47.66
1943	1.97	0.73	5.02	2.21	3.14	8.30	8.80	5.83	10.17	1.50	1.12	1.59	50.38
1944	2.06	0.34	5.50	2.59	3.11	7.11	21.49	6.65	5.96	8.87	0.24	0.09	64.01
1945	3.93	0.18	0.92	1.03	1.76	15.02	12.24	6.19	11.11	2.19	0.50	3.32	58.39
1946	1.70	3.43	1.64	0.68	7.88	5.50	10.25	8.24	7.00	2.58	1.04	2.34	52.28
1947	0.58	4.56	5.42	5.14	4.53	10.62	8.00	6.59	10.32	1.90	2.35	0.81	60.82
1948	6.41	0.90	3.24	2.77	0.85	4.07	7.99	11.65	10.91	3.25	1.10	1.51	54.65
1949	0.46	0.90	0.70	2.23	1.83	9.85	6.40	11.27	5.37	1.01	0.61	3.26	43.89
1950	0.13	0.49	3.52	3.41	2.17	4.58	4.46	2.61	12.97	10.87	0.05	4.75	50.01
1951	0.51	2.52	1.27	4.85	1.88	6.15	7.58	4.89	6.05	2.31	5.25	1.88	45.14
1952	0.90	5.82	4.53	1.88	6.62	2.94	3.82	3.11	5.59	3.70	0.78	0.60	40.29
1953	2.32	2.60	2.47	8.46	1.43	14.68	10.17	11.28	13.90	3.46	4.37	3.64	78.78
1954	1.22	1.03	1.13	3.64	3.75	3.86	5.20	4.23	2.56	4.10	2.88	1.73	35.33
1955	2.04	1.24	1.63	1.81	4.55	7.52	6.92	5.21	4.75	2.66	2.57	1.80	42.70

Table 21 Continued

YEAR	RAINFALL IN INCHES - ISLEWORTH												NOAA NUMBER: 4332
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1956	2.24	1.12	0.48	2.70	6.24	3.63	2.29	6.84	8.78	13.25	0.44	0.19	48.20
1957	0.84	2.78	3.47	4.60	13.66	8.08	6.11	8.13	9.68	1.48	0.86	3.51	63.20
1958	4.54	3.17	6.95	5.02	3.54	4.91	3.30	4.71	4.27	4.64	1.54	3.42	50.01
1959	3.37	4.81	9.23	5.46	2.65	9.55	8.91	12.68	6.52	8.00	0.54E	1.49	73.21E
1960	1.71	5.26	13.33	2.65	2.33	5.95	12.48	4.46	15.26	2.25	0.18	1.30	67.16
1961	1.63	3.61	4.64	0.80	3.25	7.26	7.21	5.10	2.86	3.01	2.08	1.15	42.60
1962	1.32	3.17	3.65	1.05	4.00	8.28	7.71	11.38	7.37	0.82	1.67	0.56	50.98
1963	3.53	5.52	2.97	2.82	2.89	4.52	8.60	6.23	7.71	0.16	6.93	2.26	54.14
1964	6.21	3.38	4.91	2.50	2.66	7.28	3.09	14.05	8.44	1.09	1.46	1.47	56.54
1965	2.36	3.46	2.69	0.83	1.14	8.00	8.15	6.93	4.10	4.15	1.66	2.78	46.25
1966	4.82	5.95	2.17	1.68	5.53	9.91	7.75	12.33	5.78	1.78	0.22	0.90	58.82
1967	1.28	5.30	1.42	0.05	2.14	8.50	10.16	6.80	4.05	0.37	0.17	2.63	42.87
1968	0.77	2.33	1.80	0.25	4.83	12.19	8.30	5.25	3.00	3.87	2.28	0.61	45.48
1969	2.48	3.53	6.20	3.41	1.90	8.95	7.00	8.28	10.15	6.80	3.07	5.29	67.06
1970	3.99	5.68	3.78	0.62	4.22	7.24	5.89	3.25	2.41	2.23	0.85	1.57	41.73
1971	1.02	3.87	1.47	1.96	7.07	4.76	11.56	7.61	5.14	4.35	1.79	1.92	52.52
1972	2.39	5.40	4.94	1.48	3.22	8.65	5.46	10.00	0.09	1.39	4.37	2.12	49.51
1973	4.48	2.29	5.02	2.21	4.33	2.59	7.22	8.54	4.20	1.29	0.58	3.34	46.09
1974	0.27	2.18	4.59	0.39	4.05	15.30	8.60	6.03	10.49	0.22	0.20	1.75	54.07
1975	2.21	1.64	1.41	1.38	5.58	8.11	11.72	6.71	8.75	4.71	1.19	0.77	54.18
1976	0.49	0.85	3.31	3.60	8.56	5.04	7.70	5.19	4.56	0.64	2.02	1.92	43.88
1977	2.00	1.86	1.05	0.31	3.58	2.39	11.39	5.82	2.78	1.16	2.38	3.78	38.50
1978	2.33	5.24	3.81	0.88	2.58	10.16	9.91	5.05	1.63	2.25	0.00	4.07	47.91
1979	6.44	1.40	3.37	1.53	9.63	4.09	6.00	11.06	10.06	0.14	4.20	0.77	58.69
1980	2.59	1.76	1.45	1.79	6.83	2.66	4.57	4.31	3.18	1.45	4.43	0.51	35.53
1981	0.23	4.14	2.54	0.20	1.65	3.77	5.34	6.62	3.22	0.97	2.80	5.76	37.24
1982	2.58	1.61	7.62	7.49	5.32	6.71	9.75	8.62	6.88	2.47	0.86	1.07	60.98
MEAN	2.15	2.73	3.39	2.68	4.37	7.47	7.82	7.01	6.47	3.03	1.79	2.07	51.00
NORM	2.41	3.29	3.64	2.35	4.49	7.10	7.49	7.18	6.14	2.92	2.03	1.99	51.05

E - Estimated by NOAA

Table 22 Monthly and Annual Rainfall Data for Jacksonville Airport

YEAR	RAINFALL IN INCHES - JAX AIRPORT												NOAA NUMBER: 4358
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1867	4.62	4.95	4.10	1.85	2.85	10.49	11.07	8.00	14.60	4.70	0.40	0.93	68.56
1868	2.80	2.25	1.35	2.82	3.85	12.40	7.70	4.70	6.15	3.20	0.25	2.05	49.52
1869	4.05	7.45	2.40	4.25	0.81	7.66	5.51	5.60	7.00	4.15	1.65	3.65	54.18
1870	1.05	2.25	5.40	3.20	1.50	8.15	2.65	4.40	9.35	7.10	5.29	1.95	52.29
1871	0.80	1.80	7.15	0.60	4.65	16.75	3.95	13.70	7.50	3.62	3.53	2.65	66.70
1872	3.44	2.70	7.32	2.43	1.25	6.67	2.92	6.41	10.79	6.37	1.76	4.81	56.87
1873	3.96	0.59	5.29	0.56	5.52	8.41	7.75	6.21	10.47	5.65	2.88	3.38	60.67
1874	0.82	7.33	2.13	1.60	5.38	5.92	7.48	6.89	7.07	0.10	2.94	0.65	48.31
1875	4.48	8.93	1.80	2.98	9.08	5.41	0.14	10.19	4.50	4.49	2.18	3.42	57.60
1876	0.61	3.05	5.41	7.89	1.87	4.17	2.82	8.07	3.73	8.92	2.60	6.12	55.26
1877	2.65	1.09	2.53	3.01	2.47	10.47	4.82	4.82	5.15	6.75	4.49	3.32	51.57
1878	3.14	5.32	2.37	5.38	1.52	5.03	4.63	2.85	21.12	3.81	1.39	3.86	60.42
1879	0.63	3.51	1.35	2.97	4.25	1.25	5.44	8.39	8.24	9.45	1.24	0.46	47.18
1880	3.17	6.17	1.69	1.50	6.24	3.00	5.94	8.96	5.21	16.25	6.09	1.29	65.51
1881	9.12	1.12	2.89	4.57	2.61	2.82	7.61	10.23	4.58	2.87	3.41	2.86	54.69
1882	2.58	1.09	0.89	5.23	2.20	5.14	5.75	5.65	4.39	10.30	5.70	4.34	53.26
1883	4.77	0.48	3.84	4.48	3.16	7.05	6.88	7.63	7.28	7.26	0.09	0.42	53.34
1884	4.78	2.45	2.63	2.32	5.45	6.89	6.02	5.21	5.68	4.12	5.43	4.04	55.02
1885	7.18	5.23	5.66	1.24	7.74	8.98	7.16	7.56	19.63	3.36	0.50	7.76	82.00
1886	2.81	1.87	6.74	3.08	2.81	4.78	14.97	6.25	4.91	2.47	0.97	3.20	54.86
1887	4.34	0.34	3.51	4.15	7.15	9.68	8.90	5.76	9.40	1.57	0.10	3.70	58.60
1888	0.49	4.38	1.57	0.93	5.46	2.92	8.30	4.89	11.15	6.00	4.16	2.88	53.13
1889	5.89	3.85	1.38	3.95	0.51	6.89	8.24	5.25	8.49	1.26	0.51	0.00	46.22
1890	0.63	0.51	2.89	0.95	9.20	1.80	9.70	4.26	4.88	9.07	2.26	1.37	47.52
1891	1.19	0.32	4.02	1.72	2.78	3.31	4.08	3.67	10.83	4.43	1.53	3.46	41.34
1892	3.99	0.77	0.76	0.11	1.34	6.38	3.16	4.84	14.04	3.34	0.64	2.52	41.89
1893	0.98	6.87	8.90	2.67	4.18	4.66	4.54	10.02	6.09	4.48	1.76	3.08	58.23
1894	2.29	3.44	3.12	0.83	1.49	4.93	7.10	9.24	16.63	3.24	3.72	0.81	56.84
1895	4.63	3.61	3.63	4.40	2.26	4.98	11.21	2.54	4.66	0.58	3.12	1.18	46.80
1896	2.53	1.66	2.51	0.49	1.24	9.41	4.25	6.16	2.19	3.03	4.55	2.17	40.19
1897	1.89	7.10	1.60	5.18	1.35	5.01	3.67	6.27	16.23	6.00	1.56	4.83	60.69
1898	0.43	2.10	2.04	2.45	1.81	2.13	12.03	5.44	3.46	6.74	2.34	4.74	45.71
1899	3.98	3.38	1.35	3.21	1.86	4.52	6.12	3.90	5.10	2.73	0.07	2.35	38.57
1900	1.71	3.17	7.95	7.34	2.90	8.45	3.83	2.07	4.33	7.14	1.06	3.90	53.85
1901	2.64	6.76	6.57	1.08	5.31	9.64	4.26	6.12	7.38	1.37	0.36	2.73	54.22
1902	0.08	3.64	4.20	2.02	1.82	3.65	6.69	4.74	12.78	5.90	4.18	5.82	55.52
1903	4.44	5.23	2.55	1.54	14.80	3.22	2.54	6.60	2.80	2.83	3.82	1.66	52.03
1904	6.77	2.70	1.35	0.81	2.90	4.92	5.25	2.74	6.09	11.70	2.26	1.68	49.17
1905	1.80	4.65	6.47	2.02	6.68	2.72	5.14	10.97	6.18	2.89	0.60	5.65	55.77
1906	3.46	3.06	1.03	0.30	14.31	4.58	8.96	5.38	2.29	2.39	0.01	1.09	46.86
1907	0.14	0.55	0.76	5.27	5.40	2.71	5.55	6.53	10.44	1.37	1.96	4.39	45.07
1908	2.24	2.98	1.16	2.93	3.07	4.35	9.68	2.90	21.79	2.97	0.47	0.90	55.44

Table 22 Continued

YEAR	RAINFALL IN INCHES - JAX AIRPORT												NOAA NUMBER: 4358
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1909	1.17	1.51	4.24	1.80	2.26	8.93	8.43	5.18	4.98	0.08	0.99	2.30	41.87
1910	1.06	2.43	1.89	0.60	2.18	6.72	6.13	5.82	3.12	8.02	1.64	1.07	40.68
1911	0.89	0.13	2.16	0.36	3.33	2.96	2.35	10.16	0.90	5.26	2.68	4.20	35.38
1912	4.76	2.65	3.27	4.96	3.53	9.62	6.74	5.32	7.69	3.17	0.82	2.91	55.44
1913	1.53	4.87	5.87	1.32	1.06	4.55	6.28	3.32	3.74	1.35	0.32	4.49	38.70
1914	3.31	4.55	1.84	0.30	2.00	1.32	5.13	8.47	6.39	2.34	3.87	5.20	44.72
1915	4.10	2.44	2.47	0.49	3.67	1.55	9.36	4.08	8.41	5.45	1.07	3.46	46.55
1916	0.90	0.19	0.59	0.46	3.32	6.45	3.93	6.76	5.25	4.77	2.76	7.47	42.85
1917	0.41	1.46	1.81	0.82	1.83	3.03	10.36	6.65	3.47	0.38	0.23	2.11	32.56
1918	2.78	0.21	2.31	5.96	2.50	3.32	3.35	3.12	6.17	3.97	3.26	2.60	39.55
1919	1.73	3.77	3.24	1.26	7.32	13.79	6.32	6.96	5.63	1.81	1.06	4.61	57.50
1920	1.21	9.16	0.82	3.42	7.41	8.27	5.47	7.46	7.14	0.11	5.38	3.35	59.20
1921	2.04	0.62	0.57	1.23	4.02	2.71	9.76	7.70	1.73	6.37	2.27	1.60	40.62
1922	3.21	5.56	3.69	1.39	7.18	5.88	3.91	7.71	6.70	8.84	0.58	2.54	57.19
1923	1.37	1.93	1.15	0.98	8.73	4.94	5.14	4.67	4.89	4.75	0.06	1.38	39.99
1924	5.09	2.65	7.18	3.00	0.49	4.21	12.17	3.55	8.88	8.08	0.38	1.15	56.83
1925	4.52	0.90	1.14	1.54	4.75	5.65	5.22	5.63	2.41	3.13	1.51	6.98	43.38
1926	4.89	1.66	2.20	3.89	1.66	9.33	10.81	3.18	9.55	2.22	3.37	1.58	54.34
1927	0.40	3.54	1.67	0.18	0.09	7.56	6.85	1.98	2.39	2.20	0.83	2.75	30.44
1928	0.68	3.54	4.38	8.19	2.33	4.10	8.96	5.85	9.25	2.33	0.67	1.34	51.62
1929	3.96	1.28	2.14	5.09	6.09	4.10	8.21	6.02	8.58	0.83	0.08	3.02	49.40
1930	2.55	2.61	10.00	1.86	3.70	10.13	4.74	0.76	3.62	1.57	2.69	3.11	47.34
1931	3.36	1.49	4.69	3.41	5.93	2.97	2.20	4.86	0.07	1.86	0.97	2.57	34.38
1932	0.40	1.12	5.05	3.20	2.25	23.32	6.92	4.26	6.61	2.62	5.55	0.49	61.79
1933	2.18	3.23	2.97	7.16	3.04	6.84	10.30	4.68	3.76	11.99	0.95	0.72	57.82
1934	1.08	3.48	2.18	2.92	6.33	13.23	5.07	5.98	1.99	5.24	0.31	0.70	48.51
1935	2.77	1.69	1.13	2.66	5.28	3.03	9.87	9.07	9.15	0.40	0.31	1.34	46.70
1936	1.82	5.11	2.93	1.77	2.38	6.15	5.88	5.99	1.61	12.62	0.79	1.98	49.03
1937	4.52	4.05	2.49	4.01	1.24	4.73	9.69	10.78	7.87	2.61	2.57	0.64	55.20
1938	5.21	1.41	1.55	1.81	7.04	7.57	9.99	9.15	5.91	11.21	0.47	0.68	62.00
1939	1.76	2.49	1.43	4.62	4.34	4.82	7.71	5.97	5.89	4.06	2.05	2.13	47.27
1940	2.94	4.28	1.05	3.28	2.28	9.34	8.43	6.59	2.87	0.10	0.29	5.61	47.06
1941	1.97	3.14	2.18	0.99	1.04	8.10	6.72	4.89	9.35	9.00	3.57	7.71	58.66
1942	3.13	4.70	6.05	0.14	1.04	7.99	3.98	3.22	8.47	0.68	0.51	2.22	42.13
1943	1.32	0.52	3.73	1.25	4.91	5.72	9.22	7.79	7.07	0.48	1.68	1.60	45.29
1944	3.77	1.79	7.60	6.57	2.50	6.38	14.20	8.03	5.61	10.04	1.19	0.31	67.99
1945	5.26	0.90	0.12	3.08	3.26	8.00	8.99	11.65	14.27	2.58	0.53	7.63	66.27
1946	2.15	1.17	2.98	2.70	5.14	4.01	10.05	11.75	3.26	4.13	2.38	0.14	49.86
1947	4.51	4.36	5.11	4.22	3.01	9.02	7.61	4.93	15.80	13.50	7.12	3.08	82.27
1948	5.18	2.61	11.06	4.90	2.09	3.74	6.80	8.47	11.00	5.07	0.67	3.18	64.77
1949	1.63	5.46	1.61	3.96	1.58	5.59	4.82	10.13	19.36	2.53	2.69	1.61	60.97

Table 22 Continued

YEAR	RAINFALL IN INCHES - JAX AIRPORT												NOAA NUMBER: 4358
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1950	0.06	1.79	3.88	3.70	2.87	2.19	10.68	2.68	16.74	11.45	0.68	1.90	58.62
1951	0.53	1.71	2.28	1.23	1.46	3.86	6.69	2.19	10.11	1.41	2.28	1.80	35.55
1952	0.80	3.89	3.91	2.49	9.49	3.99	3.85	9.57	6.39	2.46	0.64	1.27	48.75
1953	3.68	1.94	2.21	6.79	0.61	3.29	9.30	12.36	9.55	5.34	1.74	7.08	63.89
1954	0.85	1.74	1.47	0.37	0.73	3.26	5.71	4.06	8.73	6.23	1.68	2.00	36.83
1955	3.09	2.46	1.66	1.50	4.51	2.70	5.53	3.85	10.56	5.36	1.90	0.21	43.33
1956	2.91	2.94	0.81	2.33	3.98	7.87	8.25	5.24	2.89	13.44	0.38	0.04	51.08
1957	0.33	1.69	3.87	1.61	5.25	7.10	12.34	3.30	8.33	3.50	1.55	1.31	50.18
1958	3.39	3.74	3.38	8.24	3.79	3.96	4.37	4.67	4.75	5.07	2.02	2.76	50.14
1959	2.97	5.22	9.75	2.65	9.20	2.94	4.51	2.86	5.67	3.12	2.24	0.95	52.08
1960	2.07	5.17	6.94	3.54	1.18	4.70	16.21	6.50	8.57	2.95	0.11	1.51	59.45
1961	2.87	4.85	1.17	4.16	3.06	5.27	3.48	10.64	1.02	0.27	0.89	0.47	38.15
1962	2.16	0.52	3.10	2.36	1.12	8.22	6.31	10.07	4.37	1.13	2.08	2.46	43.90
1963	5.39	6.93	2.23	1.75	1.74	12.49	6.47	4.95	4.91	1.53	2.70	3.60	54.69
1964	7.29	6.55	1.76	4.65	4.80	4.67	6.12	5.63	10.31	5.09	3.33	4.83	65.03
1965	0.65	5.50	3.91	0.95	0.94	9.79	2.71	9.58	11.02	1.75	1.92	3.75	52.47
1966	4.56	5.97	0.71	2.25	10.43	7.74	11.09	3.88	5.94	1.38	0.21	1.14	55.30
1967	3.05	4.35	0.81	2.00	1.18	12.90	5.22	12.31	1.80	1.13	0.24	4.69	49.68
1968	0.82	3.05	1.20	0.99	2.17	12.25	6.84	16.24	2.68	5.09	1.30	1.09	53.72
1969	0.84	3.39	4.23	0.34	3.78	5.12	5.89	15.10	10.33	9.81	4.56	3.87	67.26
1970	4.18	8.85	9.98	1.77	1.84	2.65	7.60	10.96	3.20	3.95	0.00	1.57	56.55
1971	2.01	2.55	2.41	4.07	1.90	5.52	5.07	12.83	4.17	6.46	0.83	5.87	53.69
1972	5.77	3.48	4.43	2.98	8.26	6.75	3.15	9.76	2.60	4.46	4.22	1.43	57.29
1973	4.64	5.07	10.18	11.61	5.33	4.10	5.45	7.49	7.86	4.08	0.44	4.32	70.57
1974	0.28	1.28	3.47	1.53	4.14	5.53	9.83	11.23	8.13	0.34	1.03	1.73	48.52
1975	3.48	2.58	2.46	5.78	7.00	5.21	6.36	6.23	5.24	3.63	0.39	1.79	50.15
1976	2.29	1.05	3.41	0.63	10.02	4.26	5.41	6.37	8.56	1.63	2.43	4.81	50.87
1977	2.96	3.24	1.03	1.76	3.07	2.65	1.97	7.26	7.45	1.68	3.11	3.38	39.56
1978	4.64	4.17	2.83	2.24	9.18	2.62	6.67	2.39	4.40	1.26	0.80	1.84	43.04
1979	6.28	3.75	1.00	4.18	7.54	5.91	4.67	4.78	17.75	0.25	3.64	2.01	61.76
1980	2.61	1.06	6.83	3.91	3.02	4.59	5.29	3.97	3.03	2.69	2.32	0.21	39.53
1981	0.92	4.53	5.41	0.32	1.48	3.31	2.46	6.47	1.22	1.35	4.92	2.38	34.77
1982	3.00	1.67	4.26	3.60	3.55	8.06	3.81	6.93	9.32	3.37	1.93	2.02	51.52
1983	7.19	4.27	8.46	4.65	1.38	6.86	6.11	4.63	4.61	4.29	3.32	6.42	62.19
1984	2.13	4.67	5.77	3.14	1.46	4.76	6.01	3.78	12.28	1.53	3.30	0.13	48.96
MEAN	2.82	3.19	3.42	2.83	3.89	6.09	6.64	6.54	7.29	4.34	1.95	2.73	51.73
NORM	2.91	3.62	3.45	3.02	4.36	5.73	6.41	7.54	6.68	3.55	1.70	2.46	51.43

E - Estimated by NOAA

Table 23 Monthly and Annual Rainfall Data for Jacksonville Beach

YEAR	RAINFALL IN INCHES - JAX B												NOAA NUMBER: 4366
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1945	4.31	0.68	0.05	2.48	0.72	5.97	10.53	9.72	11.47	2.25	0.96	6.70	55.84
1946	2.21	1.59	3.94	2.33	7.94	5.23	5.87	8.52	10.16	7.11	4.07	0.51	59.48
1947	1.83	6.48	6.07	3.21	3.72	8.78	5.77	5.31	7.84	12.76	4.25	3.29	69.31
1948	5.72	1.56	10.39	4.63	2.83	1.78	4.68	4.53	9.98	7.12	3.26	3.63	60.11
1949	0.89	5.91	0.54	4.63	2.66	5.00	3.75	8.36	8.70	2.53	2.75	0.71	46.43
1950	0.03	0.61	6.32	1.99	2.19	2.35	4.73	3.85	13.09	11.52	1.22E *	1.87	49.77E
1951	0.57	1.46	2.68	1.07	2.62	6.96	7.31	1.16	5.94	7.78	3.60	2.76	43.91
1952	0.79	5.20	3.10	1.30	11.67	0.61	4.54	8.99	9.53	6.41	0.07	0.31	52.52
1953	4.30	2.20	3.92	6.43	1.15	2.94	11.62	14.77	10.16	5.03	1.42	6.64	70.58
1954	0.22	2.08	1.72	1.26	2.04	1.16	0.76	3.05	7.94	5.69	2.53	1.56	30.01
1955	3.32	2.57	1.80	1.97	1.80	3.78	4.05	2.97	9.33	8.35	1.75	0.91	42.60
1956	2.90	2.35	0.61	3.09	2.46	6.92	2.32	2.05	4.09	19.32	0.59	0.03	46.73
1957	0.27	3.51	2.88	1.83	3.95	10.25	7.55	2.74	10.99	6.56	1.47	0.70	52.70
1958	3.19	3.20	3.98	6.19	3.55	3.39	1.94	2.96	4.36	6.32	2.07	5.38	46.53
1959	7.23	4.13	9.15	2.60	9.67	3.31	3.69	3.77	5.58	5.75	1.21	0.92	57.01
1960	1.70	3.62	7.10	2.18	2.84	6.24	8.65	2.42	11.11	4.50	0.75	1.55	52.66
1961	2.81	4.75	1.44	5.37	7.06	4.50	5.39	5.74	0.56	0.45	1.91	0.38	40.36
1962	2.46	0.98	4.41	1.83	0.65	6.59	10.56	4.61	3.84	1.95	2.10	2.04	42.02
1963	4.00	6.50	3.16	1.86	3.67	9.47	4.62	3.72	8.12	2.71	2.46	4.51	54.80
1964	7.20	6.35	1.48	3.80	3.38	6.91	8.23	6.87	8.86	3.03	6.25	2.60	64.96
1965	1.58	6.08	2.61	0.85	2.52	7.92	9.40	4.22	6.32	2.97	1.60	3.90	49.97
1966	5.13	8.86	1.40	1.79	9.62	6.25	10.74	3.83	6.99	2.41	0.47	0.91	58.40
1967	2.07	5.86	0.79	0.75	1.52	5.91	6.53	5.46	3.41	0.98	0.17	5.79	39.24
1968	0.86	1.76	0.94	2.08	6.06E	8.58	5.20	16.48	2.09	8.95	2.58	0.92	56.50E
1969	1.26E	4.11	4.36	0.57	2.74	1.95	3.13	6.86	14.85	7.34	4.85	4.12	56.14E
1970	6.34	6.92	7.49	1.64	3.94	3.46	3.62	7.21	4.45	4.75	0.00	1.47	51.29
1971	2.06	3.22	2.36	3.12	1.83	3.33	5.39	1.94	4.27	5.80	0.71	4.54	38.57
1972	3.25	4.89	4.75	5.26	4.86	9.50	6.14	5.89	0.79	7.14	5.40	3.65	61.52
1973	3.37	3.39	8.61	4.06	6.28	5.14E	4.19E	4.78	5.19	3.38	0.20	5.17	53.76E
1974	0.33	1.35	4.41	1.13	4.87	7.36	7.52	14.32	7.54	0.59	0.95	1.86	52.23
1975	3.86	1.94	2.80	5.96	2.88	12.43	5.74	3.12	6.84	5.54	1.42	1.72	54.25
1976	1.38	0.93	1.98	1.15	7.39	5.56	2.97	4.66	5.25	0.86	2.75	5.58	40.46
1977	2.92	3.92	1.24	1.50	1.55	2.52	3.22	5.33	5.41	0.96	3.43E	5.04	37.04E
1978	4.38	3.51	2.14	1.73	4.94	2.74	9.98	5.34	6.59	3.04	0.36	4.02	48.77
1979	6.49	2.92	1.98	3.89	6.05	9.32	6.36	1.26	24.35	0.86	3.87	4.00	71.35
1980	2.61E	1.96	7.03	3.97	2.61	4.78	1.56	1.94	3.99	2.97	1.53	0.35	35.30E
1981	0.80	4.90	4.40	0.67	0.77	1.04	1.96	6.56	4.09	3.21	4.14	2.91	35.45
1982	4.11	1.61	5.10	3.09	4.33	5.58	8.17	4.25	7.75	10.75	2.77	1.66	59.17
1983	3.85	4.71	7.36	4.23	1.23	4.93	6.47	4.18	8.54	6.52	3.24	9.86	65.12
1984	2.77	3.11	5.44	4.48	2.97	7.87	5.53	0.83	14.44	0.27	5.05	0.48	53.24
MEAN	2.88	3.54	3.80	2.80	3.89	5.46	5.76	5.36	7.62	5.16	2.25	2.87	51.39
NORM	2.96	3.68	3.41	2.67	4.21	5.66	5.76	5.28	6.96	4.75	1.95	2.78	50.07

E - Estimated by NOAA

E* - Estimated by SJRWMD

Table 24 Monthly and Annual Rainfall Data for Kissimmee

YEAR	RAINFALL IN INCHES - KISSIMMEE												NOAA NUMBER: 4625
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1892	0.69E	2.41E	0.89E	0.41	2.34	9.31E	2.84	5.61	13.06	6.09E	0.76E	1.47E	45.88E
1893	1.66	3.67	1.89	1.70	4.51	12.47	5.49	5.87	4.65	6.42	2.29	1.56	52.18
1894	2.29	1.40	0.74	1.37	3.75	5.91	5.15	8.76	16.20	4.51	0.82	2.54	53.44
1895	0.70	3.34	1.40	7.82	3.86	1.20	7.30	5.53	7.50	5.40	5.10	0.48	49.63
1896	4.79	7.31	0.98	0.24	1.51	12.57	9.24	4.17	6.82	3.78	3.23	2.36	57.00
1897	0.18	6.82	0.28	2.75	4.26	5.44	5.70	4.63	15.20	3.00	0.50	2.94	51.70
1898	0.23	1.12	0.00	0.12	0.35	5.75	7.90	11.41	4.52	5.17	0.88	3.02	40.47
1899	5.72	11.53	1.68	3.06	1.60	3.06	8.37	11.06	7.03	15.98	0.23	1.60	70.92
1900	4.82	2.65	6.07	3.02	5.84	8.18	5.66	3.23	4.50	4.83	1.62	5.09	55.51
1901	0.92	2.26	3.51	3.23	2.96	8.78	2.84	9.91	12.95	1.18	0.67	1.35	50.56
1902	0.19	6.07	1.88	1.73	0.34	5.85	5.36	7.27	6.35	3.07	1.15	0.96	40.22
1903	4.76	5.04	5.84	0.25	6.68	10.12	6.07	4.31	12.06	1.02	3.56	1.51	61.22
1904	4.16	5.16	0.80	2.25	0.51	8.19	8.56	4.53	4.66	6.72	3.15	0.80	49.49
1905	0.70	0.91	3.88	1.82	7.17	4.46	14.05	13.90	5.04	3.19	0.00	9.43	64.55
1906	6.43	1.49	2.74	1.48	6.77	10.21	6.65	2.59	3.26	2.00	0.16	0.04	43.82
1907	0.10	0.05	0.00	1.66	3.89	6.91	12.51	4.06	5.79	1.45	0.40	3.81	40.63
1908	3.81	1.46	0.26	6.13	3.08	4.32	4.74	9.40	8.48	2.18	2.36	0.64	46.86
1909	0.86	0.63	2.06	3.46	6.87	4.84	11.28	9.53	2.93	1.22	1.49	1.43	46.60
1910	1.29	2.47	1.52	0.36	2.39	9.53	10.52	7.38	0.74	11.65	0.63	0.65	49.13
1911	1.04	0.00	3.75	1.78	1.86	5.28	4.23	8.22	3.19	3.78	5.79	2.33	41.25
1912	7.87	2.29	3.75	1.31	7.48	11.90	4.74	4.10	7.59	4.38	3.01	0.66	59.08
1913	0.54	6.05	7.64	0.80	2.43	3.45	3.68	6.16	6.03	2.65	0.30	3.38	43.11
1914	5.14	3.75	1.00	1.38	4.50	5.53	4.19	4.98	5.10	1.10	0.60	3.60	40.87
1915	4.70	5.45	1.80	1.99	8.62	3.75	8.05	6.40	2.59	8.45	2.37	1.90	56.07
1916	0.63	0.39	0.49	1.69	5.22	8.37	7.63	4.67	6.08	2.56	4.08	5.21	47.02
1917	0.55	1.94	1.19	0.94	3.23	2.45	6.22	7.35	7.27	5.67	0.10	0.79	37.70
1918	4.29	0.68	4.16	6.99	1.59	7.16E	9.99	8.05	6.34	5.04	5.35	1.33	60.97E
1919	2.68	4.81	6.18	3.81	5.77	9.75	6.23	8.14E	3.56E	0.56E	3.70E	2.78E	57.97E
1920	0.64E	8.20E	0.10E	6.69E	3.34E	5.26E	10.14	7.46	9.55	0.98	3.35	2.15E	57.86E
1921	0.78	2.50	2.22	0.38	8.77	4.90	6.07	4.71	0.59	7.05E	2.49E	2.25	42.71E
1922	0.75	1.27	0.55	0.20	7.93	4.99	5.65	8.88	4.57	5.14	1.08	2.36	43.37
1923	1.47	0.66	0.95	0.80	10.77	11.89	12.77	7.30	3.84	1.43	0.24	1.04	53.16
1924	3.37	3.26	6.25	2.27	2.66	3.00	12.23	3.47	5.86	9.22	0.00	1.66	53.25
1925	5.20	1.98	1.35	0.94E	7.03	8.09	7.46E	8.45	2.48	4.45	4.23E	4.66E	56.32E
1926	3.72E	2.40	4.65	5.80	1.10	7.17E	12.60E	6.66E	7.09E	2.77E	2.92	0.39	57.27E
1927	0.20	1.40	2.45	1.76	3.08	5.27	5.97	12.64	4.48E	6.39E	0.12E	0.99E	44.75E
1928	0.92	1.06	3.66	8.30	2.59	7.98	8.86	8.45	13.35	1.40	0.31	3.79	60.67
1929	1.42	1.40	0.71	1.98	4.64	5.54	8.87	2.76	4.63	3.28	1.20	1.40	37.83
1930	0.88	3.00	12.69	3.53	5.25	10.02	2.66	4.57	4.93	2.12	1.87	4.09	55.61
1931	2.71	0.97	4.15	4.57	2.29	2.57	5.90	6.53	3.05	1.60	0.27	3.50	38.11

Table 24 Continued

YEAR	RAINFALL IN INCHES -						KISSIMMEE						NOAA NUMBER: 4625
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1932	1.44	0.21	2.91	0.21	8.76	8.34	5.51	8.77	2.27	0.72	7.94	0.03	47.11
1933	1.53	3.64	3.81	4.11	4.80	8.38	13.08	6.45	14.42	2.82	1.99	0.41	65.44
1934	1.37	3.25	5.12	5.96	8.70	15.75	7.03	3.46	4.23	2.54	0.43	0.66	58.50
1935	1.43	2.46	1.42	2.78	2.77	3.38	7.38	4.15	9.96	0.60	0.79	3.33	40.45
1936	2.07	6.64	4.31	1.58	6.40	7.30	4.01	4.87	2.67	3.42	1.20	1.12	45.59
1937	0.51	4.83	4.53	3.61	1.96	3.77	8.43	11.34	3.29	8.16	3.75	0.70	54.88
1938	0.64	1.19	1.98	0.34	5.73	3.89	8.84	3.37	1.90	4.27	0.80	0.08	33.03
1939	0.97	0.41	1.80	5.99	3.34	14.09	10.08	11.01	4.61	1.18	0.50	0.87	54.85
1940	2.31	3.28	4.91	2.19	0.97	4.34	12.01	9.22	5.44	0.74	0.09	4.08	49.58
1941	4.85	3.86	3.81	5.31	2.71	11.61	13.88	3.76	4.33	2.96	3.31	2.71	63.10
1942	2.40	2.61	7.51	2.67	1.40	14.59	1.68	5.65	4.21	0.36	0.11	2.31	45.50
1943	1.41	0.45	5.39	2.52	3.04	2.34	11.13	7.90	3.18	2.47	1.07	0.60	41.50
1944	1.17	0.21	6.61	2.79	1.28	6.46	7.05	5.51	3.87	8.07	0.14	0.18	43.34
1945	3.35	0.19	0.43	2.76	0.55	17.13	5.86	3.25	9.41	3.01	0.98	3.21	50.13
1946	1.69	3.07	1.60	0.58	5.72	5.30	9.91	7.80	7.43	2.92	1.75	0.98	48.75
1947	0.79	4.71	4.75	6.59	5.70	8.65	7.17	4.24	13.84	3.16	3.94	1.01	64.55
1948	6.74	0.66	3.99	1.32	3.59	2.85	6.04	8.07	11.82	2.14	0.86	2.08	50.16
1949	0.31	1.25	2.15	2.50	0.66	10.40	6.28	14.45	7.21	1.39	0.70	7.13	54.43
1950	0.00	0.24	4.43	4.66	0.83	3.93	3.69	5.96	7.71	8.45	0.08	4.11	44.09
1951	0.16	2.78	0.78	4.21	2.65	4.90	8.02	2.35	10.97	3.39	6.27	1.38	47.86
1952	0.46	4.95	4.13	1.72	4.03	3.08	7.50	5.40	5.89	5.25	1.36	1.08	44.85
1953	2.00	3.06	5.41	5.95	2.14	8.62	11.62	13.13	10.42	4.76	5.08	4.08	76.27
1954	1.02	1.19	1.41	2.25	4.99	7.01	8.12	3.64	4.03	3.86E	3.60	0.48	41.60E
1955	1.97	1.26	1.84	3.28	2.48	8.17	9.00	2.10	5.57	2.08	1.65	0.98	40.38
1956	2.61	0.45	0.58	3.63	2.73	5.57	3.31	8.75	6.31	17.47	0.65	0.35	52.41
1957	1.07	4.13	3.24	4.95	6.97	9.68	12.18	4.21	7.96	0.80	1.16	3.67	60.02
1958	5.17	3.29	6.13	4.08	3.45	3.79	5.68	4.01	5.61	3.81	0.79	3.37E	49.18E
1959	3.48E	3.10E	8.92	3.82	3.46	10.02	8.49	13.34	10.78	8.63	0.42	1.90	76.36E
1960	1.25	5.68	12.46	1.97	3.35	10.94	7.67	9.00	20.61	5.84	0.00	1.61	80.38
1961	2.13	3.56	0.82	1.69	1.62	4.14	3.47	4.82	2.37	2.33	0.32	0.80	28.07
1962	0.85	1.05	3.84	1.38	3.31	5.82	7.39	5.97	7.12	1.35	2.55	1.90	42.53
1963	2.73	7.21	2.07	0.20	4.88	4.87	7.10	6.13	5.93	3.75	7.46E	2.55	54.88E
1964	3.65	3.64E	2.56	5.34	3.70	5.04E	6.89	9.81E	5.27E	0.65E	0.60E	1.89	49.04E
1965	1.87E	4.57E	2.20	1.05	0.00	8.40	8.47	4.15	4.72	2.11	0.93	2.62	41.09E
1966	5.16	7.07	0.45	1.93	4.39	9.82	5.11	7.04	6.10	2.25	0.12	1.68	51.12
1967	0.78	4.14	0.55	0.04	0.45	9.71	10.68	6.41	7.08	0.25	0.08	2.90	43.07
1968	0.27	3.10	0.88	0.47	5.02	15.42	9.38	4.74	3.56	3.12	2.65	0.31	48.92
1969	2.20	1.89	5.76	2.73	3.00	3.69	4.57	6.59	13.07	6.21	1.75	4.59	56.05
1970	2.73	3.09	5.59	1.09	4.43	4.95	9.04	3.89	2.97	2.07	0.82	1.21	41.88
1971	0.40	4.10	3.25	0.82	3.37	3.12	3.97	6.67	3.21	8.05	1.13	1.37	39.46

Table 24 Continued

YEAR	RAINFALL IN INCHES - KISSIMMEE												NOAA NUMBER: 4625
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1972	0.88	3.90	1.22	1.65	2.64	6.54E	5.08	8.59	0.96	2.13	3.90	2.55E	40.04E
1973	4.89	2.38	2.42	2.19	4.39	6.42	8.20	7.99	11.65	0.98	0.70	1.90	54.11
1974	0.32	1.23	2.10	0.67	2.48	11.93	6.62	4.07	4.22	0.38	1.06	1.63	36.71
1975	0.76	1.48	0.88	3.28	7.56	7.86	6.79	5.27	9.18	5.87	0.72	0.42	50.07
1976	0.20	0.40	2.26	1.43	7.70	5.89	4.09	6.80	4.52	0.94	1.77	4.08	40.08
1977	1.64	2.01	2.06	0.23	2.15	3.03	5.69	12.69	7.47	1.96	4.38	5.04	48.35
1978	3.02	3.36	1.69	0.25	2.63	9.01	10.20	6.77	1.20	1.90	0.26	3.19	43.48
1979	6.42	1.57	2.48	1.92	10.91	2.85	3.29	7.32	12.52	0.12	1.71	1.45	52.56
1980	2.22	2.51	2.33	3.43	5.85	1.48	3.86	2.99	1.32	0.58	3.94	0.45	30.96
1981	0.22	5.08	1.59	0.11	3.34	7.97	2.91	8.74	6.15	4.58	1.81	3.03	45.53
1982	1.75	1.53	5.81	3.28	4.05	2.76	9.34	4.30	8.28	2.41	0.70	1.03	45.24
1983	1.92	9.62	6.11	2.45	1.94	6.93	8.58	5.32	5.48	8.84	1.44	4.64	63.27
1984	2.20	3.22	1.70	1.15	5.30	2.84	10.53	8.96	3.09	1.11	2.12	0.15	42.37
MEAN	2.12	2.95	3.04	2.51	3.97	6.95	7.38	6.71	6.47	3.74	1.79	2.13	49.76
NORM	2.08	3.07	3.01	2.25	3.89	6.73	7.05	6.49	6.75	3.43	1.93	2.05	48.73

E - Estimated by NOAA

Table 25 Monthly and Annual Rainfall Data for Lake Alfred

YEAR	RAINFALL IN INCHES - LAKE ALFRED EXP												NOAA NUMBER: 4707
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1925	7.62	1.20	1.92	0.72	6.95	9.25	13.30	10.89	0.82	1.69	1.87	5.33	61.56
1926	5.76	2.00	4.16	5.45	5.09	10.07	9.89	9.54	4.77	0.64	2.95	0.65	60.97
1927	0.00	2.86	2.92	0.54	1.22	6.74	6.75	10.78	2.81	1.88	0.78	0.89	38.17
1928	0.64	0.80	2.80	5.67	3.43	5.24	6.68	13.92	14.25	1.66	0.13	0.31	55.53
1929	1.54	2.13	0.88	1.21	8.65	7.98	7.06	3.42	12.37	3.53	3.09	1.96	53.82
1930	2.32	3.72	6.05	2.17E	3.69	8.61	2.17	3.38	9.58	1.65	2.29	4.47	50.10E
1931	2.47	1.03	5.02	7.67	2.46	3.66	4.77	6.92	5.03	0.90	0.06	1.80	41.79
1932	1.57	0.23	3.71	0.25	6.98	9.31	2.65	4.16	3.14	1.49	1.63	0.00	35.12
1933	1.59	3.11	1.83	3.85	4.65	6.82	6.47	6.70	17.25	0.97	1.08	0.20	54.52
1934	0.82	3.39	4.12	7.66	6.00	21.27	8.92	4.92	6.23	0.50	0.26	0.63	64.72
1935	0.77	1.16	0.18	1.75	3.96	5.89	4.78	5.32	11.65	0.50	0.73	3.65	40.34
1936	3.37	7.03	4.27	3.40	3.72	2.96	5.97	10.41	3.57	5.67	1.29	1.53	53.19
1937	0.10	6.83	2.86	2.90	4.33	8.18	10.63	4.19	2.18	6.17	3.85	1.10	53.32
1938	0.84	0.60	2.69	0.10	4.50	5.20	7.36	5.66	4.68	5.25	0.50	0.12	37.50
1939	1.24	0.39	2.05	5.93	8.77	14.03	6.42	12.16	5.26	1.12	0.26	1.28	58.91
1940	2.34	4.21	3.11	2.85	0.71	5.90	6.14	4.79	4.23	0.54	0.10	4.15	39.07
1941	4.36	4.32	3.11	6.82	0.74	8.13	10.66	4.10	4.18	2.05	3.54	5.18	57.19
1942	2.28	3.55	6.19	2.68	2.24	11.11	3.50	4.30	6.65	0.10	0.33	1.92	44.85
1943	0.90	1.42	4.03	1.89	10.75	11.21	11.13	5.58	3.63	1.52	1.14	0.44	53.64
1944	1.28	0.27	6.19	2.62	5.25	9.92	9.83	8.43	4.32	9.54	0.37	0.00	58.02
1945	4.14	0.00	0.37	0.99	0.34	18.84	11.41	6.40	8.40	4.01	0.72	4.60	60.22
1946	1.69	3.33	1.80	0.34	7.75	10.97	9.78	7.31	3.95	2.11	0.97	1.89	51.89
1947	0.43	4.16	5.34	4.17	5.39	6.88	6.54	3.74	13.10	1.66	4.61	1.56	57.58
1948	7.79	0.96	4.51	3.51	1.29	0.97	12.82	10.40	11.92	2.08	0.44	2.80	59.49
1949	0.30	0.90	2.79	1.16	3.45	5.20	7.13	14.59E*	6.33	1.77	1.48	3.94	49.04E
1950	0.00	0.19	2.88	2.88	1.12	5.95	7.64	6.34	12.62	5.34	0.17	4.48	49.61
1951	0.24	2.42E*	2.07	8.66	1.26	7.39	9.61	9.53	8.94	1.78	5.40	2.68	59.98E
1952	0.80	5.15	7.05	1.03	2.30	8.57	6.31	10.25	7.64	9.11	1.31	1.40	60.92
1953	2.36	3.19	2.27	4.37	1.12	7.35	6.92	10.16	10.33	4.41	4.85	5.13	62.46
1954	0.79	0.98	1.21	3.35	2.75	7.35	7.33	2.88	6.34	1.58	2.58	1.13	38.27
1955	2.42	2.08	2.73	3.23	3.60	3.81	4.92	2.77	4.50	2.40	1.67	1.53	35.66
1956	1.64	0.83	0.45	1.87	7.69	3.45	6.02	8.19	4.57	9.11	0.52	0.06	44.40
1957	2.15	4.64	5.04	8.09	11.27	3.74	3.87	10.44	4.68	0.77	1.05	2.25	57.99
1958	4.89	1.32	4.54	3.03	4.51	4.43	5.45	5.95	5.15	3.17	1.44	3.37	47.25
1959	4.55E	3.39	10.76	5.52	5.71	11.29	11.34	5.11	7.59	8.29	0.98	2.04	76.57E
1960	1.23	5.56	9.89	3.22	1.26	5.92	12.68	6.20	19.44	1.92	0.00	1.86	69.18
1961	1.82	2.55	3.25	1.84E	4.89	4.42	3.83	7.77	0.89	1.97	0.53E	1.86	35.62E
1962	1.95	0.90	3.19	1.50	6.12	4.79E	0.45E	8.85	5.84	0.89	2.29E	0.23	37.00E
1963	1.92	6.72	3.42	0.13	6.72	9.27	7.30	4.03	4.31	1.36	6.82	2.37	54.37
1964	5.24	4.22	3.80	1.69	4.04	3.15	8.31	5.75	7.84	1.83	2.29E	1.78	49.94E

Table 25 Continued

YEAR	RAINFALL IN INCHES - LAKE ALFRED EXP												NOAA NUMBER: 4707
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1965	1.40	4.31	3.12	1.46	0.07	10.86	7.94	6.39	6.16	2.23	0.57	3.45	47.96
1966	6.12	4.02	1.89	1.61	4.47	9.99	7.71	8.53	5.42	1.53	0.10	1.27	52.66
1967	0.97	5.13	0.89	0.00	2.46	15.70	11.87	14.30	4.05	0.91	0.09	2.34	58.71
1968	0.35	2.45	1.44	0.57	4.49	17.06	8.18	5.57	6.14	4.60	2.97	0.44	54.26
1969	3.01	1.47	6.99	1.21	1.98	5.70	6.48	9.40	6.29	6.73	2.34	4.19	55.79
1970	3.01	3.25	7.65	0.78	2.66	3.85	9.21	3.39	6.48	1.84	0.90	0.34	43.36
1971	1.03	4.41	2.58	0.60	3.20	4.85	5.30	7.43	3.80	6.93	2.76	0.79	43.68
1972	0.83	5.83	1.84	0.70	4.99	7.81	4.94	9.15	0.55	5.45	4.60	2.92	49.61
1973	4.70	2.47	3.26	1.87	3.40	3.07	11.28	6.10	9.11	1.16	1.62	1.99	50.03
1974	0.25	1.32	2.28	1.23	5.27	11.43	5.67	4.82	8.95	0.32	0.20	1.59	43.33
1975	1.64	1.81	2.43	0.60	6.50	4.18	3.54	10.31	6.77	4.29	1.05	0.77	43.89
1976	0.31	0.54	1.98	3.17	10.34	6.29	4.57	8.39	7.91	1.64	1.75	1.64	48.53
1977	2.33	2.66	1.29	0.29	4.19	5.62	6.73	8.13	8.87	1.52	1.93	3.43E	46.99E
1978	2.87	4.63	2.34	0.53E	5.73E	10.56E	9.74E	3.87E	2.04	1.30	0.34	3.82	47.77E
1979	6.32	1.30	3.54	1.39	13.93	1.84	6.28	11.04	13.58	0.53	2.90	1.75	64.40
1980	3.16	2.03	2.33	2.58	7.30	8.04	5.60	2.82	2.78	0.91	4.44	0.76	42.75
1981	0.47	3.15	0.87	0.01	1.50	6.85	5.03	13.16	5.88	1.31	0.85	2.12	41.20
1982	1.72	2.99	4.78	3.25	6.87	10.12	8.49	5.83	6.02	4.94	0.60	0.68	56.29
1983	1.60	8.63	7.67	2.76	2.45	10.64	3.17	10.72	5.85	4.05	2.28	5.32	65.14
1984	1.45	4.15	1.67	2.68	3.59	3.31	9.54	4.17	7.14	0.44	1.49	0.27	39.90
MEAN	2.19	2.84	3.44	2.57	4.53	7.72	7.27	7.33	6.75	2.76	1.67	2.04	51.11
NORM	2.34	3.05	3.52	2.20	4.81	7.06	6.98	7.25	6.57	3.02	2.01	1.97	50.78

E - Estimated by NOAA

E* - Estimated by SJRWMD

Table 26 Monthly and Annual Rainfall Data for Lake City

YEAR	RAINFALL IN INCHES - LAKE CITY												NOAA NUMBER: 4731
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1893	1.15	3.53	9.95	3.65	2.34	10.82	4.75	5.31	4.34	2.33	3.45	6.96	58.58
1894	2.48	6.45	3.17	2.26	1.34	5.78	9.43	5.66	6.70	3.53	3.86	2.51	53.17
1895	5.86	4.02	3.59	4.27	2.56	5.03	9.13	5.00	1.14	0.40	2.76	1.58	45.34
1896	2.59	2.54	3.67	1.03	1.36	10.36	10.87	4.42	4.48	4.42	5.54	3.38	54.66
1897	1.27	12.79	3.09	5.00	0.66	7.42	2.69	6.58	6.43	3.84	0.93	4.10	54.80
1898	0.54	4.04	1.60	1.94	1.47	2.42	11.96	9.05	4.04	8.03	2.54	5.52	53.15
1899	4.18	3.42	2.05	1.09	1.37	3.06	4.16	3.66	2.95	2.75	0.21	1.59	30.49
1900	2.66	4.49	6.93	6.40	2.23	6.96	5.52	2.35	2.21	3.15	2.90	3.96	49.76
1901	3.95	7.65	7.78	1.83	5.16	8.36	5.65	8.72	5.18	3.90	0.46	3.21	61.85
1902	0.46	4.24	6.83	2.04	1.79	9.42	7.41	5.21	7.18	3.32	3.20	4.70	55.80
1903	4.50	4.55	3.28	1.29	5.05	7.12	7.93	10.04	5.27	1.57	0.83	1.78	53.21
1904	4.68	2.26	1.19	0.97	0.30	6.68	10.43	8.30	2.00	2.45	2.05	1.50	42.81
1905	2.40	4.78	4.46	1.60E	6.47	5.34	4.29	7.76	5.64	1.42	1.20	6.56	51.92E
1906	3.54	3.45	2.78	1.70	9.96	8.22	15.92	3.92	1.04	3.89	0.00E	1.27E	55.69E
1907	0.47	1.06	1.00	5.57	3.65	7.41	6.39	6.77	6.85	0.39	2.10	5.36	47.02
1908	3.47	3.17	0.40	3.33	2.13	3.43	4.85	2.55	4.39	0.55	0.35	1.21	29.83
1909	1.00	1.86	5.10	1.82	2.80	8.06	15.05	7.23	2.35	0.26	0.50	3.65	49.68
1910	1.21	2.67	2.39	0.99	0.96	13.80	8.23	10.90	0.46	3.96	1.22	0.52	47.31
1911	1.05	0.35	1.45	0.76	4.24	4.51	7.38E	12.59	4.36	5.53	4.53	4.15	50.90E
1912	3.32	4.85	4.94	5.73	3.20	9.45	5.85	6.54	11.03	5.41	1.02	2.16	63.50
1913	4.53	5.07	3.68	0.00	2.05	4.86	8.88	6.72	2.82	3.65	0.75	4.90	47.91
1914	4.54	9.08	1.82	0.76	1.15	4.94	6.18	6.24	7.31	2.91	0.73	6.75	52.41
1915	5.76	2.92	3.55	0.52	5.15	5.96	6.20	5.38	6.84	6.14	2.36	3.19	53.97
1916	1.70	0.94	0.97	0.81	4.87	7.26	7.49	2.88	3.27	3.26	1.58	12.08	47.11
1917	0.81	2.70	2.42	1.10	3.68	4.05	6.57	6.50	3.34	0.72	0.72	3.02	35.63
1918	3.40	0.39	3.18	7.92	1.94	6.85	5.29	6.32	5.77	3.42	3.82	4.92	53.22
1919	3.21	4.85	5.41	2.67	3.84	8.01	9.98	8.75	3.80	1.83	3.11	2.48	57.94
1920	1.31	7.68	0.96	7.26	6.78	4.60	4.34	7.31	12.29	0.83	4.37	5.27	63.00
1921	2.12	1.13	0.85	2.81	3.59	4.95	8.85	3.56	1.89	5.19	2.13	2.98	40.05
1922	2.19	5.18	2.85	0.53	7.85	5.97	5.50	4.06	4.55	4.42	0.04	2.49	45.63
1923	4.32	1.97	2.84	1.85	6.58	9.11	3.76	5.90	3.20	1.14	0.40	1.48	42.55
1924	5.10	3.21	10.02	3.02	2.19	7.33	9.60E	2.56	9.40	2.38	1.20	2.62	58.63E
1925	3.88	2.82	1.66	0.95	3.87	9.32	5.51	4.58	1.99	3.71	0.79	4.84	43.92
1926	4.81	1.36	5.42	3.65	1.73	8.34	12.48	7.15	3.44	1.61	4.48	1.41	55.88
1927	0.10	6.27	1.99	0.55	2.39	11.41	4.04	6.27	1.69	0.64	1.76	3.58	40.69
1928	0.43	6.90	7.98	10.40	5.42	8.99	5.66	8.71	8.27	2.95	0.40	2.10	68.21
1929	4.76	2.89	3.37	4.28	4.04	6.05	6.46	6.84	7.59	0.95	0.70	4.37	52.30
1930	5.34	2.72	9.81	1.62	1.53	7.40	4.23	3.04	7.90	0.61	2.79	3.95	50.94
1931	3.20	2.99	6.51	2.10	3.47	3.62	12.26	4.37	0.77	0.39	0.11	2.04	41.83
1932	1.18	1.22	6.16	0.58	4.15	9.52	4.69E*	8.07	6.70	2.29	4.84	0.56	49.96E

Table 26 Continued

YEAR	RAINFALL IN INCHES -						LAKE CITY						NOAA NUMBER: 4731
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1933	2.72	4.62	5.70	9.20	0.85	3.14	8.42	8.98	7.08	2.48	1.34	0.86	55.39
1934	1.16	2.68	3.86	4.07	5.56	8.74	10.45	4.49	1.22	1.07	0.77	1.77	45.84
1935	1.51	2.97	0.68	1.99	2.88	5.15	12.45	11.49	8.53	0.38	0.80	0.83	49.66
1936	3.08	4.97	2.11	0.24	2.54	1.55	5.09	10.84	2.41	7.62	0.28	4.03	44.76
1937	2.37	6.05	3.45	5.57	0.90	7.43	6.84	8.29	8.51	3.96	3.14	0.43	56.94
1938	3.05	1.20	1.74	1.15	4.99	4.78	7.13	5.07	4.56	1.04	0.29	1.86	36.86
1939	1.68	3.50	1.09	4.76	1.74	7.06	9.30	8.36	3.90	0.16	1.42	1.80	44.77
1940	2.53	6.56	1.61	2.70	2.12	5.69	6.60	9.04	3.72	0.00	0.52	6.02	47.11
1941	1.54	4.91	2.66	2.63	1.14	11.07	7.52	3.55	3.31	7.90	2.43	8.02	56.68
1942	3.90	7.67	5.86	0.67	1.94	5.38	6.58	7.04	2.98	0.44	0.36	2.53	45.35
1943	2.09	0.50	3.24	1.38	5.96	5.90	4.98	4.81	2.21	0.00	0.90	1.70	33.67
1944	3.56	1.70	7.24	3.07	4.19	3.08	11.40	10.13	5.77	7.01	3.92	0.46	61.53
1945	7.71	2.30	0.02	5.84	1.61	4.93	10.56	6.30	3.19	3.09	1.13	5.03	51.71
1946	3.48	1.69	3.82	2.04	4.86	4.84E*	8.76	5.82	4.69	2.65	0.70	0.51	43.86E
1947	3.99	5.22	5.35	1.70	7.13	3.97	7.74	3.58	12.94	14.45	9.01	6.93	82.01
1948	4.55	1.85	12.61	4.52	2.87	2.84	10.01	11.66	3.52	5.14	1.50	3.72	64.79
1949	1.44	6.57	1.51	6.89	0.94	9.72	4.44	13.27	2.98	2.98	2.96	0.58	54.28
1950	0.29	1.62	4.43	2.84	3.37	2.48	8.67	3.75	8.93	10.33	0.13	2.21	49.05
1951	1.23	1.30	3.76	2.66	2.36	2.74	7.88	6.78	5.73	3.77	6.90	2.66	47.77
1952	2.18	6.08	1.75	2.89	2.82	5.35	4.65	5.20	3.35	2.19	1.15	1.14	38.75
1953	3.51	2.47	2.80	10.03	0.39	6.66	7.06	13.35	10.38	1.64	4.53	10.24	73.06
1954	0.79	1.39	2.13	1.74	1.38	2.62	6.94	2.76	11.45	1.07	0.89	3.51	36.67
1955	3.55	2.79	1.22	1.03	2.53	5.12	3.73	2.05	5.99	3.05	0.65	0.26	31.97
1956	3.08	3.13	1.35	2.71	3.56	10.03	6.21	1.17	8.14	9.68	1.46	0.10	50.62
1957	0.33	2.76	5.70	3.43	8.98E	13.01	4.72	5.15	5.76	1.41	5.03	1.63	57.91E
1958	4.05	4.20E	5.61	7.23	2.18	4.93	6.08	8.71	1.24	1.48	1.60	2.18	49.49E
1959	6.18E	4.74	8.35	4.31	11.45	3.49	5.92	2.93	6.87	5.12	2.78	0.66	62.80E
1960	2.39	5.24	7.54	3.74	2.94	9.19	10.23	4.93	5.84	5.21	0.05	2.08	59.38
1961	4.75	3.45	1.36	5.45	4.10	8.87E	3.47	13.86	1.30	0.60	2.16	1.05	50.42E
1962	1.86	0.76	4.51	2.13	2.19	6.61	6.91	5.37	7.43	1.46	3.21	2.53	44.97
1963	7.42	5.03	1.91	1.26	1.49	8.11	4.77	3.82	10.50	0.06	3.65E	2.41E	50.43E
1964	9.18E	7.77	1.88E	5.44	3.90	6.78	11.25	11.50	12.34	2.39	2.04	10.00	84.47E
1965	0.92	5.23	4.93	2.61	0.54	15.31	8.24	7.28	7.88	2.39	2.63	5.46	63.42
1966	6.05	5.47	3.08	2.30	11.04	4.21	10.47	5.25	5.66	3.99	1.16	2.73	61.41
1967	4.50	5.69	0.94	2.06	2.78	6.75	7.79	9.36	1.91	1.04	0.83	5.11	48.76
1968	2.08	3.41	1.53	0.95	6.48	4.90	7.75	7.58	4.28	2.35	2.26	2.06	45.63
1969	2.04	3.85	6.72	1.00	5.83	7.21	9.68	6.55	7.33	0.95	2.38	6.62	60.16
1970	3.99	7.37	8.71	3.55	4.26	3.87	6.76	12.68	2.32	1.84	0.16	2.56	58.07
1971	2.59	2.77	2.60	1.36	2.56	7.89	5.68	9.56	4.39	3.60	1.45	6.06	50.51
1972	5.44	3.34	5.61	1.50	6.00	10.65	2.95	5.23	0.26	2.00	4.98	2.98	50.94

Table 26 Continued

YEAR	RAINFALL IN INCHES -						LAKE CITY						NOAA NUMBER: 4731
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1973	5.57	3.37	7.05	6.82	6.14	6.65	12.72	4.93	5.12	1.63	1.07	4.59	65.66
1974	1.99	1.75	5.15	2.49	7.28	8.91	6.92	11.83	4.44	1.04	0.65	3.92	56.37
1975	5.38	3.20	2.69	5.45	9.88	4.43	7.49	6.79	5.77	1.87	0.61	2.41	55.97
1976	2.01	3.40	3.97	2.68	8.00	3.41	4.57	7.13	5.86	1.62	3.74	4.08	50.47
1977	3.69	4.40E	3.22	1.16	2.65	6.35	2.38	10.78	5.01	0.34	3.65	8.45	52.08E
1978	5.43	4.35	4.43	1.91	7.52	5.37	3.43	6.87	1.17	0.18	0.23	3.22	44.11
1979	7.07	4.55	1.57	8.10	3.52	4.22	5.57	7.43	8.41	0.70	3.66	2.95	57.75
1980	3.39	3.57	15.69	5.72	4.35	7.80	10.90	2.96	4.28	5.84	2.74	0.76	68.00
1981	0.90	6.63	4.11	1.38	2.11	9.27	6.14	9.33	1.40	1.04	4.75	3.20	50.26
1982	4.44	2.47	5.15	4.46	6.07	5.23	11.22	5.19	5.18	0.55	1.73	2.94	54.63
1983	4.51	5.86	7.62	5.72	2.82	9.03	8.27	3.30	7.11	2.46	3.88	9.22	69.80
1984	1.50	5.34	10.11	5.44	6.23	2.59	12.52	3.37	4.89	1.64	2.96	0.40	56.99
MEAN	3.13	3.89	4.12	3.14	3.77	6.60	7.44	6.69	5.11	2.79	2.06	3.37	52.11
NORM	3.75	3.89	4.26	3.46	4.64	6.71	6.77	6.99	5.68	2.35	2.28	3.48	54.26

E - Estimated by NOAA

E* - Estimated by SJRWMD

Table 27 Monthly and Annual Rainfall Data for Lakeland

YEAR	RAINFALL IN INCHES - LAKELAND WSO CI												NOAA NUMBER: 4797
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1915	5.98E	5.89E	1.96E	1.53E	7.29	2.22	10.92	13.49	4.40	2.81	2.18	2.42	61.09E
1916	1.33	0.20	0.22	2.15	5.09	6.63	8.15	6.54	3.09	2.33	3.67	4.17	43.57
1917	1.70	2.02	1.12	2.89	1.29	10.24	8.74	10.47	6.60	6.93	0.00	0.00	52.00
1918	2.77	0.00	4.88	3.87	4.08	3.47	4.74	5.75	10.40	5.17	3.95	1.32	50.40
1919	3.40	5.55	5.72	0.94	7.96	6.84	10.16	8.99	5.30	1.96	3.71	3.26	63.79
1920	1.12	4.02	1.28	6.66	3.50	11.86	4.96	7.55	8.43	1.21	4.34	1.16	56.09
1921	0.82	2.62	1.60	1.39	8.21	6.64	6.73	3.58	0.31	3.49	2.59	2.53	40.51
1922	0.46	2.00	1.50	0.25	8.45	8.44	10.70	8.32	7.77	7.73	1.40	2.99	60.01
1923	1.62	1.12	2.08	1.79	10.83	8.91	5.33	7.99	7.13	1.50	0.85	0.41	49.56
1924	4.22	3.07	6.57	2.64	8.15	4.10	10.57	6.72	6.57	3.81	0.00	0.10	56.52
1925	5.91	1.27	0.53	0.83	7.09	9.45E	11.15	5.76	2.57E	2.01E	2.67E	6.09	55.33E
1926	4.21	1.67	4.36	5.82	4.96	9.98	9.93	7.27	6.35	0.29	2.11	0.47	57.42
1927	0.04	3.41	4.25	0.47	1.25	6.21	6.11	8.50	2.42	1.60	0.23	0.44	34.93
1928	0.64	0.94	5.49	7.71	3.87	4.16	8.70	11.97	10.53	0.89	0.05	0.56	55.51
1929	1.64	1.73	1.33	1.70	5.58	12.12	6.41	5.87	15.52	2.12	0.75	2.10	56.87
1930	3.33	4.48	8.57	2.99	6.30	13.12	4.30	3.73	6.14	1.20	0.96	6.15	61.27
1931	1.94	1.97	6.77	5.41	5.68	2.54	7.94	5.03	9.93	1.23	0.03	1.13	49.60
1932	0.83	0.25	4.03	0.43	6.42	7.96	4.37	6.42	5.08	1.95	3.28	0.30	41.32
1933	1.93	3.46	4.67	4.28	2.40	10.23	10.15	5.06	13.75	1.59	1.01	0.36	58.89
1934	1.75	3.13	4.53	8.35	7.76	14.63	9.26	4.61	3.74	0.41	0.14	0.58	58.89
1935	0.65	0.26	2.27	3.10	4.43	5.98	9.33	14.15	10.02	0.19	1.00	3.85	55.23
1936	4.35	8.40	3.64	1.65	2.63	5.80	4.14	5.41	6.52	4.77	1.31	1.16	49.78
1937	0.79	7.21	3.49	4.28	2.91	6.83	6.12	8.58	2.59	3.74	3.80	1.18	51.52
1938	1.45	0.67	2.07	0.87	3.57	8.40	8.50	7.13	3.66	6.29	1.97	0.12	44.70
1939	0.87	0.83	3.04	8.36	4.30	14.00	5.57	10.69	7.63	1.00	0.36	1.33	57.98
1940	2.95	3.69	3.98	2.12	2.48	6.10	8.81	7.83	2.92	0.18	0.11	3.05	44.22
1941	3.91	3.60	4.90	5.60	0.99	6.69	10.22	6.59	3.67	2.32	5.94	5.33	59.76
1942	2.23	3.05	8.15	1.77	1.48	10.14	3.17	3.40	3.73	0.25	0.18	2.02	39.57
1943	1.48	0.60	3.88	2.09	6.62	8.98	10.09	4.86	5.90	4.07	1.57	0.36	50.50
1944	1.26	0.48	5.27	2.12	4.86	7.34	6.70	5.44	1.26	5.32	0.53	0.09	40.67
1945	4.92	0.17	0.92	0.44	0.92	12.94	11.47	6.82	6.07	3.39	0.77	3.41	52.24
1946	1.92	4.11	1.95	0.53	4.96	4.20	13.79	7.16	4.23	2.15	1.60	0.45	47.05
1947	0.59	3.79	5.36	3.56	3.71	9.21	9.16	3.65	11.68	3.90	4.20	1.61	60.42
1948	8.74	0.73	4.68	1.25	1.48	1.87	14.34	15.57	9.48	1.49	1.16	2.01	62.80
1949	0.20	0.26	0.78	1.17	2.50	9.41	6.38	11.93	4.85E*	2.98	0.99	5.21	46.66E
1950	0.12	0.60	3.34	3.21	2.87	6.87	5.29	3.89	8.96	4.06	0.07	4.53	43.81
1951	0.27	1.92	3.00	0.15	1.37	4.76	9.19	6.95	6.60	0.66	3.88	2.38	49.13
1952	0.77	3.96	6.21	1.05	3.20	3.37	11.27	7.05	5.47	6.72	1.57	0.81	51.45
1953	2.30	2.67	2.45	4.35	0.13	8.99	7.39	9.03	8.95	3.97	5.37	4.01	59.61
1954	0.68	1.55	1.05	3.63	3.99	5.67	5.70	5.55	3.92	1.28	2.10	1.18	36.30

Table 27 Continued

YEAR	RAINFALL IN INCHES -						LAKELAND WSO CI						NOAA NUMBER: 4797
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1955	2.33	2.05	2.24	2.61	2.25	3.47	10.53	6.70	5.25	3.36	1.82	1.47	44.08
1956	1.43	0.62	1.01	3.26	5.08	5.77	5.94	7.34	9.91	4.15	0.05	0.37	44.93
1957	2.24	4.56	4.69	6.77	9.68	3.96	5.94	10.28	8.87	2.99	0.73	1.39	62.10
1958	4.53	3.22	3.96	3.25	2.43	4.21	4.49	5.06	3.75	3.16	0.81	2.87	41.74
1959	3.91	3.45	12.16	8.48	4.23	7.25	8.03	6.42	7.04	6.63	0.93	1.71	70.24
1960	1.24	4.01	12.94	3.22	0.89	8.34	15.67	3.98	10.25	3.48	0.00	1.40	65.42
1961	1.70	2.17	3.81	1.21	2.73	5.18	3.09	9.05	1.55	0.56	0.88	3.90	35.83
1962	1.41	1.17	3.63	1.18	2.88	7.70	4.50	5.99	6.17	1.30	1.99	0.14	38.06
1963	2.19	6.59	2.78	0.05	4.10	5.12	7.92	6.16	3.23	0.33	5.71	2.08	46.26
1964	5.71	4.17	3.34	1.22	2.83	5.79	5.65	9.86	5.50	1.07	0.34	2.05	47.53
1965	1.41	3.35	1.90	3.52	0.55	7.46	7.27	8.98	7.63	2.24	0.56	3.48	48.35
1966	5.60	2.73	1.81	1.84	4.46	7.85	5.09	7.16	6.49	1.42	0.17	0.85	45.47
1967	0.85	3.72	1.31	0.00	2.01	5.71	6.90	10.42	3.79	1.04	0.18	1.87	37.80
1968	0.29	2.10	1.07	0.53	9.10	14.86	8.14	9.12	4.27	3.48	1.92	0.49	55.37
1969	3.35	1.62	5.38	0.42	4.26	4.70	7.96	6.40	8.90	4.61	0.94	4.46	53.00
1970	2.92	2.47	6.52	0.55	6.53	3.31	11.27	4.68	4.33	2.59	0.48	0.91	46.56
1971	0.26	4.81	2.04	1.25	4.01	2.97	7.69	7.36	2.86	5.75	3.18	0.73	42.91
1972	1.22	5.36	2.40	0.42	2.21	6.28	3.51	4.88	0.81	4.34	3.48	3.38	38.29
1973	4.31	2.24	4.40	2.53	2.16	3.61	8.59	7.04	6.13	0.11	2.11	2.18	45.41
1974	1.20	0.75	2.37	0.63	3.12	13.55	8.59	6.61	5.01	0.04	0.30	1.72	43.89
1975	1.13	2.06	1.37	1.27	4.75	3.65	6.18	10.52	3.06	3.54	3.28	0.69	41.50
1976	0.68	0.27	1.88	3.27	8.02	9.24	7.92	7.98	5.69	0.52	2.44	2.03	49.94
1977	2.18	3.45	0.83	0.22	2.70	5.03	9.29	8.06	8.54	0.85	1.48	2.55	45.18
1978	2.43	4.03	2.64	1.33	3.59	5.87	8.18	8.58	4.73	0.23	0.16	4.38	46.15
1979	7.21	1.35	3.26	1.74	16.03	3.06	7.90	10.11	12.33	1.29	3.44	2.00	69.72
1980	3.29	2.05	3.15	2.80	6.09	4.64	7.84	6.86	3.20	0.91	5.54	0.43	46.80
1981	0.56	4.00	1.34	0.09	1.59	7.29	6.38	8.16	5.88	1.31	0.85	2.12	39.57
1982	2.06	2.11	6.90	4.51	7.15	10.87	5.77	4.56	9.69	6.23	1.14	1.22	62.21
1983	1.84	9.60	9.22	2.08	2.64	9.30	4.06	6.62	6.88	1.80	2.03	7.04	63.11
1984	1.17	2.81	1.78	1.57	4.65	5.91	7.64	8.14	3.63	0.65	1.28	0.34	39.57
MEAN	2.24	2.72	3.63	2.62	4.40	7.13	7.77	7.41	6.14	2.56	1.72	2.01	50.35
NORM	2.30	2.82	3.52	2.36	4.18	6.05	7.59	7.47	5.81	2.42	1.86	1.93	48.31

E - Estimated by NOAA

E* - Estimated by SJRWMD

Table 28 Monthly and Annual Rainfall Data for Lisbon

YEAR	RAINFALL IN INCHES - LISBON + EUSTIS												NOAA NUMBER: 5076 + 2827
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AGS	SEP	OCT	NOV	DEC	
1891	1.69	1.20	5.76	3.46	2.25	5.55	5.67	4.28	8.22	3.49	1.73	3.14	46.44
1892	3.31	0.95	1.25	1.67	2.34	5.67	2.76	9.00	8.07	1.91	0.33	4.26	41.52
1893	2.24	4.81	3.26	0.84	2.33	7.47	2.92	3.22	6.11	4.55	3.13	4.03	44.91
1894	2.32	0.98	0.88	1.10	1.69	6.19	5.46	4.08	13.49	3.76	2.66	1.41	44.02
1895	3.38	2.85	1.94	3.41	4.97	3.79	7.26	8.09	6.74	1.05	2.10	1.19	46.77
1896	7.27	2.67	1.13	0.26	2.45	7.79	6.79	6.78	2.97	0.84	2.59	1.82	43.36
1897	2.53	7.30	1.34	1.52	1.84	6.33	6.21	7.36	12.72	5.43	1.22	1.72	55.52
1898	1.08	1.43	0.64	0.47	1.92	5.94	10.16	10.95	7.18	4.54	1.77	2.38	48.46
1899	5.15	9.60	1.18	4.19	0.79	7.22	13.55	6.02	6.20	3.23	0.35	1.28	58.76
1900	2.75	4.26	6.14	5.86	4.25	8.78	7.98	4.43	3.74	4.84	0.72	2.88	56.63
1901	1.42	2.52	4.77	0.92	5.97	5.35	5.93	13.00	13.75	1.01	0.89	1.94	57.47
1902	0.51	4.37	4.56	1.79	3.55	5.31	2.10	2.47	8.18	6.28	1.30	1.96	42.38
1903	6.09	5.72	4.29	0.44	6.06	7.60	5.73	4.39	6.96	0.43	1.54	1.30	50.55
1904	5.93	2.35	0.36	3.88	1.69	6.20	6.07	5.84	5.79	3.20	2.02	1.26	44.59
1905	0.40	1.63	4.37	2.45	3.30	4.49	2.62	14.10	5.34	0.91	0.38	5.65	45.64
1906	5.57	0.76	3.39	1.21	5.53	7.24	7.52	6.08	3.01	1.61	0.46	0.34	42.72
1907	0.10	1.93	0.09	2.05	4.16	5.47	9.25	6.78	4.20	0.89	0.80	5.12	40.84
1908	1.67	2.34	0.02	5.99	2.17	4.39	5.01	5.73	11.39	1.88	1.52	0.87	42.98
1909	2.29	2.10	3.89	1.76	4.29	8.96	20.00	8.08	0.94	0.20	0.73	1.52	54.76
1910	0.60	3.07	1.38	0.63	3.17	9.63	12.73	7.09	0.53	10.14	1.30	0.77	51.04
1911	1.73	0.00	1.63	0.63	5.02	2.09	5.80	7.76	1.97	4.01	3.59	3.72	37.95
1912	7.08	1.40	4.39	2.06	6.51	14.15	5.71	4.26	8.44	3.95	1.99	1.61	61.55
1913	1.22	4.57	6.28	5.55	2.06	2.35	3.50	5.66	2.89	1.84	0.47	2.95	39.34
1914	7.55	3.48	1.32	1.45	4.17	3.45	5.10	2.59	6.86	4.02	4.35	3.74	48.08
1915	3.93	3.82	1.25	1.38	4.99	2.38	9.81	2.99	3.05	10.65	0.87	1.97	47.09
1916	0.78	0.66	1.81	1.05	3.84	3.79	10.16	5.80	4.95	5.51	7.02	2.10	47.47
1917	0.73	0.97	1.53	0.86	1.94	5.06	7.95	6.77	6.17	1.77	0.48	1.12	35.35
1918	3.30	0.06	1.48	4.55	1.02	5.55	3.90	6.30	5.04	13.28	4.73	2.85	52.06
1919	1.98	4.07	4.37	1.41	6.47	8.83	5.53	5.47	5.28	1.02	5.49	3.61	53.53
1920	1.55	4.28	0.99	5.33	5.72	7.10	6.89	4.32	5.42	1.41	6.12	1.86	50.99
1921	0.89	0.82	0.68	0.91	6.26	7.03	6.94	4.15	3.04	8.09	0.98	3.33	43.12
1922	0.87	1.71	1.72	0.70	5.62	7.27	7.91	4.07	7.19	4.49	0.38	1.73	43.66
1923	0.92	1.17	1.79	1.73	10.85	4.57	5.09	6.55	4.85	3.00	0.39	1.62	42.53
1924	2.77	3.60	6.95	4.90	3.21	7.04	14.49	6.56	3.39	4.64	0.36	0.70	58.61
1925	3.98	2.36	1.26	0.67	2.72	7.74	8.80	4.94	3.12	2.13	1.75	6.68	46.15
1926	4.90	1.79	4.57	3.18	1.04	9.53	8.64	5.98	7.18	1.35	3.05	0.54	51.75
1927	0.24	1.83	3.22	1.02	2.17	5.22	5.50	2.47	4.73	3.23	1.99	1.08	32.70
1928	1.03	0.88	3.30	7.07	3.23	3.57	4.96	6.94	14.91	3.39	0.22	1.23	50.73
1929	3.41	0.53	1.38	1.62	4.71	7.05	6.44	9.17	7.37	0.96	1.18	2.88	46.70
1930	2.19	3.52	9.80	2.58	4.56	9.08	3.00	1.15	10.76	1.31	0.48	7.41	55.84

Table 28 Continued

YEAR	RAINFALL IN INCHES -						NOAA NUMBER: 5076 + 2827						
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YRLY
1931	3.09	0.98	5.13	6.31	8.77	0.95	7.06	4.85	4.25	2.94	0.17	1.53	46.03
1932	1.15	0.92	3.36	0.39	6.19	4.23	1.72	7.02	3.28	1.59	7.78	0.77	38.40
1933	1.36	1.28	3.20	6.62	3.07	5.83	13.34	7.53	13.87	4.24	3.77	0.49	64.60
1934	0.45	3.53	2.39	4.66	6.24	16.47	7.51	5.20	2.86	0.65	0.24	0.74	50.94
1935	1.29	1.96	0.57	5.03	4.54	5.25	6.72	8.76	8.37	0.94	1.30	1.88	46.61
1936	4.96	8.02	3.44	3.38	4.91	7.38	5.78	9.89	3.25	6.88	0.89	2.74	61.52
1937	2.59	4.14	4.17	2.73	4.91	3.12	10.11	10.05	5.77	2.93	3.93	1.20	55.65
1938	1.87	0.33	2.20	0.14	3.00	9.07	10.16	5.04	6.20	3.01	2.61	0.34	43.97
1939	1.18	1.67	0.50	2.34	2.14	10.17	4.62	6.73	6.50	1.58	0.20	1.90	39.53
1940	1.84	2.94	2.77	2.51	0.50	4.71	9.63	6.11	4.06	0.08	0.26	5.36	40.77
1941	3.10	4.26	3.32	4.75	1.20	6.88	13.26	2.19	3.64	5.06	3.11	3.90	54.67
1942	2.78	2.65	6.99	1.23	0.64	9.30	3.16	2.30	9.60	0.15	0.08	4.09	42.97
1943	0.94	0.24	3.76	1.76	6.66	6.08	5.40	8.73	5.55	1.32	0.39	1.17	42.00
1944	2.41	0.52	3.97	3.95	3.47	4.44	13.73	7.04	7.51	9.41	0.46	0.23	57.14
1945	3.12	0.24	0.67	1.59	1.96	11.93	11.46	10.41	7.39	1.25	0.29	4.66	54.97
1946	2.21	3.81	0.25	1.21	7.53	5.50	7.98	4.27	6.86	1.95	2.17	0.48	44.22
1947	0.52	3.31	4.18	7.35	1.84	3.92	5.70	9.45	9.07	2.26	2.24	0.56	50.40
1948	6.22	0.62	3.39	1.71	0.70	1.07	11.39	7.87	10.52	1.57	0.20	2.13	47.39
1949	0.37	1.07	1.60	5.75	1.20	10.40	7.52	16.44	6.30	2.92	1.51	1.96	57.04
1950	0.09	0.39	4.38E*	1.22	1.51	3.58	6.22	5.95	12.97	11.85	0.06	4.31	52.53E
1951	0.50	2.53	1.35	1.49	0.40	6.21E*	6.85	3.32	8.07	0.80	3.75	2.45	37.72E
1952	0.53	6.51	5.81	0.91	4.18	3.80	6.92	2.43	5.75	4.71	0.55	1.20	43.30
1953	2.95	4.85	6.48	5.43	1.47	4.45	6.55	9.35	8.20	2.26	2.32	4.90	59.21
1954	0.98	1.54	1.28	2.69	2.92	3.30	4.93	6.47	2.63	5.12	3.52	2.13	37.51
1955	2.48	0.90	3.17	3.17	4.19	3.83	7.65	5.45	6.49	2.77	3.50	0.50	44.10
1956	4.08	1.56	0.76	1.62	6.48	4.11	3.27	3.79	4.29	11.68	0.50	0.00	42.14
1957	1.11	2.20	3.42	4.46	9.69	5.41	4.41	8.44	9.37	1.30	1.01	2.98	53.80
1958	5.54E	4.65	7.22	3.42	2.53	4.11	4.19	4.35	0.33	9.53	1.77	2.47E	50.11E
1959	5.24	2.28	9.54	6.21	5.61	5.09	9.22	7.60	9.26	5.97	0.62	0.94	67.58
1960	1.59	6.67	10.54	3.37	0.71	5.10	8.96	4.40	11.82	4.41	0.15	2.21	59.93
1961	2.60	2.74	2.82	1.48	3.23	3.11	3.42	7.39	2.15	0.93	1.48	1.76	33.11
1962	1.20	0.65	1.81	1.54	1.41	5.72	5.41	9.48	6.46	3.09	1.05	0.84	38.66
1963	4.00	5.91	2.55	2.05	5.71	3.94	5.95	4.11	4.25	0.24	4.22	2.15	45.08
1964	5.33	4.53	6.26	1.50	2.19	3.92	7.60	7.09	6.94	1.10	0.39	3.60	50.45
1965	1.90	3.72	2.10	2.17	1.58	6.60	11.54	10.97	1.78	3.76	0.77	2.78	49.67
1966	3.63	5.55	0.76	3.23	3.76	8.48	8.51	5.66	9.43	0.50	0.28	0.80	50.59
1967	1.62	4.64	0.87	0.32	1.70	5.21	7.48	11.08	4.55	0.45	0.07	2.66	40.65
1968	0.66	2.25	2.08	0.50	6.80	9.36	7.96	9.10	3.37	6.18	2.38	1.06	51.70
1969	1.45	3.04	5.03	1.32	1.87	2.72	7.87	9.54	4.35	9.22	1.49	5.17	53.07
1970	3.66	5.84	4.25	2.06	2.19	3.47	2.44	4.84	2.45	2.99	0.65	1.46	36.30

Table 28 Continued

YEAR	RAINFALL IN INCHES -			LISBON + EUSTIS			NOAA NUMBER: 5076 + 2827						
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YRLY
1971	1.39	4.50	1.91	2.70	3.34	6.61	6.47	5.04	3.03	3.21	1.73	2.57	42.50
1972	1.96	4.48	7.02	0.16	2.00	5.61	2.86	5.45	5.02	2.16	7.18	2.26	46.16
1973	4.52	2.46	3.56	3.66	5.37	5.90	7.31	5.61	4.32	1.81	0.28	7.20	52.00
1974	0.10	2.74	3.57	1.01	3.77	13.50	6.97	5.59	4.07	0.23	0.65	1.94	44.14
1975	2.18	3.42	1.27	3.70	4.66	2.84	4.30	9.36	5.33	4.71	2.39	1.27	45.43
1976	2.04	0.64	3.07	2.64	11.41	5.42	4.79	3.10	7.36	1.01	3.36	3.75	48.59
1977	3.74	3.20	2.20	0.41	0.64	3.91	6.47	6.67	3.41	1.32	2.33	5.74	40.04
1978	3.56	6.26	3.72	0.87	5.94	6.02	8.12	3.23	3.03	1.02	0.00	4.86	46.63
1979	7.15	2.13	3.73	0.94	10.51	1.60	5.21	6.45	14.58	0.43	3.62	1.14	57.49
1980	3.18	1.59	2.19	6.44	5.17	4.37	3.75	4.77	4.36	1.61	4.58	0.57	42.58
1981	0.34	2.22	3.51	0.12	1.43	5.41	6.13	5.54	1.17	1.53	2.21	4.82	34.43
1982	3.25	4.86	6.92	7.78	7.83	8.43	6.52	3.31	10.10	1.69	1.02	0.96	62.67
1983	2.67	6.71	7.78	5.89	1.55	6.04	2.71	5.21	3.22	1.71	3.34	6.38	53.21
1984	1.85	3.50	1.56	5.34	7.74	4.36	11.96	3.46	2.96	0.51	1.08	0.69	45.01
MEAN	2.53	2.86	3.20	2.64	3.85	5.96	7.01	6.33	6.10	3.22	1.80	2.39	47.89
NORM	2.70	3.47	3.68	2.38	4.05	5.12	6.25	6.34	5.55	3.15	1.89	2.45	47.01

E - Estimated by NOAA

E* - Estimated by SJRWMD

Table 29 Monthly and Annual Rainfall Data for Lynne

YEAR	RAINFALL IN INCHES - LYNNE												NOAA NUMBER: 5237
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1942	3.21	2.68	7.50E *	1.12	3.54	8.81	10.21	4.20	7.46	0.59	0.20	4.21	53.73E
1943	0.91	0.98	3.56	1.98	5.28	6.80	7.30E *	9.24E *	9.21E *	0.44	2.70	1.71E *	50.11E
1944	3.36	0.79E *	5.29E *	5.34	3.75	7.54E *	9.27E *	9.03	3.11	10.29	0.43E	0.36E *	58.56E
1945	3.85E *	0.41E *	0.48E *	2.34E *	1.59E *	8.03	7.88	10.46E *	11.18	1.57	0.41	4.01	52.21E
1946	1.91	4.46E *	3.51E *	1.51	7.79	2.11	7.52	6.08	4.17	1.66	0.62	0.84	42.18E
1947	0.58	5.29	6.26	4.33	2.08	6.68	8.76E *	4.55	6.91	6.87	2.90	2.42	57.63E
1948	3.97	0.82	4.39	1.36	0.37	3.88	15.52	5.26	5.39	1.26	2.25	2.68	47.15
1949	0.47	1.38	0.76	5.87	0.82	11.43	9.20	13.89E *	7.61E *	3.92E *	2.41	1.43	59.19E
1950	0.06E *	0.74E *	3.18	0.97	1.62	4.23	4.65	7.64	13.02	8.86E *	0.25	3.92E *	49.14E
1951	0.65E *	2.29	2.19	1.83E *	1.36E *	8.88	6.97	4.69E *	10.52E *	1.95	6.05	4.39	51.77E
1952	0.70	8.11	4.58	2.01	6.10	3.05	6.97E *	4.20	4.99	3.39	0.48	0.76	45.34E
1953	3.47	1.72	3.27	7.20E *	1.20	8.15	6.39E *	10.92	7.96	2.78	2.64	6.20	61.90E
1954	0.45	3.30	2.07	3.17	2.14	3.40	6.18	6.95	4.06	4.14	2.27	1.55	39.68
1955	2.17	1.49	1.55	2.76	2.26	5.37	4.89	6.58	8.15E *	1.27	2.05	0.19	38.73E
1956	2.86	2.15	0.92	3.11	2.94	5.64	3.06	3.64	5.86	6.34	0.30E *	0.10	36.92E
1957	0.60	1.99	3.37	3.16	7.88	6.43	4.57	13.19	4.34	0.84	1.06	1.34	48.77
1958	5.02	2.99	7.34E *	3.28	1.28	6.51	2.67	5.03	2.53	7.48	1.20	2.25	47.58E
1959	3.19	2.39	10.82	5.17	8.72	4.47	6.52	6.51	8.51E *	4.63E *	0.96E *	1.39	63.28E
1960	1.73	6.25	11.63	3.15E *	1.29	13.47	9.17	6.58	8.20	3.98	0.13	2.04	67.62E
1961	3.09	3.22	1.03	1.76	2.40	3.40	4.57	8.19	2.08	0.92	2.63	0.98	34.27
1962	1.44	0.43	2.44	0.72	1.44	5.24	6.44	7.22	3.71	4.55	1.03	2.51	37.17
1963	2.62	5.23	2.40	1.85	2.10	5.83	5.50	4.94	8.07	0.39E *	4.25	2.94	46.12E
1964	6.30	4.97E *	4.69	4.42	0.86	6.63	14.65	8.29	10.39E *	1.40	0.31	6.97	69.88E
1965	2.98	4.96E *	2.63	1.84	0.46	10.55	11.78	7.68	4.51	1.38	1.08	2.62E *	52.47E
1966	3.39E	4.70	0.90E *	2.66	5.50E *	8.19E *	7.51	5.78	5.16	2.00	0.17	0.95	46.91E
1967	2.21	4.14	0.80	0.06	2.23	9.07	8.16	9.31	2.85	0.63	0.12	2.84	42.42
1968	0.72	2.50	1.93	0.33	8.49	14.83	9.05	10.85	4.78	11.17	3.54	1.53	69.72
1969	1.52	2.91	2.00	2.21	4.73	5.89	6.68	8.49	7.65	6.07	1.41	4.05	53.61
1970	4.02	5.09	6.56	2.64	3.75	4.73	7.46	12.75	3.48	1.59	0.28	2.38	54.73
1971	1.31	7.42	2.04	4.49	2.24	8.93	4.60	5.16E *	3.08	5.51	2.67	2.69	50.14E
1972	6.24	4.73	5.98	2.05	4.39	7.19	5.88	5.03	0.37	1.68E *	6.91E *	3.32E *	53.77E
1973	4.63E *	2.82E *	3.67	3.43	5.09E *	6.39	4.93	7.13	4.31	1.85E *	0.97	5.25	50.47E
1974	0.25	1.60	4.06	0.77	9.43	14.41	10.49	5.75	4.07	0.05	1.12	1.16	53.16

Table 29 Continued

YEAR	RAINFALL IN INCHES -						NOAA NUMBER: 5237						
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YRLY
1975	2.51	2.70	2.68	3.68	3.31	10.11	5.32	6.25	10.41	3.53	3.79	1.93	56.22
1976	1.48	1.08	1.92E*	3.44E*	11.64E*	5.84	5.90E*	4.00	7.92	0.62	3.64	6.70	54.18E
1977	4.26	3.34E*	1.09	0.52	1.59E*	1.96	8.74	10.25E*	4.30	0.56	3.45	7.75	47.81E
1978	5.12	5.80	4.82	2.39E*	2.82E*	8.09	15.62E*	6.66E*	6.20	0.99E*	0.07	4.16	62.74E
1979	7.90	2.09E*	3.35	4.86	12.01	4.30E*	5.74	5.85	19.11	0.08	1.26	1.61	68.16E
1980	6.10	1.14	3.87	5.02	5.52	4.48	4.10	1.70	3.03	2.28	6.13	0.88	44.25
1981	1.00	4.25E*	4.06E*	1.34	2.33E*	4.71	5.59	10.95	3.53	4.20	2.76	3.26	47.98E
1982	2.55	1.77	8.05	15.98	6.58	12.07E*	11.94	12.03	8.28	1.35E*	0.43	0.93	81.96E
1983	3.36	5.76	7.64	3.97	1.86	9.27	9.11	4.22E*	5.58	4.10	3.20	5.96E*	64.03E
1984	1.86	4.55	1.96	4.80	6.65	4.42	9.96	3.98	4.67	0.30	2.10	0.10	45.35
MEAN	2.70	3.20	3.80	3.14	3.94	7.01	7.61	7.23	6.30	3.01	1.92	2.68	52.54
NORM	2.96	3.45	3.55	2.80	4.17	7.05	7.02	6.99	6.02	2.80	2.07	2.78	51.66

E - Estimated by NOAA

E* - Estimated by SJRWMD

Table 30 Monthly and Annual Rainfall Data for Marineland

YEAR	RAINFALL IN INCHES - MARINELAND												NOAA NUMBER: 5391
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1942	0.73	3.61	7.74	0.32	1.83	13.21	3.10	3.59	4.96	0.57	0.56	4.18	44.40
1943	0.85	0.62	3.32	2.34	2.38	1.17	3.31	6.76	13.48	3.40	2.34	0.83	40.80
1944	2.40	0.90	9.57	2.78	0.45	7.55	13.81	5.52	4.04	8.29	0.28	0.26	55.85
1945	2.98	0.39	0.22	3.24	0.27	7.27	6.25	8.09	7.55	2.79	2.04E*	4.84	45.93E
1946	1.30	2.84	3.74	0.60	4.44	3.35	5.56	6.51	10.68	3.80E	3.79E*	0.14E*	46.75E
1947	1.69E*	6.54	6.26	8.09	2.56	6.72	5.57	2.95	4.17	7.27	3.15	1.11	56.08E
1948	4.99	0.75	6.95	3.27	1.12	2.10	7.51	6.05	12.37	5.42	1.19	3.10	54.82
1949	0.33	5.23	0.53	5.67	1.81	3.00	2.14	12.60E*	11.83E*	3.32	1.24	1.44	49.14E
1950	0.12	0.76	3.37	0.82	5.37	5.04	4.38	1.78	7.59	9.23	1.11E*	2.37	41.94E
1951	0.60	2.07	2.67	0.30	1.71E*	3.67	9.11E*	3.29E*	13.76	11.51	3.92	2.90	55.51E
1952	0.49	5.56	3.01	2.32	4.86	1.03	1.68	5.09	5.57	7.09	0.84	1.01	38.55
1953	2.47	1.59	5.61	4.91	0.58	1.39	5.60	15.23E*	19.55	3.88	1.93	5.15	67.89E
1954	0.16	1.33	1.83	0.38	0.80	2.03	2.22	1.53	5.37	5.27	5.28	1.87	28.07
1955	2.64	2.71E*	1.43	1.51	1.39	5.68	6.74E*	3.59E*	6.06	5.51E*	1.82	0.79E*	39.87E
1956	2.37E*	2.95E*	0.59E*	4.28E*	3.38E*	4.70E*	4.69E*	3.57E*	2.39	9.95	0.30	0.03	39.20E
1957	0.87	2.78	2.47	2.18	5.51	6.89	7.85	11.45	6.67	9.15	1.46	3.34	60.62
1958	3.33	3.30	6.94	2.32	1.86	1.21	3.06	4.04E*	6.31	6.53	2.73	2.30	43.93E
1959	3.25	3.50	7.71	3.17	2.60	4.81	2.76	3.64	5.12	1.86	4.67	1.58	44.67
1960	1.37	4.32	8.59	1.17E*	0.48	4.41	9.51	4.08	16.68	3.46	0.49	1.29	55.85E
1961	2.59	3.07	2.71	3.20	2.62	2.60	3.20	6.85	2.60	1.83	2.58	1.10	34.95
1962	1.69	0.21	2.79	1.96	2.55E*	6.51	7.02	10.16E*	6.09	1.06	1.36	1.24	42.64E
1963	2.91	5.03	1.55E*	1.46	2.87	3.30	5.36	4.19	14.15	2.23	4.49	2.32	49.86E
1964	6.68	5.25	2.20	3.67	3.41	2.85	5.33	9.14E*	10.18	2.83	9.29	4.38	65.21E
1965	0.86	4.56	2.33	0.27	1.25	9.61	5.96E*	9.13E*	5.86E*	3.89	1.29	2.37	47.38E
1966	3.49	6.63	0.18	1.70	6.79	8.15	5.94	5.67E*	5.70E*	2.13E*	0.20	0.88	47.46E
1967	3.61E*	6.11E*	0.41	0.18	1.00	5.30	8.24E*	2.40	3.88	1.10	0.09	2.85	35.17E
1968	0.37	2.00	1.20	1.12E*	4.69E*	7.57E*	5.82E*	14.50	3.60	7.20	1.60	1.30	50.97E
1969	1.64E*	2.60	5.88E*	1.10	3.59E*	2.90E*	1.50	9.20	13.80	9.03E	3.00	3.70	57.94E
1970	3.90	4.30	5.00	1.90	1.80	3.90	5.93E*	6.08E*	2.20	1.50	0.40	1.70	38.61E
1971	1.20	6.10	2.50	4.20	1.84E*	4.60	0.70	5.16E*	2.00	5.40	0.80	3.60	38.10E
1972	3.60	4.80	4.70	2.70	6.94E*	8.54E*	5.20	8.70	1.30	3.20	5.70	2.70	58.08E
1973	4.42E*	2.30	5.42E*	3.87E*	3.30	3.30	6.60	7.30	6.80	3.50	0.20	3.40	50.41E
1974	0.45E*	1.70	4.50	0.78E*	2.50	7.40	5.30	6.11E*	7.19E*	0.61E*	0.50	0.90	37.94E

Table 30 Continued

YEAR	RAINFALL IN INCHES - MARINELAND												NOAA NUMBER: 5391
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1975	1.80	3.20	1.60	2.30	5.50	9.20	6.20	4.90	4.20	6.80	2.40	2.00	50.10
1976	1.60	1.40	0.50	2.30	7.40	10.90	2.50	7.20	2.80	0.90	2.50	8.00	48.00
1977	3.30	3.70	1.70	0.70	3.90	2.40	2.20	4.40	3.20	0.50	3.30	6.40	35.70
1978	3.10	5.00	2.70	2.30	2.00	4.60	8.30	3.20	4.50	5.40	0.30	4.40	45.80
1979	7.50	2.80	2.30	3.00	7.50	2.50	3.70	2.70	18.10	0.20	4.40	2.00	56.70
1980	6.10	2.00	2.70	3.30	3.20	3.80	3.70	1.90	2.50E*	2.80E*	3.50E*	0.80	36.30E
1981	0.50	2.90	3.30	0.40	2.30	1.50	7.00	5.10	3.00	4.60	5.10	3.90	39.60
1982	2.30	1.40	6.20	8.30	2.50	9.60	3.80	4.70	11.20	2.20E*	1.20E*	1.60	55.00E
1983	3.20	6.70	6.90	4.70	2.80E*	10.40	3.00	3.90	7.70E*	9.80	2.80	8.50	70.40E
1984	1.40	5.80	3.80	3.10	3.10	3.40	6.40	3.70	13.80	1.80	3.50	0.30	50.10
MEAN	2.35	3.29	3.62	2.52	2.99	5.12	5.20	5.95	7.45	4.39	2.32	2.53	47.73
NORM	2.61	3.43	3.12	2.15	3.26	4.86	5.06	6.15	6.94	4.21	2.38	2.54	46.71

E - Estimated by NOAA

E* - Estimated by SJRWMD

Table 31 Monthly and Annual Rainfall Data for Melbourne

YEAR	RAINFALL IN INCHES - MELBOURNE												NOAA NUMBER: 5612
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1939	0.37	0.11	2.79	3.17	5.43	6.79	7.39	8.01	10.92	8.25	1.37	0.48	55.08
1940	3.55	3.42	3.43	1.29	1.80	2.08	5.47	3.63	9.44	0.67	0.48	7.89	43.15
1941	3.63	5.07	2.74	3.18	1.03	7.41	8.25	3.77	5.39	7.31	7.40	3.10	58.28
1942	2.41	3.40	5.53	2.86	4.05	8.48	3.88	5.13	3.47	0.93	0.57	2.53	43.24
1943	1.11	0.40	6.19	1.93	2.70	4.34	10.95	4.37	4.30	3.74	2.84	0.48	43.35
1944	0.76	0.14	5.03	3.31	0.47	7.09	11.95	6.53	3.52	8.00E*	1.09	0.25	48.14E
1945	4.76	0.32	1.13	1.87	0.16	8.98	7.14	3.09	18.54	3.73	4.62	1.64	55.98
1946	0.84	3.48	2.25	0.52	4.95	5.62	8.66	6.24	6.39	4.27	3.63	0.89	47.74
1947	1.57	4.93	5.00	2.63	6.92	13.45	6.07	9.05	11.54	8.20	2.99	1.81	74.16
1948	3.99	1.21	3.15	1.41	5.47	3.17	4.88	6.79	19.68	2.70	1.32	2.28	56.05
1949	0.35	1.72	0.97	2.50	2.15	9.19	1.46	9.99	9.97	3.96	1.31	3.14	46.71
1950	0.57	2.02	6.59	2.10	5.08	1.44	3.95	2.93	3.91	10.45	0.93	0.93	40.90
1951	0.24	3.04	1.05	8.15	3.16	2.62	6.02	2.18	9.81	5.52	4.19	1.49	47.47
1952	2.30	2.97	4.11	0.35	3.12	1.64	3.94	4.15	10.40	11.31	0.70	1.05	46.04
1953	1.97	3.25	2.92	7.37	1.75	5.39	4.58	10.88	8.83	10.72	4.87	1.49	64.02
1954	1.09	2.02	2.24	2.75	5.68	8.90	7.44	2.41	6.06	4.75	2.10	1.07	46.51
1955	1.73	1.39	1.59	1.98	2.69	6.10	0.81	5.21	8.86E*	6.87E*	0.34E*	1.12	38.69E
1956	1.30	0.88	0.03	2.81	1.63	3.21	8.93	2.16	5.69	13.86	0.53	0.50	41.53
1957	1.62	3.74	4.54	4.86	4.56E	4.60	8.65	6.56	5.88E	2.45E	1.82	3.19	52.47E
1958	7.46	3.31E*	5.09E*	4.26E	2.06E*	3.79E*	5.67E*	7.57E*	4.22	7.19	3.87	3.45	57.94E
1959	2.93	4.31	6.45	3.51	3.81	8.33	1.90	3.82	7.87	6.01	4.14	1.76	54.84
1960	0.50	5.52	7.88	1.80	7.00	6.20	11.58	6.80	16.04	4.28	0.70	0.60	68.90
1961	3.50	0.60	2.35	2.94	5.40	5.15	6.54	5.79	5.52	1.38	2.15	0.26	41.58
1962	1.08	1.00	3.01	1.57	0.83	3.53	9.46	10.45	9.45	0.96	3.08	0.81	45.23
1963	2.18	7.24	2.28	0.29	4.82	5.31	4.41	2.67	14.07	2.19	9.72	2.07	57.25
1964	2.89	5.55	2.07	0.37	4.67	3.31	6.00	12.12	5.48	3.65	2.38	1.90	50.39
1965	0.71	2.77	3.92	0.69	0.17	6.46	2.55	3.45	3.11	4.55	2.22	1.92	32.52
1966	5.50	5.20	3.71	1.20	5.45	15.98	5.18	7.96	7.04	3.78	0.90	1.72	63.62
1967	1.08	3.87	1.56	0.12	1.20	11.03	7.28	3.39	7.72	1.48	0.31	1.63	40.67
1968	0.60	2.28	0.64	2.03	4.74	16.37E	3.60	5.51	4.90	8.90	1.60	0.00	51.17E
1969	2.00	0.90	10.13	0.28	4.47	7.62	4.30	8.55	6.16	7.69	5.24	2.54	59.88
1970	4.43	1.32	5.04	1.62	3.69	1.74	5.65	1.62	7.86	4.45	0.32	0.97	38.71
1971	0.13	4.47	1.75	0.54	1.76	3.83	4.68	1.14	6.05	6.20	2.72	3.28	36.55
1972	0.69	5.10	1.91	3.05	5.78	9.59	2.38	6.59	1.80	3.13	5.10	1.71	46.83
1973	4.08	1.41	2.32	6.11	3.85	6.10	4.85	4.03	5.02	6.11	0.82	3.26	47.96

Table 31 Continued

YEAR	RAINFALL IN INCHES -						MELBOURNE						NOAA NUMBER: 5612
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1974	0.09	0.85	0.10	1.12	2.36	7.39	9.05	4.17	5.04	2.63	1.31	2.39	36.50
1975	0.51	3.08	2.37	1.92	4.47	7.58	5.60	2.10	8.67	5.26	1.06	0.41	43.03
1976	1.04	0.56	0.70	0.63	13.83	4.96	2.18	3.74	13.56	0.62	2.91	2.12	46.85
1977	2.41	1.91	1.98	0.40	2.09	4.64	5.37	2.94	6.98	7.00	7.03	3.21	45.96
1978	1.88	3.48	3.21	0.05	4.70	7.24	11.61	6.98	4.53	5.42	0.42	5.68	55.20
1979	8.17	0.67	0.79	1.96	7.31	5.84	4.01	2.91	14.05	0.69	3.67	0.72	50.79
1980	3.57	3.31	1.67	1.95	4.18	2.19	4.09	2.59	4.18	1.59	3.07	3.79	36.18
1981	0.30	3.81	1.49	0.39	3.07	1.53	2.62	8.36	3.95	1.75	3.75	0.95	31.97
1982	1.67	1.38	5.01	4.87	7.24	6.88	4.15	2.27	5.00	1.50	2.63	2.42	45.02
1983	4.67	11.14	4.05	1.88	3.35	5.24	2.20	6.06	3.03	7.15	1.81	4.24	54.82
1984	0.76	2.69	0.77	0.77	3.35	1.68	3.62	4.48	6.19	0.39	9.11	0.72	34.53
MEAN	2.15	2.85	3.12	2.20	3.88	6.09	5.67	5.24	7.61	4.86	2.72	1.95	48.34
NORM	2.26	2.87	2.91	2.22	4.04	6.22	5.61	5.01	7.49	5.02	2.64	1.87	48.16

E - Estimated by NOAA

E* - Estimated by SJRWMD

Table 32 Monthly and Annual Rainfall Data for Mountain Lake

YEAR	RAINFALL IN INCHES - MOUNTAIN LAKE												NOAA NUMBER: 5973
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1922	1.60	2.28	0.73	0.38	9.26	6.30	7.02	6.67	6.84	7.21	0.82	1.94	51.05
1923	1.65	0.47	0.65	3.68	13.90	6.22	10.02	11.34	3.02	1.45	0.11	0.68	53.19
1924	3.82	4.12	6.45	2.38	2.16	14.59	9.26	5.48	4.42	4.88	0.30	0.38	58.24
1925	6.70	1.66	2.29	0.56	8.07	6.98	8.64	6.94	1.66	4.35	2.08	4.67	54.60
1926	2.27	1.04	3.74	5.21	4.15	12.40	10.69	4.78	5.39	0.74	3.73	0.30	54.44
1927	0.00	1.51	1.79	0.70	0.78	8.25	9.58	10.52	1.51	2.63	0.39	1.01	38.67
1928	0.49	1.21	3.10	5.41	3.62	4.59	12.59	19.10	17.39	1.92	0.02	0.48	69.92
1929	1.45	1.52	0.85	1.50	5.55	7.64	5.71	5.03	10.26	2.70	0.58	1.20	43.99
1930	2.48	4.14	6.52	4.15	6.84	10.47	3.21	5.76	7.85	0.93	2.16	4.26	58.77
1931	3.37	1.39	4.51	4.20	3.62	0.99	6.40	9.48	2.30	2.03	0.05	1.53	39.87
1932	0.87	0.10	2.55	0.38	6.53	8.61	3.46	9.17	2.56	1.25	1.60	0.18	37.26
1933	2.69	3.72	1.29	5.22	4.05	5.09	10.39	7.70	17.23	2.20	1.68	0.11	61.37
1934	1.77	2.73	4.71	4.34	4.11	13.23	11.76	5.97	2.84	4.79	0.53	0.68	57.46
1935	0.16	0.50	0.34	4.10	4.89	3.20	5.96	3.40	10.93	1.37	0.72	2.62	38.19
1936	4.79	9.14	4.50	0.39	3.00	8.63	3.37	5.47	7.69	3.42	1.05	1.43	52.88
1937	0.44	5.52	4.20	6.38	2.19	4.51	9.75	9.87	4.71	4.06	6.67	1.52	59.82
1938	1.65	1.14	1.69	0.53	5.38	6.39	9.59	4.65	6.68	8.36	1.24	0.18	47.48
1939	1.19	1.32	1.00	3.81	5.09	14.23	7.32	14.36	5.02	1.92	0.86	0.66	56.78
1940	6.11	4.29	4.01	2.52	0.72	5.36	9.04	7.76	7.60	1.28	0.06	3.16	51.91
1941	4.15	4.31	2.80	6.35	0.81	9.90	10.17	2.44	4.44	2.66	2.87	5.18	56.08
1942	2.58	3.48	5.71	2.73	3.26	8.28	5.43	3.88	6.18	0.42	0.25	4.36	46.56
1943	0.81	0.75	4.77	0.92	6.34	5.83	11.17	7.72	3.07	2.62	0.50	0.47	44.97
1944	0.82	0.36	3.74	2.51	4.90	8.28	9.08	9.66	1.73	5.82	0.25	0.14	47.29
1945	3.63	0.09	0.38	0.94	0.75	21.29	13.30	4.29	8.50	3.30	1.25	1.90	59.62
1946	1.33	3.69	1.43	0.09	10.09	7.25	5.89	5.20	3.60	2.67	1.33	0.83	43.40
1947	1.06	4.41	7.55	5.11	6.94	11.08	10.78	5.08	12.25	4.31	2.33	1.52	72.42
1948	6.16	0.58	4.00	7.86	2.51	1.56	11.38	9.08	14.01	2.44	0.91	1.60	62.09
1949	0.03	0.27	3.63	2.00	0.98	10.76	7.68	16.03	10.27	1.34	1.64	2.15	56.78
1950	0.00	0.19	2.09	2.48	1.99	5.15	7.90	6.86	6.73	9.73	0.33	3.90	47.35
1951	0.39	2.33	2.61	5.56	1.17	9.33	9.40	6.76	8.24	2.18	4.21	1.13	53.31
1952	0.88	3.84	7.02	0.68	4.80	5.92	6.80	13.40	2.19	9.28	3.22	1.08	59.11
1953	4.23	2.71	2.99	3.67	4.10	12.15	9.73	10.79	9.13	1.33	5.89	4.45	71.17
1954	1.33	2.19	1.15	5.44	6.32	4.92	11.12	2.83	3.66	2.66	2.91	1.52	46.05
1955	2.38	1.60	3.42	1.28	3.56	8.32	7.28	6.96	5.59	1.06	1.30	1.23	43.98
1956	0.63	0.62	0.33	4.15	3.20	3.87	4.37	10.44	6.55	6.11	0.58	0.50	41.35
1957	2.58	4.02	4.43	5.94	5.05	3.70	8.73	9.97	8.62	1.96	1.38	1.83	58.21
1958	5.38	2.94	5.11	3.20	2.75	8.54	7.60	5.62	4.89	4.05	1.56	3.45	55.09
1959	3.85	3.60	10.92	3.53	6.51	10.10	9.62	5.48	6.86	9.03	0.47	1.45	71.42
1960	0.74	4.72	10.01	3.43	3.85	6.83	14.15	12.28	13.75	2.34	0.00	0.92	73.02
1961	2.10	4.86	3.38	2.32	4.69	3.62	4.97	9.93	1.77	0.37	0.27	2.09	40.37

Table 32 Continued

YEAR	RAINFALL IN INCHES -						MOUNTAIN LAKE						NOAA NUMBER: 5973
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1962	1.16	0.66	2.61	2.02	3.77	6.88	3.58	8.33	4.59	0.53	3.40	0.16	37.69
1963	1.64	9.44	2.66	0.29	7.29	6.01	5.67	6.25	5.70	0.05	6.13	2.79	53.92
1964	4.58	5.44	3.17	2.14	3.11	2.24	4.40	8.57	6.15	1.25	1.14	2.65	44.84
1965	2.01	4.39	2.82	2.26	0.13	9.75	10.34	4.48	5.26	3.59	0.48	2.03	47.54
1966	6.73	5.60	1.71	2.79	6.43	6.44	4.55	10.84	5.84	0.54	0.02	2.30	53.79
1967	0.84	3.91	1.16	0.00	0.38	11.11	6.86	14.22	3.58	0.76	0.23	2.94	45.99
1968	0.47	1.98	0.84	0.45	7.53	13.24	7.65	6.18	6.91	2.11	2.74	0.12	50.22
1969	5.26	1.53	6.43	0.90	2.53	6.58	5.06	6.93	5.91	6.32	2.85	4.15	54.45
1970	2.89	2.08	5.74	0.48	4.14	5.52	9.17	5.82	3.94	1.32	0.48	1.11	42.69
1971	0.13	4.48	1.47E	0.99E	3.42	4.42	9.38E	4.62	2.53	5.55	2.13	1.33	40.45E
1972	1.09	5.26	2.64	1.69	3.25	6.72	4.63	7.37	1.86	1.89	2.07	2.84	41.31
1973	7.15	2.35	5.72	4.41	4.42	4.96	14.76	7.72	9.65	1.16	1.45	1.65	65.40
1974	0.29	1.20	0.56	0.86	2.07	11.84	11.35	6.74	8.21	0.09	0.18	1.80	45.19
1975	0.76	2.04	0.93	0.85	4.08	5.55	5.94	12.02	6.32	5.63	0.99	0.49	45.60
1976	0.29	0.85	1.16	2.30	9.65	10.91	5.76	8.90	9.18	1.20	3.25	2.59	56.04
1977	2.22	1.68	1.59	0.20	2.28	5.50	9.60	10.20	4.69	1.95	2.38	3.34	45.63
1978	2.73	3.65	2.77	0.67	7.62	10.09	9.95	3.78	2.78	1.05	0.50	3.42	49.01
1979	6.51	1.05	1.92	1.41	11.99	8.56	4.04	7.54	15.80	0.04	2.58	1.91	63.35
1980	3.87	2.65	1.96	1.57	6.65	3.04	6.44	4.77	2.41	1.57	3.89	1.11	39.93
1981	0.36	3.78	1.02	0.00	2.26	3.86	6.84	5.73	6.01	0.34	0.95	1.62	32.77
1982	1.31	1.03	7.73	3.90	8.44	11.93	9.50	6.03	8.34	1.21	0.33	1.02	60.77
1983	2.83	9.39	6.37	2.37	1.71	8.51	7.41	3.78	4.72	4.94	4.33	7.80	64.16
1984	0.75	3.32	2.80	1.33	5.52	3.66	11.16	4.65	3.51	0.59	1.61	0.25	39.15
MEAN	2.29	2.81	3.30	2.54	4.56	7.65	8.16	7.68	6.38	2.81	1.62	1.87	51.67
NORM	2.50	3.12	3.31	2.18	4.56	7.22	7.76	7.99	6.09	2.57	1.96	1.95	51.21

E - Estimated by NOAA

Table 33 Monthly and Annual Rainfall Data for Nittaw

YEAR	RAINFALL IN INCHES -												NOAA NUMBER: 6251
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1943	2.02	0.54	2.22	2.75	4.33	7.11	11.67	6.88	8.30	3.24	0.04	0.21	49.31
1944	1.30	0.04	4.77	3.28	0.30	8.03	15.43	15.42	6.27	4.00	0.27	0.97	60.08
1945	4.44	0.00	0.78	5.11	0.78	13.68	5.61	1.36	7.23	3.93	2.97	1.82	47.71
1946	0.45	2.02	1.40	0.05	5.67	4.04	3.97E	6.96	3.01	2.28	1.05	0.51	31.41E
1947	1.03	5.09	5.92	2.19	5.39	13.10	6.29	5.42	15.82	9.02	2.56	1.98	73.81
1948	4.67	0.55	2.86	2.67	3.15	3.40	8.24	8.26E*	14.22	3.71	1.04	1.48	54.25E
1949	0.70	1.07	0.77E*	0.69	2.33	10.73	11.81	12.77	8.87	3.50	0.81	2.16	56.21E
1950	0.16	0.60	1.60	2.33	4.53	2.45	6.37	4.74	5.23	15.33	1.89	1.42	46.65
1951	0.15	2.52	1.53E*	3.26	2.02	1.90	10.89	3.39	7.97	4.65	4.57	0.99	43.84E
1952	1.06	2.62	4.87E	0.90	3.61E	3.64	11.93	7.02	3.32	7.03	0.97	0.98	47.95E
1953	2.25	3.21	3.70	3.86	1.41	4.07	8.97	14.98	13.93	10.00	5.99	1.96E	74.33E
1954	1.13	1.42	1.60	2.96	8.25	10.27	4.82	5.02	5.33	3.27	3.41	0.98	48.46
1955	2.02	0.93	2.27	1.37	3.09	5.82	5.76	2.23	9.85	1.81	0.58	1.55	37.28
1956	0.54	0.66	0.26	2.65	3.39	7.41	4.97	8.23	10.87	18.05	0.24	0.02	57.29
1957	1.15	2.75	3.79	3.00	16.48	5.09	3.05	5.68	5.64	3.08	0.57	4.99	55.27
1958	7.64	3.27	5.04	3.41	2.69	1.66	5.31	2.24	3.06	5.31	1.77	2.22	43.62
1959	2.50	2.16	7.53	2.64	3.85	9.12	4.64	3.58	12.15	11.96	1.09	1.64	62.86
1960	0.63	5.74	8.74	3.54	5.57	12.92	15.61	1.94	14.21	4.58	1.04	0.48	75.00
1961	4.07	1.36	2.93	4.72	4.08	5.29	5.20	10.56	2.13	3.92	1.01	0.00	45.27
1962	1.09	0.60	3.69	3.09	4.95	6.64	5.90	3.85	5.65	0.54	2.89	0.46	39.35
1963	0.82	3.77	1.81	1.92	6.62	6.74	5.31	7.28	5.94	1.16	4.70	2.25	48.32
1964	4.34	3.97	1.62	1.76	6.77	6.42	8.14	6.62	9.95	3.88	0.74	0.30	54.51
1965	0.93E	3.88	2.30	1.50	0.00	6.06	10.73	5.10	4.45	6.19	1.14	2.25	44.53E
1966	4.31	6.79	1.60	0.87	6.35	6.63	8.30	7.54	5.55	4.43	0.23	0.72	53.32
1967	0.59	2.28	0.87	0.00	1.12	9.30	4.98	6.34	5.96	0.86	0.00	2.13	34.43
1968	0.52	1.50	1.17	0.40	7.77	13.57	9.09	2.69	6.10	7.46	2.03	0.35	52.65
1969	0.11	1.36	8.94	4.80	4.71	3.62	6.65	4.11	6.52	4.70	2.97	5.28	53.77
1970	3.37	0.75	4.43	1.22	2.24	2.50	8.11	9.94	3.85	3.08	0.37	0.33	40.19
1971	0.35	5.70	0.90	2.01	2.96	9.35	5.12	1.56	4.90E	3.33	1.65	1.22	39.05E
1972	2.75E	3.26E	1.45	1.53	6.38	13.08	3.66	7.86	1.60	1.89	7.64	2.29	53.39E
1973	4.59	1.06	1.88	5.18	2.52	4.18	12.48	6.49	8.58	4.99	1.03	1.14	54.12
1974	0.14	1.19	0.09	0.92	4.52	11.59	15.06E*	7.30E*	4.81	0.91	0.23	1.73	48.49E

Table 33 Continued

YEAR	RAINFALL IN INCHES -				NITTAW				NOAA NUMBER: 6251				
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YRLY
1975	0.54	2.83	1.27	2.31	4.43	7.72	7.53	5.94	3.41	4.01	0.63	0.34	40.96
1976	0.28	0.27	1.86	0.87	7.81E *	6.64E *	5.58	9.73	4.34	0.86	2.02	1.62	41.88E
1977	2.16E *	0.95E *	0.62	0.26	3.88	3.41	5.74	5.33	4.46	3.94	2.26	3.42	36.43E
1978	1.93	3.40	3.85	4.22	2.56	4.92E *	9.98E *	5.11E *	4.01E *	2.06E *	0.58	3.69	46.31E
1979	6.00	0.82	0.85	2.99	10.13	3.35	5.25	12.85	11.21	1.06	0.87	1.56	56.94
1980	4.25	4.09	0.91	4.07	5.42	6.93	4.50	3.09	4.44	0.48	3.77	1.85	43.80
1981	0.28	2.63	1.37	0.12	2.67	0.85	3.90	6.67	1.63	2.24	1.72	0.04	24.12
1982	1.25	1.72	3.45	3.92	12.04E *	4.21E *	6.44E *	5.76E *	6.57E *	0.86	1.29	1.14	48.65E
1983	3.51	7.99	3.15	0.86	2.28	7.69	9.10	5.30	1.69	2.88	0.64	3.75	48.84
1984	0.21	1.62	1.98	0.68	3.31	2.24	11.35	1.56	3.09	0.48	4.75	0.93	32.20
MEAN	1.96	2.36	2.68	2.31	4.58	6.60	7.70	6.30	6.57	4.31	1.81	1.55	48.73
NORM	2.07	2.50	2.75	2.41	4.85	6.66	7.44	6.12	6.47	4.32	1.90	1.62	49.11

E - Estimated by NOAA

E* - Estimated by SJRWMD

Table 34 Monthly and Annual Rainfall Data for Ocala

YEAR	RAINFALL IN INCHES - OCALA												NOAA NUMBER: 6414
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1891	1.24	2.72	2.79	0.39	6.67	7.35	1.42E*	2.50E*	4.85E*	1.62E*	4.00E*	4.62E*	40.17E
1892	3.72	0.24	1.38	0.64	4.62	13.33	2.77	10.02	15.56	3.63	0.20	2.42	58.53
1893	1.16	3.83	5.26	1.24	3.47	6.65	3.90E	4.03	9.37	2.96	3.00	2.23	47.10E
1894	2.21	1.43	0.99	0.03	3.33	4.93	8.41	7.04	14.42	2.26	2.72	1.38	49.15
1895	1.60	2.24	1.12	3.73	4.61	5.28	9.78	8.82	5.44	0.80	3.03	0.69	47.14
1896	4.58	3.14	2.77	0.78	1.53	12.98	5.02	5.00	2.84	1.06	3.67	1.49	44.86
1897	2.11	5.12	1.05	3.96	0.82	5.72	7.03	6.90	9.83	3.55	0.53	3.08	49.70
1898	1.44	1.38	1.24	2.54	2.38	3.50	12.66	11.89	4.31	7.67	1.63	4.19	54.83
1899	5.63	5.20	1.24	3.77	0.62	8.68	6.49	4.61	6.16	3.19	0.22	1.50	47.31
1900	3.67	5.64	6.04	7.26	0.72	14.31	4.61	8.40	4.46	4.89	0.26	5.97	66.23
1901	2.09	5.35	4.49	1.08	3.24	9.80	8.16	13.46	7.47	0.41	1.18	2.91	59.64
1902	0.22	4.03	6.61	1.22	2.32	5.93	8.41	3.90	7.16	6.26	2.81	2.43	51.30
1903	6.52	5.57	8.50	0.00	5.37	8.02	9.55	9.70	4.23	0.36	1.20	1.69	60.71
1904	7.17	2.03	0.15	1.20	1.04	5.50	8.79	8.72	7.10	3.64	2.45	1.07	48.86
1905	1.01	4.39	5.81	1.94	4.00	6.19	6.79	9.86	7.80	0.37	0.60	7.08	55.84
1906	4.16	1.65	3.20	2.33	7.40	10.36	15.42	5.49	3.12	0.88	0.45	0.54	55.00
1907	0.88	2.55	0.77	2.55	6.75	4.61	8.06	4.97	7.98	2.55	1.37	4.40	47.44
1908	2.32	2.58	0.26	1.55	2.03	5.27	9.11	5.29	7.67	1.32	1.66	0.95	40.01
1909	1.27	1.71	2.64	1.87	2.37	5.91	10.62	9.72	2.50	0.00	0.45	1.97	41.03
1910	1.19	3.34	1.02	1.24	1.18	11.22	8.04	10.79	1.86	4.98	2.79	0.94	48.59
1911	1.75	0.18E*	1.46E*	0.53	5.99	3.69	3.52	6.95E*	3.02E*	3.75E*	3.94E*	3.90E*	38.68E
1912	6.21E*	2.36E*	5.66	3.62	9.24	8.75	10.60	5.16	8.92	1.82	3.93	1.34	67.61E
1913	1.37	4.90E*	5.38E*	1.69	4.46	3.61E*	8.57E*	9.15E*	3.84E*	2.84E*	0.05E*	5.67E*	51.53E
1914	4.75E	5.94	1.07	2.66	1.24	6.83	5.27	5.27	5.77	2.95	2.26	5.33	49.34E
1915	2.77	3.58	2.75	1.42	5.37	4.25	7.12	5.66	5.46	5.92	2.00	4.88	51.18
1916	0.12	1.86	1.81	2.38	2.64	9.02	6.44	6.94	4.06	3.18	5.28	6.25	49.98
1917	0.61	1.96	1.65	1.12	4.52	6.45	7.24	9.04	8.94	1.40	0.26	2.97	46.16
1918	4.93	2.26	2.77	6.84	2.81	5.52	7.19	11.76	9.10	4.20	3.18	4.53	65.09
1919	2.38	2.95	5.07	0.75	10.74	3.80	4.52	8.99	4.03	3.85	3.93	3.80	54.81
1920	2.11	6.08	0.69	5.75	6.37	6.17	6.56	10.40	7.36	0.12	3.98	3.23	58.82
1921	1.19	1.58	1.71	1.43	8.11	6.58	10.31	1.57	2.21	7.22	3.08	1.58	46.57
1922	3.25	2.40	2.54	1.23	8.43	6.48	9.18	4.62	10.54	6.38	0.46	2.98	58.49
1923	1.38	1.92	1.40	1.62	12.42	11.72	12.80	5.71	4.68	3.33	0.25	1.84	59.07
1924	3.17	4.47	9.38	7.55	1.57	7.77	9.11	5.48	7.53	3.16	0.50	0.15	59.84
1925	3.04	1.76	2.93	0.90E	2.46	4.93	8.54	8.33	0.65	4.58	1.81	8.94	48.87E
1926	6.20	1.71	6.56	3.68	2.23	10.90	6.25	9.84	5.15	0.79	3.21	1.24	57.76
1927	0.15	3.42	1.89	0.65	0.78	7.44	11.02	15.10	1.90	3.44	0.72	1.81	48.32
1928	0.70	1.19	6.11	7.76	2.85	8.08	10.07	9.73	11.80	3.04	0.20	1.59	63.12
1929	3.49	2.22	2.10	5.05	4.05	8.76	9.70	8.07	10.70	0.38	0.46	4.37	59.35
1930	2.33	2.24	11.99	1.36	3.12	11.49	4.64	6.14	12.90	1.05	1.18	7.44	65.88

Table 34 Continued

YEAR	RAINFALL IN INCHES - OCALA												NOAA NUMBER: 6414
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1931	2.92	1.68	6.98	5.96	3.01	1.67	4.43	6.82	2.35	1.38	0.35	1.38	38.93
1932	1.29	2.37	3.97	0.48	5.39	6.79	2.61	8.27	4.63	2.10	3.99	0.12	42.01
1933	1.59	4.80	3.07	7.60	0.51	5.72	9.64	7.69	13.52	0.78	2.25	0.95	58.12
1934	0.47	4.08	1.42	4.66	9.90	15.05	6.58	3.70	4.45	2.27	0.53	0.45	53.56
1935	1.89	1.97	0.72	5.43	4.76	2.64	9.98	12.88	9.68	0.55	0.29	2.27	53.06
1936	4.60	8.51	2.67	3.21	6.24	7.40	6.40	3.98	2.41	8.30	1.15	3.09	57.96
1937	2.26	4.99	4.09	5.85	2.86	4.73	5.02	8.35	2.13	5.38	4.48	0.71E	50.85E
1938	1.03E*	0.71	1.86	0.19	6.50	7.99	13.50	3.74	6.06	1.31	0.76	0.43	44.08E
1939	0.78	1.58	2.55	4.57	2.33	9.46	8.00	15.60	7.00	1.97	1.16	1.59	56.59
1940	1.50	3.95	2.63	0.39	1.90	5.91	4.44	6.48	3.03	0.29	0.21	6.78	37.51
1941	2.38	4.47	3.93	2.72	1.56	8.60	7.90	5.17	5.54	6.93	3.53	4.48	57.21
1942	3.64	3.32	6.91	1.11	3.66	9.81	6.13	7.75	9.36	0.35	0.33	2.98	55.35
1943	0.43	0.54	4.74	1.29	3.97	3.78	11.79	12.17	4.59	0.90	2.61	1.08	47.89
1944	3.09E*	0.80E*	5.48E*	3.52E*	1.60E*	8.99E*	6.65E*	5.09E*	2.86	7.88	0.47	0.58	47.01E
1945	4.67	0.50	0.27	1.90	1.27	9.41	12.61	10.86	8.17	1.50	0.64	7.63	59.43
1946	2.82	4.90	3.75	1.38	7.53	8.27	9.22	10.77	8.97	6.16	0.92	0.28	64.97
1947	1.27	4.33	7.67	7.20	2.28	5.10	11.63	7.91	9.33	4.11	3.32	1.81	65.96
1948	5.19	1.02	6.39	3.35	2.01	5.98	12.11	7.57	4.29	3.85	2.10	3.29	57.15
1949	0.91	2.01	1.70	5.82	0.48	7.37	10.62	15.17	7.94	3.86	2.56	0.92	59.36
1950	0.09	0.88	4.70	0.92E*	5.73	3.46	9.22	7.79	16.26	5.99	0.34	4.76	60.14E
1951	0.97	2.21	2.40	2.24	1.22	8.14	6.67	7.03	9.27	2.64	5.79	4.17	52.75
1952	0.72	8.25	3.36	1.84	6.43	5.77	9.38	6.48	4.12	7.14	0.53	1.11	55.13
1953	3.64	2.30	2.58	9.96	1.26	11.20	9.39	9.39	5.34	4.03	3.66	8.40	71.15
1954	0.90	1.53	2.80	2.39	1.65	2.01	12.62	8.39	8.47	4.66	3.12	1.94	50.48
1955	2.80	1.82	2.14	1.27	2.60	6.93	8.40	5.50	9.40	1.68	1.38	0.12	44.04
1956	2.46	2.79	0.88	3.31E	2.78E	7.59E	8.82	3.68	2.95	6.92	0.23	0.17	42.58E
1957	0.83	2.19	4.06	3.94	7.71	9.88	8.87	7.37	9.14	1.07	1.14	1.23	57.43
1958	4.03	3.13	8.48E	4.42	4.90	7.55	7.58	7.43	3.79	9.53	1.81	3.36	66.01E
1959	4.22	2.25	11.86	8.42	5.11	8.34	10.23	8.23	5.76	3.40	1.06	1.43	70.31
1960	1.51	5.58	11.34E	4.3E	2.17E	6.39	11.63	5.47	11.21	2.68	0.63	3.45	66.38E
1961	3.09	3.70	1.80	3.21	2.55	4.11	9.96	8.80	2.35	1.18	2.49	1.10	44.34
1962	1.27	0.49	1.97	1.87	0.47	10.27	8.38	3.73	7.59	1.63	2.09	1.69	41.45
1963	2.07	5.44	2.63	1.82	4.69	4.37	7.62	8.01	5.17	0.09	3.98	2.91	48.80
1964	8.05	5.46	3.92	4.21	0.86	5.98	13.57	8.81	12.43	1.10	0.86	5.36	70.61
1965	2.79	6.32	4.02	3.25	0.82	8.57	11.17	8.06	6.99	2.83	1.29	2.74	58.85
1966	3.02	6.38	0.29	2.61	6.04	7.00	9.45	7.82	7.21	2.23	0.16	0.76	52.97
1967	2.89	5.42	0.64	0.02	4.26	7.34	9.60	7.38	0.98	0.47	0.17	2.60	41.77
1968	0.64	2.35	2.36	0.40	4.69	10.76	11.32	10.26	1.20	7.79	2.99	3.02	57.78
1969	1.70	3.21	5.23	1.91	12.45	1.72	8.21	9.25	5.18	4.41	1.32	5.72	60.31
1970	4.13	5.65	6.47	3.58	7.83	4.31	8.42	11.94	2.77	2.04	0.20	1.60	58.94

Table 34 Continued

YEAR	RAINFALL IN INCHES - OCALA												NOAA NUMBER: 6414
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1971	1.90	6.34	1.55	3.84	1.30	5.32	4.59	6.10	2.17	2.98	1.59	1.62	39.30
1972	3.17	3.18	4.88	1.28	4.38	6.61	4.83	5.54	0.86	0.92	6.46	3.95	46.06
1973	4.35	2.07	5.31	2.98	5.10	7.85E	4.01	6.01	2.95	1.38	0.20	4.56	46.77E
1974	0.12	1.68	4.96	0.44	4.66	15.98	9.12	7.37	4.74	0.02	0.70	1.19	50.98
1975	2.75	3.03	2.65	3.97	2.42	7.09	6.23	3.74	6.44	5.61	2.91	2.09	48.93
1976	1.95	0.56	0.83	4.54	13.05	11.72	6.98	4.05	10.13	0.90	3.69	5.27	63.67
1977	3.94	3.02	1.10	0.53	2.50	1.42	6.98	8.31	5.06	0.51	2.49	5.99	41.85
1978	4.26	6.70	4.18	2.01	2.82	8.89E	7.98	6.66	3.67	0.99	0.12	2.72	51.00E
1979	7.65	4.71	2.40	3.38E	10.55	4.99	6.81	6.77	14.56	0.29	2.07	2.03	66.21E
1980	5.54	1.09	2.91	3.65	5.28	3.94	5.90	5.79	5.61	3.21	7.01	0.77	50.70
1981	0.92	3.24	3.31	1.06	1.89	5.51	11.81	5.81	3.31	5.00	2.20	2.78	46.84
1982	2.30	4.82	5.53	16.37	5.60	15.71	9.36	6.89	5.08	1.17	0.54	1.34	74.71
1983	2.57	5.06	6.73	2.89	0.73	12.32	8.56	3.32	5.49	5.96	3.75	5.54	62.92
1984	2.08	4.50	1.97	4.41	4.47	5.42	7.90	2.31	3.69	0.32	1.57	0.00	38.64
MEAN	2.60	3.22	3.57	2.99	4.07	7.31	8.24	7.49	6.28	2.96	1.88	2.81	53.42
NORM	2.91	3.63	3.67	3.05	4.42	7.07	8.49	7.11	5.92	2.81	2.07	2.77	53.92

E - Estimated by NOAA

E* - Estimated by SJRWMD

Table 35 Monthly and Annual Rainfall Data for Okeechobee

YEAR	RAINFALL IN INCHES - OKEECHOBEE												NOAA NUMBER: 6485
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1913	1.34E	5.23E	4.65	1.51	6.55	3.75	3.60	8.99	3.62	2.60	0.36	2.75	44.95E
1914	1.32	0.97	0.92	4.35	1.90	6.99	6.13	9.35	6.64	3.15	1.72	3.48	46.92
1915	5.72	5.04	1.82	1.50	4.23	5.22	12.05	20.70	3.72	8.94	1.12	1.05	71.11
1916	0.20	0.57	1.09	1.54	2.07	8.89	5.59	5.06	3.67	2.84	2.28	1.45	35.25
1917	0.00	1.49	0.60	2.32	6.03	5.24	8.92	8.54	10.50	1.10	0.54	0.60	45.88
1918	3.74E	0.53	2.74	2.25	1.01E	4.95E	4.54E	6.80E	9.50E	12.50E	4.48E	0.80	53.84E
1919	0.51	3.22	3.18	0.90	4.50	6.70	3.12	5.40	3.84	1.00	4.02E	1.76E	38.15E
1920	1.83E	2.31E	0.71E	6.34E	2.91	4.67	9.62	3.72	9.70	2.32E	3.79E	1.23E	49.15E
1921	0.55E	2.32E	0.53E	0.21	5.07	2.23	5.30	4.33	0.08	8.81	0.84	1.31	31.58E
1922	0.49	0.84	0.34	0.00	3.81	9.97	6.41	5.20	9.72	8.06	0.83	0.58	46.25
1923	0.62	0.63	0.59	3.55	9.68	8.84	7.79	6.38	5.73	2.47	0.27	0.66	47.21
1924	3.29E	2.62E	3.78E	1.10	2.75	3.35	7.01	4.63	4.72	15.50	0.38	0.11	49.24E
1925	4.31	0.95	3.54	2.83	4.29	5.27	7.47	8.73	2.69	2.04	3.17	4.48	49.77
1926	3.62E	1.53	1.56	6.13	2.56	7.90	9.75	7.29	6.01	1.72	1.97	2.11	52.15E
1927	0.54	0.84	1.00	1.15	1.79	9.64E	5.71	5.92	7.43	4.70	0.66	0.80	40.18E
1928	0.33	1.18	6.49	1.20	2.97	9.60	3.58	10.74E	12.62E	1.26E	1.00E	0.33E	51.30E
1929	0.98E	0.34E	0.99	4.50	6.02	12.29	11.22	6.72	16.86	3.65	0.30	2.29E	66.16E
1930	1.00	4.45	4.58	7.30	7.85	12.85	5.70	3.11	8.86	2.12	1.81	1.98	61.61
1931	1.97	1.17	2.98	7.71	2.59	1.28	2.97	4.85	4.75	2.42	0.27	1.97	34.93
1932	1.14	0.65	2.03	0.73	7.52	8.81	2.94	12.45	4.08	3.62	1.81	0.00	45.78
1933	0.71	0.07	2.41	8.82	3.42	2.97	8.69	5.95	11.50	7.90	1.63	0.35	54.42
1934	0.76	2.47	4.37	4.37	6.69	9.48	6.01	4.41	6.40	2.75	0.74	0.71	49.16
1935	0.39	2.94	0.30	11.63	2.14	6.17	3.95	5.54	6.49	9.24	0.72	1.95	51.46
1936	1.71	6.58	2.70	1.16	5.32	11.58	8.54	5.77	6.24	2.00	2.19	1.67	55.46
1937	0.90	2.03	3.49	5.21	1.53	6.23	6.38	4.30	6.40	5.59	8.27	0.63	50.96
1938	1.45	1.08	1.43	0.55	2.02	10.46	10.08	1.27	7.17	5.06	2.42	0.32	43.31
1939	0.23	0.23	2.60	6.36	8.48	7.21	7.93	8.95	5.38	4.10	2.59	2.14	56.20
1940	4.74	2.30	5.86	2.05	4.97	7.25	6.10	4.23	10.22	0.30	0.00	4.95	52.97
1941	5.32	3.62	2.45	4.90	0.90	3.83	12.82	2.24	3.90	6.95	1.95	4.54	53.42
1942	2.30	4.36	3.29	1.43	2.07	6.43	2.07	4.21	3.69	0.15	1.72	1.54	33.26
1943	0.08	0.41	4.84	1.07	2.74	3.00	6.80	6.17	2.82	2.18	2.02	0.41	32.54
1944	0.59	0.02	3.30	2.39	2.95	3.28	3.98	4.51	2.77	7.03	0.17	0.05	31.04
1945	1.02	0.10	0.13	4.29	0.97	5.04	3.49	5.12	10.93	4.40	1.19	1.05	37.73
1946	1.40	1.25	0.96	0.00	6.54	8.66	4.07	3.26	6.68	1.93	1.95	0.91	37.61
1947	0.96	3.06	8.45	2.39	8.55	6.90	5.34	4.74	12.95	5.57	1.98	0.57	61.46
1948	4.62	0.09	0.71	2.37	2.69	1.63	5.58	5.48	10.52	1.70	0.37	0.16	35.92
1949	0.08	0.00	0.04	4.00	4.02	11.08	8.11	9.69	8.21	1.96	0.70	2.73	50.62
1950	0.25	0.28	3.58	1.42	0.71	4.15	3.48	5.35	3.08	7.03	0.69	0.62	30.64
1951	0.00	2.30	0.69	7.33	2.89	3.53	4.74	8.78	3.73	11.52	1.49	0.12	47.12
1952	1.06	5.27	3.59	1.59	3.09	3.21	11.33	6.43	5.15	10.31	0.11	0.03	51.17

Table 35 Continued

YEAR	RAINFALL IN INCHES -						NOAA NUMBER: 6485						
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YRLY
1953	2.12	2.04	3.36	3.57	1.83	9.05	4.95	10.49	8.36	7.81	0.80	1.18	55.56
1954	0.09	1.62	1.48	5.61	5.58	9.33	4.84	7.37	8.18	2.95	2.81	0.82	50.68
1955	2.07	0.59	1.77	3.11	0.96	6.39	9.06	5.92	5.37	3.04	0.30	2.46	41.04
1956	1.33	1.46	0.20	3.37	5.22	3.70	4.13	9.00	5.14	15.13	0.62	0.42	49.72
1957	2.23	2.46	4.12	5.42	9.17	6.43	8.70	8.05	12.26	0.98	0.25	4.85	64.92
1958	6.17	1.00	5.21	2.27	5.75	3.34	2.13	4.39	5.80	2.24	0.76	4.27	43.33
1959	1.93	0.56	6.07	0.72	5.37	13.56	4.72	5.36	7.20	7.25	3.60	1.40	57.74
1960	0.20	3.12	3.99	2.32	2.79	10.77	6.73	5.14	14.55	3.35	2.19	0.86	56.01
1961	1.93	0.80	1.77	1.30	4.45	5.06	1.46	3.34	4.20	2.11	0.26E	0.08	26.76E
1962	0.43	0.26	4.08	1.93	2.70	12.00	8.56	8.43	5.71	1.33	4.17	0.33	49.93
1963	0.93	3.43	0.94	0.69	2.99	4.38E	4.55E	3.80	6.50	0.42	2.87	4.28	35.78E
1964	2.71	3.57	1.20	1.99	2.77	3.11	6.14	7.56	6.69	3.22	0.34	1.41	40.71
1965	0.34	4.99	2.89	2.03	0.84	6.37	5.20	5.71	3.75	6.22	1.10	0.95	40.39
1966	4.32	3.83	1.56	3.38	3.16	12.93	8.74	7.55	7.04	4.71	0.28	0.51	58.01
1967	1.22	2.64	0.30	0.17	0.17	7.19	7.27	4.39	4.77	3.82	0.07	1.13	33.14
1968	0.46	2.01	0.85	0.29	6.75	16.47	6.99	2.81	7.32	5.07	1.57	0.00	50.59
1969	2.31	1.43	5.08	3.19E	6.69	4.08	6.64	5.20	3.71	7.83	3.41	2.87	52.44E
1970	4.92	3.14	7.21	0.00	4.83	8.48	7.21	7.12	4.39	6.61	0.04	0.87	54.82
1971	0.32	0.95	2.06	0.48	2.49	8.01	5.74	5.45	6.89E*	3.83E*	0.54E*	2.26E*	39.02E
1972	0.92E*	3.93E*	0.28E*	4.04E*	4.61E*	12.48E*	2.60E*	6.11E*	1.31E*	0.36E*	4.17E*	1.45E*	42.26E
1973	3.25E*	2.44E*	1.94E*	1.52E*	5.46E*	6.11E*	7.39E*	10.14E*	3.78B*	2.49E*	1.83E*	1.84E*	48.19E
1974	0.42E*	1.08E*	0.14E*	1.01E*	3.92E*	12.37E*	11.19E*	6.75E*	6.05E*	1.05E*	0.79	1.97	46.74E
1975	0.25	3.30	0.55	0.58	5.79	2.25	6.63	1.60	4.47	1.16	1.09	0.21	27.88
1976	0.20	1.32	0.59	1.70	6.14	5.62	3.54	6.52	5.32	1.02	2.08	2.00	36.05
1977	2.01	0.60	0.69	1.02	1.34	5.30	4.24	4.75	3.08	1.35	4.24	3.09	31.71
1978	1.90	1.31	3.18	1.87	1.73	5.58	6.35	7.81	6.82	3.04	1.69	4.10	45.38
1979	5.00	0.32	2.45	1.51	12.95	1.29	6.15	8.18	14.10	1.60	1.93	1.87	57.35
1980	3.02	1.61	2.22	6.71	5.28	4.84	6.90	7.32	5.60	0.87E	3.92	1.41	49.70E
1981	0.99	2.45	0.79	0.50	2.37	2.70	2.92	11.58	8.88	0.97	1.86	0.13	36.14
1982	0.80	2.72	9.23	3.50E	4.38	6.09	3.94	10.20	7.42	3.81	3.78	0.76	56.63E
1983	4.02	7.78	3.82	1.58	3.01	6.09	6.71	5.66	4.48	8.92	1.39	2.88	56.34
1984	0.14	2.59	3.00	3.10	5.15	4.92	10.60	3.94	4.46	1.36	3.03	0.60	42.89
MEAN	1.68	2.04	2.53	2.79	4.10	6.76	6.28	6.43	6.56	4.23	1.70	1.51	46.61
NORM	1.80	2.11	2.35	2.36	4.26	7.11	6.16	6.38	6.24	4.09	1.64	1.63	46.13

E - Estimated by NOAA

E* - Estimated by SJRWMD

Table 36 Monthly and Annual Rainfall Data for Orlando

YEAR	RAINFALL IN INCHES - ORLANDO												NOAA NUMBER: 6638
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1892	1.72	2.00	1.29	0.60	2.67	4.37	1.63	9.05	9.12	4.66	0.07	2.03	39.21
1893	2.09	1.51E	2.15	1.51	5.31	8.90	3.74	6.34	5.77	9.02	2.67	1.89	50.90E
1894	1.86	0.98	0.88	1.14	3.39	7.86	7.02	7.61	14.95E	4.70	3.22	0.56	54.17E
1895	1.29	3.11	1.70	5.15	7.31	3.21	4.36	4.78	4.27	3.78	1.57	1.78	42.31
1896	5.03	2.95	1.39	0.00	2.71	11.18	10.66	5.24	3.88	1.07	3.53	1.95	49.59
1897	1.16	3.99	0.38	2.83	1.25	6.53	9.26	4.32	15.77	3.55	1.91	2.62	53.57
1898	0.64	1.26	0.54	0.15	1.19	1.13	7.31	10.93	3.43	5.55	1.09	3.68	36.90
1899	5.04	8.71	0.96	3.61	0.96	4.15	7.01	6.28	7.77	9.22	0.12	0.93	54.76
1900	3.32	2.45	6.93	3.39	4.72	7.62	10.83	7.41	5.53	6.78	1.51	3.36	63.85
1901	1.07	3.27	3.89	2.47	2.15	11.81	4.28	13.18	11.12	2.20	0.54	1.28	57.26
1902	1.25	4.50	1.81	2.27	1.52	6.94	5.43	3.53	13.66	4.90	0.52	1.35	47.68
1903	5.69	5.48	8.37	0.51E	3.59	11.05	8.41	3.68	8.08	1.69	2.71	1.00	60.26E
1904	4.02	2.45	1.09	2.20	2.16	9.11E	6.40E	6.33E	5.00	8.44	1.80	1.06	50.06E
1905	0.41	2.12	5.13	1.71	8.12	8.13	6.15	17.13	13.11	3.42	0.33	8.43	74.19
1906	5.03	0.84	2.80	1.27	9.40	11.75	5.65	3.12	1.87	1.39	0.23	0.05	43.40
1907	0.02	0.10	0.15	2.20	2.75	8.17	9.96	9.20	5.15	1.91	0.29	4.15	44.05
1908	3.57	1.56	0.25	3.74	5.50	4.84	7.03	7.04	9.94	3.18	2.31	0.68	49.64
1909	1.31	1.14	1.40	2.17	2.41	3.13	12.71	8.34	3.41	1.30	0.65	0.67	38.64
1910	1.01	2.69	2.65	0.38	2.87	15.25	9.71	6.36	2.82	11.73	2.80	0.80	59.07
1911	0.64	0.06	1.29	2.36	3.07	4.94	6.27	5.66	3.71	4.23	4.73	2.65	39.61
1912	8.54	1.92	2.11	4.30	6.60	12.17	7.48	7.72	9.63	4.97	1.80	1.21	68.45
1913	0.92	5.10	5.57	1.34	2.08	2.35	10.53	6.59	5.61	2.64	0.17	3.49	46.39
1914	5.23	3.31	2.10	2.25	2.39	7.73	2.93	7.51	8.79	4.15	1.30	3.83	51.52
1915	4.36	4.34	1.41	0.86	7.29	1.91	9.13	4.23	5.06	19.10	2.24	2.21	62.14
1916	1.08	0.63	0.28	2.59	5.10	6.87	8.31	5.92	4.95	4.58	4.60	3.61	48.52
1917	1.15	1.17	2.41	0.56	5.78	3.89	11.17	8.15	8.87	3.55	0.19	0.92	47.81
1918	3.72	0.14	1.72	8.24	2.11	5.37	12.30	3.34	6.60	7.25	2.30	3.23	56.32
1919	3.01	4.25	5.68	1.17	10.37	5.19	11.49	5.46	2.38	0.80	3.99	3.45	57.24
1920	1.08	4.85	0.72	6.72	6.67	5.89	7.49	5.35	13.96	1.55	3.62	2.23	60.13
1921	0.52	1.76	0.87	1.51	7.07	6.62	6.46	4.13	1.93	10.57	3.28	2.91	47.63
1922	1.06	1.38	1.27	0.10	5.88	9.75	4.84	9.38	7.78	6.95	0.75	2.06	51.20
1923	0.56	0.27	2.63	0.83	10.42	12.36	7.54	5.85	5.79	3.73	0.17	1.45	51.60
1924	3.08	5.31	7.36	4.02	2.56	8.99	13.37	3.96	6.14	9.58	0.15	1.71	66.23
1925	5.87	1.46	1.89	1.02	4.78	5.67	6.83	10.30	2.55	1.93	1.74	7.96	52.00
1926	4.03	1.67	5.51	4.67	0.57	11.36	9.50	5.35	7.04	1.00	3.66	0.48	54.84
1927	0.11	1.71	2.30	0.62	0.47	3.84	9.03	5.71	4.13	3.89	0.74	1.29	33.84
1928	0.79	0.89	4.07	8.97	3.77	4.06	7.71	10.89	13.22	0.91	0.37	0.69	56.34
1929	1.38	0.34	1.30	2.13	7.37	6.01	12.49	8.03	11.52	3.84	1.63	1.41	57.45
1930	1.96	2.83	12.24	3.37	2.98	13.37	7.50	3.78	6.49	1.87	0.87	4.01	61.27
1931	2.50	1.32	6.29	2.77	3.83	2.27	5.10	6.03	2.78	1.11	0.11	3.59	37.70

Table 36 Continued

YEAR	RAINFALL IN INCHES - ORLANDO												NOAA NUMBER: 6638
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1932	0.48	0.27	2.43	0.46	5.56	12.38	2.73	5.42	2.50	1.11	5.09	0.10	38.53
1933	1.29	2.93	1.59	3.70	2.90	9.18	5.32	8.06	13.32	4.25	1.71	0.25	54.50
1934	0.87	4.13	1.69	4.70	7.84	12.57	9.00	2.12	2.43	1.63	0.18	0.60	47.76
1935	1.48	2.37	1.32	3.27	1.91	4.54	10.75	5.70	7.78	3.34	1.02	2.81	46.29
1936	3.27	6.63	2.90	2.46	5.34	8.90	3.99	5.21	6.64	4.21	3.23	1.61	54.39
1937	1.57	5.53	3.12	3.66	3.91	4.27	4.58	10.31	8.00	3.01	3.07	0.90	51.93
1938	0.91	0.62	1.65	0.37	5.96	8.23	4.29	4.68	3.30	4.43	1.47	0.23	36.14
1939	0.64	0.24	0.95	3.88	3.61	16.95	9.24	7.73	4.34	2.13	0.39	0.82	50.92
1940	3.79	3.29	3.93	2.86	1.83	6.70	11.52	7.68	6.54	0.10	0.24	5.67	54.15
1941	3.69	3.61	2.31	4.52	2.05	10.10	10.07	8.30	5.82	5.01	3.06	2.72	61.26
1942	2.03	3.48	5.90	1.87	2.26	9.38	5.47	6.06	3.81	0.11	0.10	2.55	43.02
1943	1.71	0.39	4.51	1.45	4.76	7.07	8.60	7.69	11.74	4.07	1.08	1.22	54.29
1944	2.43	0.16	5.16	2.45	2.14	7.61	13.18	7.66	6.20	4.29	0.38	0.03	51.69
1945	3.76	0.15	0.30	0.84	3.41	9.83	12.38	6.24	12.24	2.12	0.91	3.30	55.48
1946	1.95	1.89	2.22	0.73	5.38	5.85	11.25	8.25	5.72	2.87	1.21	1.22	48.54
1947	0.36	4.44	6.18	5.67	2.51	10.28	10.55	7.74	8.31	4.16	2.19	0.61	63.00
1948	6.41	0.90	3.24	2.77	0.85	4.07	8.76	12.30	10.87	2.55	0.45	1.31	54.48
1949	0.31	0.47	0.29	3.02	2.54	7.97	6.05	8.83	8.25	1.51	1.22	3.82	44.28
1950	0.13	0.48	3.44	4.82	2.93	5.55	8.27	3.48	7.93	14.51	0.09	4.30	55.93
1951	0.52	2.28	0.96	5.99	1.40	5.08	14.51	7.84	9.34	3.08	4.86	2.06	57.92
1952	0.70	5.82	6.67	2.88	2.45	2.32	4.43	6.51	4.94	3.69	0.74	0.65	41.80
1953	2.86	2.89	3.03	6.18	1.87	6.28	6.85	15.19	8.84	3.50	4.78	3.58	65.85
1954	0.45	1.16	0.99	4.44	3.55	5.81	13.64	4.39	3.99	5.07	2.68	1.80	47.97
1955	2.00	1.12	1.59	1.36	3.13	4.73	6.88	6.65	6.97	4.10	2.17	1.56	42.26
1956	1.66	0.90	0.16	4.03	3.70	5.41	5.88	6.10	6.27	8.24	1.26	0.30	43.91
1957	0.91	1.93	3.76	4.74	8.58	4.39	4.35	9.45	7.47	1.68	0.82	2.85	50.93
1958	4.49	2.83	6.16	3.79	2.68	3.83	9.93	3.40	1.65	7.27	2.48	2.69	51.20
1959	2.78	4.55	7.69	4.91	4.44	7.95	8.02	6.77	8.33	5.97	0.99	1.37	63.77
1960	1.49	5.64	10.54	2.55	0.50	9.50	19.57	3.20	11.21	3.17	0.30	1.07	68.74
1961	1.75	2.82	2.21	0.28	0.43	8.08	9.93	6.99	4.84	2.87	0.92	0.66	41.78
1962	1.11	2.08	3.55	1.58	2.74	3.11	12.77	5.11	12.24	1.90	2.46	1.70	50.35
1963	3.17	4.76	2.69	1.23	3.56	6.67	3.83	3.54	6.72	0.46	6.39	2.26	45.28
1964	6.18	3.42	4.65	2.14	2.74	6.11	6.68	9.00	9.47	1.64	0.45	1.91	54.39
1965	1.79	3.67	3.02	0.66	0.52	7.36	11.55	5.49	5.99	4.06	1.06	2.23	47.40
1966	4.45	6.31	2.57	1.92	6.57	9.77	6.73	7.76	6.25	1.88	0.09	0.99	55.29
1967	0.84	5.49	1.31	0.28	1.69	11.16	4.63	6.83	5.88	0.35	0.03	2.42	40.91
1968	0.65	2.76	2.27	0.30	3.72	18.28	5.60	3.44	5.91	5.47	2.82	0.88	52.10
1969	2.22	3.30	5.52	2.38	1.40	5.04	6.73	7.17	6.44	9.45	0.87	4.66	55.18
1970	4.05	6.77	3.66	0.45	4.08	4.92	5.97	5.91	3.25	2.60	0.24	2.06	43.96
1971	0.45	2.98	1.46	1.52	4.31	4.39	8.29	7.51	2.98	3.06	1.21	1.93	40.09

Table 36 Continued

YEAR	RAINFALL IN INCHES - ORLANDO												NOAA NUMBER: 6638
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1972	0.99	4.96	5.06	1.39	3.76	6.33	3.98	16.11	0.43	2.34	4.11	1.89	51.35
1973	4.82	2.73	4.13	2.82	4.74	6.63	6.24	7.33	11.53	1.10	0.74	2.56	55.37
1974	0.18	0.63	3.67	1.17	2.69	15.28	6.01	6.56	5.78	0.48	0.31	1.62	44.38
1975	0.98	1.49	1.10	1.36	7.52	9.70	9.26	4.75	4.97	4.74	0.66	0.51	47.04
1976	0.37	0.83	1.72	2.16	10.36	9.93	7.05	3.25	5.87	0.74	2.03	2.77	47.08
1977	1.81	1.76	1.82	0.14	1.47	4.47	6.61	6.28	7.03	0.43	2.60	3.70	38.12
1978	2.49	5.45	2.14	0.61	3.16	10.00	11.92	5.13	4.31	1.51	0.18	3.69	50.59
1979	6.48	1.45	3.24	1.08	7.66	4.00	7.95	5.88	9.19	0.43	1.93	0.94	50.23
1980	2.45	1.64	1.51	4.07	6.96	5.25	5.14	2.92	3.70	0.55	6.55	0.47	41.21
1981	0.21	4.36	1.85	0.18	2.02	12.49	3.53	5.60	8.26	3.13	2.50	2.97	47.10
1982	1.72	1.34	4.85	6.27	5.29	6.06	11.81	5.03	6.96	0.74	0.53	1.01	51.61
1983	2.08	8.32	5.37	3.21	1.77	7.82	6.49	4.83	5.16	3.78	1.36	5.33	55.52
1984	2.01	2.73	1.85	6.21	3.20	5.32	6.19	7.89	6.19	0.56	2.10	0.19	44.44
MEAN	2.21	2.68	3.00	2.53	3.91	7.43	7.96	6.74	6.86	3.79	1.68	2.09	50.88
NORM	2.17	3.15	3.29	2.28	3.75	7.06	8.03	6.55	6.39	3.06	1.89	1.93	49.55

E - Estimated by NOAA

Table 37 Monthly and Annual Rainfall Data for Palatka

YEAR	RAINFALL IN INCHES -												NOAA NUMBER: 6753
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1923	0.95	1.05	3.40E	0.16	14.38	9.64	7.00	4.65	3.90E	1.78	0.10	2.25	49.26E
1924	3.65	2.90E	12.50E	2.20E	1.05	5.34	10.01	4.16	4.00	13.80	0.37	0.30	60.28E
1925	3.95	1.62E*	1.50	0.67E*	2.99E*	7.11E*	5.81E*	4.00E*	3.31E*	2.86E*	1.36E*	8.04E*	43.22E
1926	4.10	1.09	4.60	4.17	2.15	8.60	9.81	4.76	5.55	2.35	3.19	1.65	52.02
1927	0.36E*	3.51E*	1.53E*	0.87E*	1.00E*	7.50	3.60	7.99E*	2.04E*	2.21E*	3.39E*	1.65	35.65E
1928	0.90	1.25	2.91	9.05	5.03	7.33	7.38	4.68	19.28	3.29	0.15	1.58	62.83
1929	3.00	1.42	2.90	5.60	7.81	8.55	9.79	6.65	8.50	2.21	0.47	3.20E	60.10E
1930	3.10E	3.00E	8.70E	1.32	2.14	11.98	4.17	6.46	9.72	1.89	2.79	6.75	62.02E
1931	2.74	0.40	4.36	4.80	3.52	1.71	2.22	6.18	1.36	1.08	0.23	4.99	33.59
1932	0.52E*	1.09E*	6.36	0.16	4.21E*	8.18	3.67	5.05	3.82	1.92	7.20	0.14	42.32E
1933	1.59	3.45	1.69	9.07	3.83	2.52	11.03	3.51	7.29	4.81	1.38	0.61	50.78
1934	1.20	6.01	2.80	5.78	7.07	10.67	5.53	4.98	1.47	4.60	0.70	0.85	51.66
1935	1.90	2.10	0.46	1.84	4.75	8.16	8.56	10.07	14.98	1.93	0.37	2.59	57.71
1936	3.87	10.74	1.36	0.70	2.35	8.11	3.18	2.14	1.75	7.08	1.40	2.57	45.25
1937	2.85	5.26	2.99	6.88	2.10	1.27	13.69	14.30	9.52	3.22	3.31	0.49	65.88
1938	2.34	1.85	1.63	0.73	5.46	7.64	8.57	7.85	4.21	5.95	1.70	0.73	48.66
1939	1.42	3.59	0.76	2.82	4.81	6.08	3.76	14.16	6.55	1.33	1.07	2.26	48.61
1940	2.73	4.33	2.27	3.30	3.16	8.82	7.66	7.80	6.18	0.00	0.31	10.61	57.17
1941	2.77	4.12	2.61	3.27	1.19	14.89	10.04	6.03	5.72	11.57	3.72	4.69	70.62
1942	2.05	4.87	9.17	0.27	2.77	11.09	6.77	3.72	4.67	1.43	0.51	4.22	51.54
1943	0.85	0.57	3.12	2.20	4.92	4.50	9.63	12.35	12.05	2.66	2.03	1.21	56.09
1944	3.38	1.12	9.94	6.21	1.31	7.19	10.10	5.45	3.93	6.06	0.58	0.70	55.97
1945	3.50	0.26	0.23E*	5.28	1.86E*	7.55E*	10.85	12.49E*	10.34E*	2.58E*	1.63E*	8.67E*	65.24E
1946	1.90	2.29	3.26	1.93	7.81	11.96	12.19	10.36	9.06	2.27	2.51	0.03	65.57
1947	2.03	5.47	6.26	8.64	2.29	6.98	7.28	5.93	8.84	3.98	3.63	1.58	62.91
1948	5.59	0.85	9.81	0.98	2.52	4.97	15.57	10.63	10.30	7.62	1.54	4.23	74.61
1949	0.33	4.09	1.04	7.06	1.93	4.22	3.99	13.00	5.76	8.22	1.25E	0.42	51.31E
1950	0.12	1.15	3.75	2.56	0.78	1.19	9.42	4.17	13.00	8.52	0.50	3.31	48.47
1951	0.88	1.82	3.27	1.88	1.74	3.89	9.68	3.79	14.46	11.78	4.32	3.42	60.93
1952	0.83	5.89	3.05	1.91	5.30	0.29	4.16	5.84	6.19	4.75	0.37	1.32	39.90
1953	3.73	1.81	4.61	6.90	0.62	6.55	5.13	11.96	9.25	7.10	1.66	5.12	64.44
1954	0.35	2.19	2.02	0.77	1.66	1.67	3.65	2.82	6.85	3.74	2.00	1.50	29.22
1955	2.29	2.98	1.53	2.53	2.44	4.47	8.80	1.66	11.28	3.60	1.48	0.69	43.75
1956	2.27	3.25	0.52	5.20	3.21	7.08	6.74	3.20	2.46	9.66	0.41	0.00	44.00
1957	1.19	2.46	3.26	1.70	5.87	11.61	9.37	11.50	5.25	2.13	1.20	2.05	57.59
1958	4.13	3.17	6.33	3.59	5.30	6.65	3.51	4.07	5.39	7.85	3.80	2.32	56.11
1959	3.62	3.47	9.81	4.78	4.03	4.52	4.46	7.28	6.61	4.61	1.07	1.01	55.27
1960	1.77	3.98	10.09	1.81	1.63	11.58	7.26	5.77	8.11	6.13	0.43	1.67E	60.23E
1961	3.01	4.19	2.84	4.02	3.40	5.00	6.09	7.60	2.90	1.54	2.68	1.00	44.27
1962	1.87	0.19	3.05	1.51	3.53	4.81	8.35	11.54	9.81	0.95	1.17	0.75	47.53

Table 37 Continued

YEAR	RAINFALL IN INCHES -						PALATKA						NOAA NUMBER: 6753
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1963	3.32	4.59	1.89	1.40	5.48	5.44	9.44	5.33	13.93	1.60	3.01	3.33	58.76
1964	9.24	6.75	2.37	5.50	5.22	3.68	7.98	9.51	11.70	1.83	4.91	4.11	72.80
1965	1.42E	5.14	2.90	1.19	0.42	11.40	6.65	13.59	5.46	1.99	2.60	2.80	55.56E
1966	3.27	7.59	0.62	1.75	7.05	7.50	5.91	8.37	5.39	2.46	0.17	0.71	50.79
1967	3.79	6.19	0.78	0.42	2.57	10.66	10.65	4.96	2.89	0.86	0.06	4.99	48.82
1968	0.26	1.84	2.53	2.00	5.71	7.93	6.98	10.73	3.83	8.19	2.33	1.07	53.40
1969	1.48	2.98	5.36	0.29	3.28	2.71	5.50	7.13	10.50	10.27	2.98	4.34	56.82
1970	4.84	7.23	5.56	2.35	4.26	2.59	6.10	5.79	3.98	1.22	0.15	1.82	45.89
1971	3.29	5.11	2.78	3.07	1.89	3.46	9.02	6.92	3.88	4.66	1.79	4.58	50.45
1972	3.61	4.05	5.86	4.70	7.97	9.42	3.84	11.89	3.94	2.21	7.25	3.49	68.23
1973	4.05	2.32	4.93	3.93	6.98	4.55	7.88	5.36	5.33	4.07	0.72	4.37	54.49
1974	0.29	2.26	4.71	0.48	2.38	11.85	8.05	3.77	10.08	0.10	0.37	1.52	45.86
1975	2.66	4.07	1.27	2.70	3.93	6.55	4.74	7.62	5.89	4.55	1.36	2.06	47.40
1976	2.76	0.93	1.22	1.34	5.69	4.52	3.82	7.63	8.03	0.87	2.96	5.49	45.26
1977	3.61	3.52	0.94	0.78	2.21	1.45	3.06	7.20	4.08	0.59	4.20	7.34	38.98
1978	4.04	4.59E	4.74E	1.80	3.93	4.68	12.97	6.82	1.93	3.63	0.31E	4.81E	54.25E
1979	7.90	2.57	1.02	4.17	2.79	6.12	2.82	1.99	10.22	0.21E	2.63E	3.35E	45.79E
1980	5.71	1.19	3.70E*	4.84	4.66E*	5.27	5.66E*	6.82	2.55E*	3.14E*	4.46E*	0.35E*	48.35E
1981	0.66	4.00	5.41	0.05	0.06	3.41	6.45	6.27	1.89	1.98	1.14	3.00	34.32
1982	1.63	2.15	5.22	5.98	3.72	10.84	7.32	3.72	3.58	2.72	0.71	0.83	48.42
1983	3.97	5.00	6.32	6.04	1.04	10.97	3.57	3.41	5.02	2.56	3.52	4.53	55.95
1984	1.76E*	6.12E*	2.46	4.10	5.98E*	1.73E*	7.87E*	2.94	10.53	1.93	2.21	0.10	47.73E
MEAN	2.63	3.31	3.79	3.13	3.73	6.59	7.17	6.91	6.78	3.91	1.90	2.74	52.59
NORM	3.05	3.61	3.45	2.64	3.84	5.93	6.61	6.95	6.74	3.88	2.09	2.71	51.50

E - Estimated by NOAA

E* - Estimated by SJRWMD

Table 38 Monthly and Annual Rainfall Data for St. Augustine

YEAR	RAINFALL IN INCHES - ST AUGUSTINE												NOAA NUMBER: 7812
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1877	5.29	1.54	1.76	2.84	9.95	7.44	2.76	7.05	5.75	3.25	2.81	2.54	52.98
1878	2.70	3.65	1.24	7.26	1.54	7.03	4.11	5.01	11.96	2.70	1.95	2.18	51.33
1879	0.76	3.16	1.60	2.00	7.36	5.68	4.90	11.16	13.46	4.77	1.24	1.32	57.41
1880	3.22	6.91	1.30	2.08	4.68	5.95	11.09	8.20	2.57	14.29	5.51	1.54	67.34
1881	7.63	0.90	2.48	2.28	5.14	4.52	6.38	5.55	1.60	1.66	3.26	3.80	45.20
1882	2.60	0.02	0.45	7.27	1.86	3.35	4.96	6.92	7.98	12.71	3.99	4.72	56.83
1883	3.23	0.36	3.53	6.63	2.18	6.73	5.81	1.84	3.51	2.59	0.23	0.26	36.90
1884	1.67	3.42	1.92	2.14	1.73	7.42	3.54	10.02	1.71	1.05	3.87	1.87	40.36
1885	4.86	4.35	3.37	1.11	5.62	7.26	2.78	8.67	12.24	3.32	0.52	4.36	58.46
1886	4.30	3.32	7.61	3.79	1.83	4.67	6.87	6.70	3.63	10.30	0.35	3.93	57.30
1887	2.65	0.20	3.65	5.90	3.10	3.25	2.20	7.25	7.80	5.80	0.40	3.40	45.60
1888	0.10	9.20	1.35	1.15	4.65	2.10	3.40	4.10	4.80	4.66E	7.00	6.30	48.81E
1889	8.25	4.15	2.21	2.19	0.16	9.30	4.26	4.91	4.31	0.64	0.72	0.12	41.22
1890	0.32	1.00	3.11	0.80	10.71	6.55	12.14	4.32	6.80	4.02	1.90	0.60	52.27
1891	1.20	0.90	3.00	3.37	5.37	4.85	4.60	3.65	10.68	4.63	1.69	5.25	49.19
1892	4.25	0.85	1.00	0.80	1.45	3.27	1.13	7.36	14.50	3.40	0.15	1.77	39.93
1893	0.43	7.98	8.22	3.50	4.63	2.32	5.81	7.67	2.94	8.01	3.97	2.95	58.43
1894	3.48	1.61	1.28	2.16	3.80	5.69	10.45	3.18	8.13	3.70	7.10	0.20	50.78
1895	3.00	3.06	0.85	3.95	3.45	3.35	4.03	4.65	3.20	0.76	5.53	0.50	36.33
1896	4.40	1.63	3.10	0.06	2.05	6.38	4.97	2.35	3.00	7.05	3.42	2.28	40.69
1897	1.57	6.16	1.24	6.65	1.43	5.45	3.05	5.18	12.97	7.50	1.40	2.50	55.10
1898	0.55	0.68	0.90	4.20	3.55	1.10	9.00	6.10	3.16	3.85	1.60	3.82	38.51
1899	2.70	7.45	2.15	5.30	0.25	4.80	11.80	2.65	4.66	7.95	0.20	2.23	52.14
1900	2.97	3.65	3.90	8.15E	2.55E	8.33E	5.69E	0.95	4.10	9.84	2.59	3.83	56.55E
1901	1.58	5.02	6.52	0.94	3.34	8.27	7.33	4.01	9.38	2.50	0.24	2.27	51.40
1902	0.00	2.89	3.82	0.26	0.49	2.95	4.49	3.89	9.98	8.45	3.30	5.08	45.60
1903	4.47	4.47	3.23	0.29	10.58	3.40	3.90	3.48	8.75	2.95	3.53	1.48	50.53
1904	7.94	4.86	1.87	1.40	1.57	5.90	3.14	4.36	5.80	12.68	3.53	1.24	54.29
1905	0.56	5.02	6.04	1.33	3.97	1.42	3.08	13.00	7.79	6.01	0.45	3.33	52.00
1906	2.91	3.20	2.13	2.02	10.20	4.98	9.33	2.01	1.52	6.33	0.00	0.86	45.49
1907	0.14	0.67	0.96	3.52	4.07	3.83	4.98	5.94	6.21	2.19	2.18	3.92	38.61
1908	3.40	2.48	0.70	2.69	1.83	7.71	10.22	8.56	16.22	2.55	0.53	1.75	58.64
1909	1.65	2.82	4.53	2.26	1.27	2.69	8.04	5.77	4.88	0.80	3.36	1.26	39.33
1910	0.81	1.71	1.78	1.82	2.57	10.44	3.32	8.64	5.08	11.14	3.73	1.19	52.23
1911	1.55	0.00	1.30	0.78	1.02	4.73	1.22	5.48	1.14	5.83	3.80	4.74	31.59
1912	5.94	1.99	4.52	4.56	3.03	14.17	1.33	8.28	3.71	2.00	1.75	3.60	54.88
1913	0.50	6.46	4.90	2.75	0.65	4.75	2.45	5.52	2.10	1.72	0.75	3.12	35.67
1914	4.85	3.97	1.87	1.25	1.75	4.06	3.51	4.17	8.00	2.37	2.32	4.17	42.29
1915	3.32	3.60	3.61	0.91	6.22	3.97	6.93	11.30	7.61	7.16	1.36	3.66	59.65
1916	0.83	0.77	0.67	0.40	2.15	6.07	3.75	2.39	4.33	8.11	3.80	4.33	37.60

Table 38 Continued

YEAR	RAINFALL IN INCHES - ST. AUGUSTINE												NOAA NUMBER: 7812
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1917	0.43	0.67	3.59	0.77	0.97	2.63	5.87	4.21	9.01	2.76	0.37	3.51	34.79
1918	0.92	0.60	3.41	5.71	1.98	2.99	2.60	3.27	5.24	5.29	3.50	2.95	38.46
1919	1.64	3.80	4.70	1.66	4.74	9.74	4.21	5.96	10.26	5.53	2.46	5.09	59.79
1920	4.00	21.50	1.76	4.49	6.36	10.22	3.20	3.01	10.52	0.75	2.90	3.10	71.81
1921	3.00	1.81	0.55	1.70	2.14	0.89	11.83	5.66	0.93	7.86	2.03	0.90	39.30
1922	4.09	3.88	0.65	0.77	8.62	4.62	5.51	6.45	11.43	7.99	0.70	3.31	58.02
1923	1.85	1.61	1.89	2.08	10.66	7.20	6.29	2.23	1.76	1.54	0.16	1.69	38.96
1924	3.30	3.02	9.98	2.53	1.45	3.23	6.75	4.06	9.57	10.45	0.80	1.02	56.16
1925	4.51	1.01	1.71	1.06	6.59	2.85	10.16	4.70	4.91	7.20	3.18	9.89	57.77
1926	3.23	1.77	3.71	4.10	1.39	5.93	13.26	3.06	8.00E	2.10E	3.30	1.50E	51.35E
1927	0.50E	3.79	1.76	2.40	0.00	5.56	5.19	4.34	3.40	3.30	1.87	2.30	34.41E
1928	1.08	0.68	3.45	8.36	4.20E	5.00E	8.50E	4.55	7.24	4.08	1.87	1.40	50.41E
1929	3.65	1.79	1.93	3.81	3.67	6.35	7.88	5.58	8.93	2.55	0.52	2.41	49.07
1930	2.79	1.98	9.50	1.06	3.57	13.75	4.15E	3.00E	5.95E	1.44	3.37	8.04	58.60E
1931	3.40	1.61	5.29	5.51	3.98	1.98	2.42	4.55	1.97	1.17	0.71	6.08	38.67
1932	0.27	1.18	4.07	0.98	3.81	13.21	3.14	6.51	5.44	8.08	6.95	0.37	54.01
1933	2.24	3.61	1.92	6.40	2.04	4.90	7.68	6.04	6.83	7.19	3.04	0.54	52.43
1934	1.56	5.01	3.52	6.55	7.09	5.59	7.61	6.57	1.87	6.73	0.98	1.32	54.40
1935	3.35	1.50	0.41	2.49	2.24	3.97	8.88	2.79	11.30	2.98	0.12	1.47	41.50
1936	2.78	10.07	3.95	1.00	1.76	5.27	3.28	3.11	2.29	8.03	1.38	3.32	46.24
1937	2.46	4.25	2.53	4.13	1.92	1.47	7.47	4.80	7.23	4.92	4.43	1.61	47.22
1938	2.26	2.18	1.26	3.42	3.22	5.11	6.49	3.76	8.49	7.67	2.25	0.75	46.86
1939	1.36	2.55	1.13	4.21	3.65	6.54	2.75	6.16	6.16	2.53	2.04	2.25	41.33
1940	2.37	3.47	2.30	3.41	1.02	7.66	6.85	5.56	7.80	0.09	0.47	7.24	48.24
1941	3.82	3.30	3.24	1.28	1.05	8.98	10.72	6.99	5.83	16.72	4.98	4.93	71.84
1942	1.47	4.18	6.59	0.56	0.91	9.79	2.86	5.16	5.80	0.72	0.71	4.44	43.19
1943	1.60	0.23	3.11	1.69	4.01	4.09	7.00	10.11	7.90	6.52	0.84	1.73	48.83
1944	4.13	1.55	9.70	5.32	0.45	4.69	10.15	5.41	6.49	8.83	1.31	0.39	58.42
1945	3.34	0.20	0.25	6.83	0.58	9.82	8.22	7.57	9.93	3.51	1.74	9.47	61.46
1946	2.28	1.84	3.55	1.10	4.66	4.20	7.83	8.07	6.17	6.15	6.03	0.18	52.06
1947	1.63	5.81	5.80	5.15	4.54	10.12	5.12	4.60	8.05	8.51	4.68	1.85	65.86
1948	5.85	2.14	8.99	2.31	1.95	5.74	7.44	7.16	12.77	6.72	1.45	3.38	65.90
1949	1.09	5.44	0.96	4.87	3.27	2.74	4.83	11.01	20.89	4.26	1.99	1.29	62.64
1950	0.11	0.70	3.88	2.10	1.91	4.30	8.57	1.92	7.67	8.16	2.20	3.54	45.06
1951	0.97	2.18	2.30	0.84	1.45	3.46	6.50	1.46	9.64	9.63	5.95	2.56	46.94
1952	0.78	5.91	3.91	1.46	3.16	0.22	5.07	4.07	12.80	9.62	0.40	1.08	48.48
1953	2.68	2.45	6.41	8.24	0.83	3.05	6.79	19.15	17.40	5.31	2.14	5.46	79.91
1954	0.63	1.99	2.16	1.12	1.56	1.01	4.47	0.40	6.72	6.97	4.64	2.47	34.14
1955	3.82	2.44	1.19	1.59	5.29	6.50	6.28	5.69	4.51	7.70	1.55	0.99	47.55
1956	2.39	3.05	0.76	0.00	3.72	2.70	3.00	3.07	2.47	7.82	0.18	0.04	29.20

Table 38 Continued

YEAR	RAINFALL IN INCHES - ST AUGUSTINE												NOAA NUMBER: 7812
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1957	0.58	3.44	4.91	1.42	8.09	8.20	10.40	11.30	6.24	5.07	1.51	1.50	62.66
1958	4.69	3.17	6.65	4.31	2.88	3.54	3.74	2.84	4.65	11.74	3.01	4.22	55.44
1959	4.70	2.85	9.72	5.21	2.58	6.38	2.51	6.61	6.25	5.46	6.20	1.58	60.05
1960	1.85	3.64	11.02	0.62	1.99	5.33	8.42	4.05	11.42	8.05	0.65	1.04	58.08
1961	4.11	9.20	1.42	4.00	2.89	5.19	10.56	5.42	3.48	5.57	4.79	0.67	57.30
1962	2.46	0.74	3.18	1.61	1.81	5.57	10.11	7.75	12.00	1.35	1.92	2.17	50.67
1963	2.33	5.84	1.32	0.98	3.79	9.10	4.67	4.73	21.80	2.41	2.91	3.43	63.31
1964	8.56	5.80	2.84	5.14	7.60	4.95	6.06	8.51	13.53	3.10	9.51	3.90	79.50
1965	0.82	6.51	3.17	1.72	1.19	8.45	6.96	3.86	4.23	2.79	1.35	2.99	44.04
1966	4.28	10.67	0.85	1.22	9.16	7.61	8.57	4.27	4.87	1.22	0.62	1.18	54.52
1967	3.18	6.37	0.41	0.06	1.59	4.42	6.74	4.10	8.48	3.99	0.03	4.91	44.28
1968	0.16	1.66	1.96	0.31	4.45	7.96	3.86	10.93	1.99	7.56	1.98	1.39	44.21
1969	1.82	3.68	6.40	0.36	4.22	3.15	2.85	8.05	15.97	8.85	3.33	3.80	62.48
1970	6.38	8.38	7.19	2.24	2.38	5.09	5.98	7.38	4.30	3.55	0.16E	2.07	55.10E
1971	1.80	4.37	5.18	2.69	1.86	8.47	5.93	4.85	4.26	6.72	3.14	5.81	55.08
1972	3.68	5.88	3.59	5.27	6.54	8.58	6.87	10.33	5.43	2.20	10.44	4.80	73.61
1973	4.17E*	4.21	4.77	2.67	6.64	3.88	5.35	8.88	5.31	0.59	0.56	4.21	51.24E
1974	0.73	2.02	2.47	1.21	2.01	13.52	5.58	6.82	3.91	1.24	0.51	1.63	41.65
1975	2.23	4.36	2.54	1.67	2.55	8.60	4.57	5.49	6.50	6.61	1.30	2.15	48.57
1976	1.24	1.00	1.61	2.44	7.80	4.36	2.02E	9.59	2.93	1.17	2.68	7.70	44.54E
1977	3.06E	2.67	0.76	1.97	3.06	1.83	4.20	4.27	4.51	0.54	3.68	7.50	38.05E
1978	3.22E	4.22	3.38	2.58	2.56	3.03	8.10	3.55	6.81	3.07	0.32	5.06	45.90E
1979	8.80	3.47	2.77	3.42	8.35	3.98	5.31	1.10	16.33	3.80	2.02	7.28	66.63
1980	5.29	1.27	5.91	3.39	2.87	3.23	3.43	1.24	1.81	3.13	2.77	0.63	34.97
1981	0.71	5.60	3.71	0.60	0.97	2.29	4.21	10.36	4.80	2.92	4.78	2.57	43.52
1982	3.61	1.66	5.02	6.63	3.20	12.63	5.46	6.04	6.20	6.61	1.73	0.98	59.77
1983	3.82	4.83	8.12	6.14	1.97	4.93	3.25	4.95	7.16	6.68	3.51	6.22	61.58
1984	2.29	5.41	4.14	2.87	1.30	4.30	4.69	2.51	11.17	2.58	1.72	0.74	43.72
MEAN	2.75	3.48	3.36	2.86	3.49	5.58	5.83	5.68	7.09	5.18	2.44	2.93	50.67
NORM	3.05	4.11	3.69	2.33	3.83	5.38	5.83	5.99	7.68	4.89	2.67	3.14	52.59

E - Estimated by NOAA

E* - Estimated by SJRWMD

Table 39 Monthly and Annual Rainfall Data for Sanford

YEAR	RAINFALL IN INCHES - SANFORD EXP STA												NOAA NUMBER: 7982
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1913	0.82E	4.50E	7.00	2.49	0.74	6.57	6.27	6.12	1.78	1.66	0.36	2.59	40.90E
1914	5.72	2.69	1.24	0.93	1.84	1.99	4.56	4.16	6.45	2.92	0.91	3.29	36.70
1915	4.40	3.62	1.73	0.73	5.44	7.61	8.64	8.67	5.48	14.10	1.93	2.20	64.55
1916	0.55	0.14	1.53	0.99	3.45	7.23	11.31	2.20	3.52	6.94	5.96	2.02	45.84
1917	0.44	0.91	3.55	0.75	2.68	2.22	6.90	5.85	8.84	4.53	0.29	1.03	37.99
1918	3.68	0.11	1.51	6.95	0.90	2.81	6.02	2.88	7.39	7.48	2.30	3.00	45.03
1919	2.16	3.66	4.10	1.63	7.25	8.19	9.40	6.11	4.46	1.55	4.37	5.04	57.92
1920	2.09	6.48	0.71	5.03	5.18	6.54	7.36	8.09	6.97	1.40	3.22	2.17	55.24
1921	0.86	1.78	0.97	1.08	7.36	6.16	6.47	2.45	1.06	9.63	2.26	2.33	42.41
1922	0.77	1.02	1.26	0.32	5.44	5.68	5.06	12.44	8.35	8.74	0.33	3.04	52.45
1923	1.06	0.35	1.55	0.91	7.51	9.77	3.71	8.08	2.77	4.37	0.22	1.44	41.74
1924	2.61	3.75	6.74	3.75	1.63	7.24	12.92	2.85	3.12	15.01	1.03	1.60	62.25
1925	3.74	1.50	1.19	0.96	8.22	6.72	6.96	9.16	4.40	1.85	1.96	7.49	54.15
1926	4.24	1.46	4.76	4.10	3.86	10.28	11.33	7.94	5.20	1.21	3.61E	0.54E	58.53E
1927	0.17	2.90	2.89	0.63	1.00	10.31	7.66	5.03	3.92	3.55	0.88	1.27	40.21
1928	0.70	1.13	4.04	6.68	5.72	7.14	8.63	4.86	13.55	2.27	0.30	0.83	55.85
1929	1.60	0.26	1.15	2.03	7.15	5.27	11.28	8.34	13.07	2.05	5.88	1.83	59.91
1930	2.34	4.03	7.44	2.68	3.87	12.85	7.56	4.98	8.36	3.33	0.60	5.30	63.34
1931	3.50	0.57	4.06	4.46	2.51	3.80	6.74	7.80	4.75	1.97	0.56	1.73	42.45
1932	1.48	0.34	3.07	0.99	5.25	8.03	0.85	8.45	4.27	1.53	5.09	0.06	39.41
1933	3.41	1.58	1.90	4.63	1.51	6.01	10.91	5.36	10.53	4.13	2.50	0.39	52.86
1934	0.74	4.19	5.38	4.23	7.57	11.67	6.67	11.33	4.32	1.41	0.20	0.77	58.48
1935	0.81	2.08	0.38	4.60	4.97	3.63	9.56	6.88	7.04	5.29	1.24	2.17	48.65
1936	4.11	6.77	2.79	1.70	4.13	8.41	3.10	4.31	2.45	6.25	1.37	1.95	47.34
1937	0.83	4.59	4.11	5.38	2.29	1.70	6.61	7.47	7.43	3.38	4.40	1.68	49.87
1938	1.61	0.74	1.77	0.53	4.11	5.87	9.37	3.41	3.11	3.02	1.72	0.28	35.54
1939	0.81	0.20	0.49	5.82	2.89	10.61	9.94	12.78	4.51	2.06	0.34	1.36	51.81
1940	2.12	3.32	2.26	3.72	1.19	9.52	8.64	7.28	2.87	0.73	0.17	6.69	48.51
1941	3.56	4.87	2.70	3.25	1.16	11.29	15.20	7.09	5.99	5.69	5.36	4.57	70.73
1942	1.36	2.68	6.12	2.49	1.66	9.80	3.54	1.97	5.45	1.68	0.50	3.36	40.61
1943	1.09	0.16	4.67	1.67	5.43	3.73	10.70	5.69	10.72	5.35	0.63	1.40	51.24
1944	1.87	0.41	5.92	2.70	4.56	11.62	8.76	10.54	7.72	10.10	0.37	0.34	64.91
1945	4.31	0.36	0.07	1.97	2.56	13.54	10.50	3.34	13.29	2.06	0.61	4.58	57.19
1946	2.18	2.25	1.85	0.90	6.72	13.53	14.67	3.01	4.94	2.03	1.41	0.71	54.20
1947	0.62	5.75	6.76	5.30	4.25	12.89	9.78	7.53	8.46	2.51	2.73	0.80	67.38
1948	5.22	0.55	3.89	1.46	1.20	1.46	14.16	8.28	9.26	3.52	0.61	3.08	52.69
1949	0.63	0.85	1.32	3.65	1.15	3.33	8.90	14.46	11.63	1.95	1.75	3.78	53.40
1950	0.11	0.43	5.76	4.90	1.73	5.63	6.16	6.28	8.57	10.64	1.45	3.20	54.86
1951	0.77	2.61	0.89	4.28	3.50	4.60	10.96	3.78	10.45	6.26	4.48	2.33	54.91
1952	0.64	5.43	3.90	1.92	3.11	6.38	5.49	5.41	4.85	8.67	0.77	0.54	47.11

Table 39 Continued

YEAR	RAINFALL IN INCHES - SANFORD EXP STA												NOAA NUMBER: 7982
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1953	2.88	2.68	5.68	5.87	1.69	3.57	14.71	14.61	8.71	6.70	2.69	4.27	74.06
1954	1.34	0.93	1.83	4.63	1.29	3.51	10.90	4.26	7.49	5.19	2.36	1.84	45.57
1955	1.91	1.84	4.13	3.30	6.33	4.30E	9.13E	5.49	9.25	3.22	2.75	1.40	53.05E
1956	2.56	1.41	0.17	2.68	2.26	7.05	5.29	5.98	5.59	8.48	0.71	0.30	42.48
1957	0.63	2.26	3.77	3.16	5.28	5.16	9.42	11.86	8.02	2.28	1.02	1.95	54.81
1958	5.37	3.26	6.87	3.01	3.41	5.09	7.38	7.12	1.73	11.42	2.55	2.32	59.53
1959	3.44	1.69	9.78	6.07	2.35	8.44	5.54	7.46	9.32	5.14	1.51	1.54	62.28
1960	1.29	7.13	8.37	2.55	0.69	6.55	13.14	3.26	17.28	1.54	0.05	1.03	62.88
1961	1.79	3.65	5.68	1.07	1.12	5.37	3.72	6.75	2.65	2.05	1.85	1.71	37.41
1962	1.14	0.82	2.59	1.19	1.49	3.47	7.10	3.43	8.77	1.64	2.47	0.73	34.84
1963	2.73	6.21	2.65	2.36	5.02	3.08	4.26	4.85	12.80	0.72	5.42	1.62	51.72
1964	7.43	3.51	4.93	1.13	1.79	10.04	3.45	10.74	10.18	1.14	1.02	2.53	57.89
1965	2.02	4.75	2.65	1.18	0.32	8.40	11.73	5.07	3.19	5.66	1.02	2.81	48.80
1966	3.82	4.80	2.39	3.30	3.93	12.05	5.10	7.05	8.04	1.08	0.34	1.24	53.14
1967	1.53	3.83	0.82	0.06	2.67	8.24	6.15	10.31	5.95	0.51	0.08	1.82	41.97
1968	0.82	3.08	2.12	0.47	2.67	17.31	5.76	5.76	2.48	5.33	3.37	1.39	50.56
1969	1.35	2.98	4.43	2.30	1.87	0.95	5.71	8.31	7.19	9.57	1.26	5.27	51.19
1970	4.93	4.12	4.18	1.93	3.52	5.07	3.06	8.65	2.76	4.30	1.39	1.97	45.88
1971	1.00	5.77	2.36	1.80	4.90	6.34	7.14	5.30	2.78	5.49	1.91	3.93	48.72
1972	1.38	5.08	5.58	1.51	4.84	5.77	6.74	16.86	1.71	4.35	7.69	2.31	63.82
1973	4.03	2.14	4.56	2.55	4.52	2.68	9.08	8.02	9.12	1.68	0.07	2.70	51.15
1974	0.20	2.14	1.60	0.87	3.86	17.93	5.76	5.76	4.13	0.99	0.37	2.10	45.31
1975	1.59	1.64	2.27	3.57	7.11	5.79	3.89	7.44	9.51	5.70	1.55	0.87	50.93
1976	0.87	0.98	2.07	2.81	8.54	6.22	3.40	5.76	5.44	2.89	4.02	2.68	45.68
1977	3.65	3.57	1.24	0.53	0.96	3.87	9.05	7.84	5.94	2.99	2.89	3.07	45.60
1978	2.57	6.21	4.64	0.66	2.94	5.39	12.04	3.29	3.73	2.63	0.44	6.53	51.07
1979	6.20	2.09	3.74	1.38	8.21	3.58	5.35	3.93	13.54	1.48	3.11	0.52	53.13
1980	2.62	1.24	3.49	4.55	4.21	5.28	7.19	9.36	4.28	1.38	4.36	0.45	48.41
1981	0.18	5.35	3.06	0.03	1.16	3.72	5.24	12.27	1.46	1.32	3.92	4.96	42.67
1982	2.96	2.07	6.07	10.27	2.24	9.23	9.43	5.92	7.91	2.78	1.32	1.36	61.56
1983	2.40	7.26	6.84	7.07	2.29	6.41	3.31	6.50	3.06	7.67	2.19	7.85	62.85
1984	1.82	3.80	1.33	3.36	4.54	1.96	15.10	4.71	7.54	0.62	2.83	0.10	47.71
MEAN	2.20	2.77	3.41	2.78	3.62	6.85	7.88	6.89	6.57	4.18	1.99	2.33	51.47
NORM	2.42	3.26	3.65	2.42	3.48	6.38	7.25	7.11	6.90	4.02	2.12	2.13	51.14

E - Estimated by NOAA

Table 40 Monthly and Annual Rainfall Data for Starke

YEAR	RAINFALL IN INCHES - STARKE												NOAA NUMBER: 8527
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1934	1.09	3.31E *	1.23	2.17	5.67E *	8.79	7.91E *	4.88E *	1.27E *	3.70E *	0.60E *	1.34E *	41.96E
1935	1.82E *	2.54E *	0.81	1.88	1.82	4.08	13.64	8.02	8.69	1.03	0.65	1.12	46.10E
1936	3.72	6.33	4.70	1.65	2.46	6.81	6.51	5.85	2.02	6.83	0.19	2.99	50.06
1937	4.47	6.65	3.40	5.02	3.23	3.28	6.82	6.59	11.44	4.46	2.98	1.25	59.59
1938	4.33	2.66	2.25	1.82	2.11	8.42	8.16	6.20	2.82	9.81	0.77	1.02	50.37
1939	1.73	3.72	1.28	5.21	2.26	8.17	6.63	8.79	4.69	2.50	1.93	3.09	50.00
1940	3.30	4.28	1.73	4.39	1.23	5.92	12.92	8.60	2.66	0.00	0.34	7.01	52.38
1941	2.78E *	2.82	2.37	1.36	2.57	11.12	11.65	3.11	4.57	12.06	2.76	5.19	62.36E
1942	2.97	4.77	8.10	0.12	1.36	11.69	6.69	2.38	6.75	0.11E *	0.14	2.06	47.14E
1943	0.80	0.02	3.14	1.83	4.72	4.00	4.84	14.51	4.87	0.73	1.41	2.47	43.34
1944	3.75	1.42	7.91	4.54	3.05	4.69	11.38	11.92	3.59	8.59	0.41	0.80	62.05
1945	4.47	0.91	0.06	3.93	1.90	7.83	9.19	11.40	6.26	3.48	1.28	9.14	59.85
1946	1.79	1.21	3.26	2.30	6.01	10.71	9.16	5.55	5.68	3.09	1.41	0.18	50.35
1947	2.92	3.03	7.03	4.78E *	9.16E *	2.93E *	6.60E *	3.45E *	11.27E *	7.69E *	5.22E *	4.35E *	68.43E
1948	4.66E *	2.68	12.00E *	4.98E *	0.87	2.35	12.92E *	7.07	6.36	8.70	2.67	3.93	69.19E
1949	1.54	4.33	2.15	7.10	3.28	6.40	4.51	7.95	6.36	3.42	4.68	0.53	52.25
1950	0.00	0.89	4.47	2.76	2.56	1.34	14.42	2.20	14.37	7.95	0.61	1.81	53.38
1951	0.75	1.63	3.24	2.49	1.37	2.37	5.92	5.21	5.12	3.08	4.27	2.26	37.71
1952	1.24	5.12	1.77	2.75	6.20	3.73	4.39	3.88	6.46	4.11	1.05	0.81	41.51
1953	4.67	1.62	2.80	8.95	0.35	4.94	8.61	16.85	5.15	3.62	2.45	6.63	66.64
1954	0.94	1.65	1.74	5.00	2.21	1.41	5.25	4.10	6.00	3.87E	2.09	1.63	35.89E
1955	3.91	3.53	1.99	0.88	3.45	2.56	6.44	2.05	8.75	2.20	1.96	0.54	38.26
1956	2.35	3.04	0.68	3.27	4.58	8.17	3.49	3.87	3.77E	7.27	0.31	0.19	40.99E
1957	0.33	1.88	3.18	2.26	4.38	9.10	12.45	7.95	7.95	2.75	1.15	1.80	55.18
1958	4.07E	4.28	5.20	4.32	3.19	4.17	9.67	6.99	0.80	3.91	3.44	4.74	54.78E
1959	4.79E	5.13	9.74	3.96	15.74	6.15	5.85	6.36	7.51	4.62	1.31	0.80	71.96E
1960	2.40	4.02	7.08	3.76	1.01	5.83	9.37	8.10	9.25	3.37	0.12E	2.17	56.48E
1961	2.76E	4.16E	3.85	3.33	3.19	9.27	5.88	11.81	3.34E	0.34	4.09	0.61	52.63E
1962	1.98E	0.94E	3.34E	6.06	3.48E	7.67E	9.87E	11.34	4.29	2.28	2.32	2.07	55.64E
1963	3.66	4.55E	2.13	0.81	2.64	10.07	8.02	9.81	8.02	0.75E	2.92E	2.94E	56.32E
1964	8.81	5.74	2.22	3.22	3.40	3.13	6.06	8.20	4.11	1.95E	3.28E	7.18E	57.30E
1965	1.86E *	4.74E *	4.01E *	1.95E *	3.70	8.00	9.58E *	7.07E *	3.21E *	1.18E *	1.51E *	3.88E *	50.69E
1966	4.13E *	7.09E *	0.96E *	2.10E	6.94	6.31	5.20E *	9.01E *	7.89E	1.60	0.00	1.45	52.68E
1967	2.57	3.12	0.15	0.00	3.47E	7.44	10.36	11.64	1.68	0.47	0.44	8.57	49.91E
1968	0.76	2.01	1.64	0.49	5.53	5.08	11.29	17.21	1.46	3.80	1.99	1.15	52.41
1969	1.16	6.01	5.77	0.78	4.84	2.25	9.66	7.04	9.68	3.90	4.59	4.14	59.82
1970	4.73	6.56	5.39	2.19	3.69	5.61	7.71	10.93	4.39	2.18E	0.52	1.59	55.49E
1971	2.26	3.50	1.91	2.69	2.95	9.41E	7.57	8.11	2.30	2.31	2.19	5.79	50.99E

Table 40 Continued

YEAR	RAINFALL IN INCHES - STARKE												NOAA NUMBER: 8527
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1972	3.20	5.20	5.25	2.69	8.33	7.92	4.05	12.71	1.08E	2.47E	3.33	4.02E	60.25E
1973	2.81	3.25	3.22	3.40E	5.08	8.72	5.45	5.83	4.54	0.21	0.08	4.14E	46.73E
1974	0.55	2.28	4.47	1.33	6.60	6.25	14.48	7.77	7.77	0.48	1.28	4.62	57.88
1975	3.25	2.36	2.72	2.45	3.29	6.79	5.07	7.65	10.94	3.00	3.22	3.58	54.32
1976	2.21	1.33	1.43	2.40	7.08	4.97	2.75	2.79	5.12	2.82	1.81	5.39	40.10
1977	3.38	2.82	1.35	0.62	3.89	6.35	5.40	8.49	4.85	1.09	2.28	3.77	44.29
1978	5.65	5.70	3.29	3.68	9.47	6.04	6.71	15.15	2.32	0.18	1.14	3.60	62.93
1979	9.30	2.93	1.39	5.74	4.46	2.67	4.30	6.27	15.92	0.93	3.68	5.69	63.28
1980	3.13	1.44	6.75	5.22	4.82	4.90	6.25	3.15	4.72	0.66	1.50	0.53	43.07
1981	0.73	6.48	3.54	0.09	0.97	7.51	10.14	4.95	5.42	1.10	3.27	3.12	47.32
1982	4.32	1.99	4.60	6.85	2.10	6.69	11.08	7.17	5.90	1.92	0.86	0.84	54.32
1983	2.57	4.63	11.14	3.37	1.49	9.26	3.25	3.23	7.28	1.34	4.10	8.29	59.95
1984	1.68	4.32	5.82	3.97	1.88	2.49	6.19	3.13	5.77	0.76	3.06	1.40	40.47
MEAN	2.77	3.45	3.62	3.03	3.91	6.24	7.61	7.20	5.53	3.05	1.84	3.19	51.44
NORM	3.12	3.59	3.29	2.96	4.64	5.91	7.24	8.24	5.61	2.38	2.01	3.21	52.20

E - Estimated by NOAA

E* - Estimated by SJRWMD

Table 41 Monthly and Annual Rainfall Data for Titusville

YEAR	RAINFALL IN INCHES -						TITUSVILLE						NOAA NUMBER: 8942
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1878	10.45	4.37	7.92	9.74	1.47	3.32	5.04	5.70	23.78	6.41	1.02	1.38	80.60
1879	1.38	3.47	1.59	3.23	8.71	6.65	4.25	12.11	10.28	11.30	2.64	2.70	68.31
1880	4.59	3.27	2.79	1.81	5.16	6.86	6.07	15.77	3.61	4.44	1.85	3.12	59.34
1881	4.30	2.43	1.24	3.06	3.46	7.04	5.72	5.42	4.40	2.24	1.73	1.95	42.99
1882	2.74	0.15	0.76	2.89	2.46	9.83	7.21	3.32	3.01	1.67	5.43	2.63	42.10
1883	6.09	0.20	2.30	4.65	2.41	5.58	0.86	1.15	2.88	11.82	2.70	0.46	41.10
1884	0.57	3.26	2.19	1.73	4.53	13.28	11.72	5.79	7.28	1.59	5.67	2.32	59.93
1885	2.85	5.55	4.92	0.53	7.57	9.27	2.71	10.28	11.15	4.61	0.42	1.27	61.13
1886	1.96	0.45	4.99	8.90	0.88	6.70	11.23	4.21	6.22	11.94	0.17	3.28	60.93
1887	2.43	1.28	1.95	8.24	2.95	6.47	3.81	6.06	11.96	8.19	1.90	1.89	57.13
1888	0.74	7.11	2.16	2.59	2.92	6.56	5.62	4.40	6.35	3.75	8.68	9.08	59.96
1889	10.52	5.49	1.57	2.00	0.79	11.62	7.59	3.30	2.87	2.05	0.97	0.03	48.80
1890	0.34	0.83	3.84	0.76	15.14	6.26	7.49	3.74	8.54	2.21	3.26	0.92	53.33
1891	0.96	1.85	4.43	4.45	2.46	10.65	5.75	3.48	11.75	8.38	2.12	3.90	60.18
1892	1.07	2.09	1.30	1.08	3.80	8.76	0.97	2.24	16.67	6.75	0.56	2.41	47.70
1893	2.18	3.15	3.83	1.72	3.86	6.67	4.13	3.58	4.73	8.67	2.88	2.40	47.80
1894	4.35	0.45	0.64	0.17	0.93	4.49	6.18	5.33	14.46	3.63	2.41	0.68	43.72
1895	0.88	3.61	1.04	4.50	7.10	8.46	4.82	4.06	8.41	5.73	3.52E	1.25E	53.38E
1896	5.87	2.26	1.42	0.20	2.01	10.45	2.43	5.63	4.92	2.17	2.22	2.12	41.70
1897	1.67	2.34	2.45	3.18	1.16	6.84	2.59	1.91	17.97	10.81	5.99	2.18	59.09
1898	0.30	1.22	0.68	0.51	0.73	0.64	6.12	8.69	3.97	5.69	1.43	3.46	33.44
1899	5.60	6.32	1.01	1.86	0.37	0.63	8.14	7.55	6.00	21.88	0.68	2.48	62.52
1900	4.85	1.57	6.55	1.57	3.63	6.10	4.34	0.28	3.29	5.23	0.82	4.67	42.90
1901	1.10E	7.80	3.70	1.54	1.66	9.97	1.62	6.30	8.10	3.52E	2.22	1.90	49.43E
1902	0.86	5.02	2.73	1.19	0.27	4.14	6.69	7.01	7.31	8.78	1.77	1.74E	47.51E
1903	4.33E	6.47	6.68	0.43	7.53	9.89	5.02	4.77	6.50E	1.28E	2.76E	1.16E	56.82E
1904	6.21E	3.08E	1.12	1.81	1.07	7.09	6.22	4.60	6.70	5.97	3.19	0.95	48.01E
1905	0.67	2.53	3.15	2.71	5.60	4.67	11.90	10.29	13.45	1.86	1.88E	8.63	67.34
1906	2.56	2.28	1.36	1.57	9.78	5.11	9.21	6.10E	2.22E	2.73	0.56	0.30E	43.78E
1907	0.18E	0.97E	0.00E	2.02	7.90	4.96E	9.15E	2.80E	4.94E	1.66E	0.49E	4.04	39.11E
1908	2.10	1.20E	0.74E	3.59E	3.88E	6.61E	6.22E	6.92	16.74E	3.40	4.24	1.85	57.49E
1909	1.57	1.14	2.88E	3.20E	3.76E	2.08E	8.25	7.35	6.15	0.35	0.89	0.65	38.27E
1910	0.55	2.38	2.19	0.50	2.00E	7.77E	5.12E	6.62E	2.67	7.99	1.58	0.80	40.17E
1911	1.58	0.09	1.95	0.52	5.23	8.47	6.78	7.35	1.78	3.79	5.09	4.82	47.45
1912	8.83	1.12	2.24	4.39	6.85	15.51	3.23	10.00	4.56	6.41	2.80	1.18	67.12
1913	1.09	6.04	5.85	1.31	1.66	3.07	3.87	4.17	3.73	5.58	0.80	3.42	40.59
1914	6.05	2.70	0.63	2.77	2.12	3.03	8.05	2.88	12.44	3.19	1.05	5.00	49.91
1915	4.47	4.08	1.60	0.61	8.96	4.32	14.71	10.43	4.25	11.81	2.11	1.69	69.04
1916	1.03	0.44	0.38	1.95	4.23	6.39	4.68	6.31	8.20	8.10	3.86	3.02	48.59
1917	0.45	1.73	0.91	0.20	3.27	4.45	4.40	6.05	9.28E	1.77	0.09	0.83	33.43E

Table 41 Continued

YEAR	RAINFALL IN INCHES - TITUSVILLE												NOAA NUMBER: 8942
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1918	2.48	0.25	1.71	4.59	3.41	4.58	5.45	2.80	8.05	7.73	2.37	2.28	45.70
1919	2.32	4.75	5.27	0.63	6.57	4.12	7.66	15.57	7.06	1.78	5.96	2.67	64.36
1920	1.66	10.60	0.46	4.74	3.40	7.28	10.19	13.26	8.57	0.83	6.92	2.04	69.95
1921	0.51	3.10	1.59	0.67	5.98	3.35	10.57	2.43	2.83	17.11	2.12	2.48	52.74
1922	1.64	1.03	0.72	0.00	7.07	8.45	4.98	11.05	9.51	6.72	0.70	1.48	53.35
1923	1.08	0.91	1.68	2.67	19.93	6.61	8.37	2.87	5.54	3.53	0.16	4.19	57.54
1924	4.38	3.22	7.32	2.09	0.60	3.46	10.18	5.46	11.60	18.35	0.68	2.90	70.24
1925	3.92	0.90	0.76	1.19	11.10	3.76	8.90	3.74	3.18	3.81	4.40	8.86	54.52
1926	4.70	1.91	4.70	7.18	1.26	11.03	18.08	3.82	5.11	3.15	2.68	0.47	64.09
1927	1.26	1.93	2.29	0.32	0.38	5.74	5.52	8.05	1.93	7.71	0.87	1.52	37.52
1928	0.58	0.70	6.68	5.37	4.16	5.82	5.65	7.32	13.36	5.59	0.30	0.64	56.17
1929	1.86	0.75	0.63	1.81	7.20	2.52	10.03	4.15	16.03	5.10	0.46	2.39	52.93
1930	2.25	1.67	9.54	3.99	6.49	18.97	2.75	5.65	6.84	4.90	1.99	4.38	69.42
1931	3.12	0.87	4.91	2.40	3.42	1.38	5.38	4.90	3.01	2.98	0.58	3.88	36.83
1932	1.12	0.57	2.94	0.52	5.90	11.16	6.78	4.88	5.89	2.73	4.43	0.27	47.19
1933	1.97	2.66	2.72	6.28	3.20	7.72	8.52	6.84	5.62	8.22	4.42	0.50	58.67
1934	1.20	3.78	4.83	5.80	5.98	7.08	4.04	5.43	4.59	4.11	0.32	0.63	47.79
1935	1.25	1.33	1.19	3.54	4.50	16.34	6.86	9.66	9.11	8.46	1.73	2.39	66.36
1936	3.93	7.59	4.33	0.57	4.03	10.16	3.60	6.19	2.11	5.97	4.28	1.15	53.91
1937	0.35	4.87	4.47	1.83	2.95	4.67	4.64	3.41	6.62	8.00	6.44	1.06	49.31
1938	1.19	1.52	0.88	1.39	3.20	5.16	7.85	1.34	5.50	3.43	2.05	1.67	35.18
1939	0.92	0.11	1.53	8.09	5.55	4.41	5.18	5.37	8.81	6.17	1.26	1.02	48.42
1940	1.95	2.45	3.47	3.36	1.69	10.72	9.85	3.90	9.65	1.18	0.31	6.70	55.23
1941	6.23	5.41	3.62	3.65	1.40	10.05	11.33	4.46	4.61	8.28	6.20	1.14	66.38
1942	2.45	4.52E*	5.91E*	2.53	2.92	9.00	2.37	4.85	11.00	1.05	0.77	2.39	49.76E
1943	0.59	0.61	3.96	3.13	2.38	7.20	9.89	5.52	9.38	3.52	0.71	0.61	47.50
1944	1.67	0.04	5.95	5.37	1.09	11.67	15.83	8.11	7.46	6.93	1.09	0.36	65.57
1945	3.31	0.48	0.49	2.90	0.58	15.68	9.85	4.96	15.19	3.52	0.54	3.05	60.55
1946	1.96	1.70	1.30	0.60	3.20	8.31	10.08	10.25	5.82	3.61	2.94	1.44	51.21
1947	1.01	2.58	4.88	4.47	3.95	13.28	5.44	7.52	9.05	6.62	2.18	1.24	62.22
1948	4.69	1.04	2.88	1.75	1.61	4.88	9.98	9.02	16.14	4.01	0.87	1.58	58.45
1949	0.34	0.85	0.34	3.36	1.06	10.30	9.83	12.94	16.94	2.91	1.26	4.93	65.06
1950	0.36	0.59	6.98E*	3.22E*	0.88	4.54	2.13	3.41	5.43	16.93	0.25	2.59	47.31E
1951	0.00	3.20	0.65	5.15	2.69	6.02	6.77	11.59	16.04	9.40	2.64	1.88	66.03
1952	0.86	4.08	4.65	3.42	4.02	3.37	5.80	8.37	12.80	10.02	0.83	1.18	59.40
1953	1.33	2.26	4.94	6.51	1.48	3.71	10.00	19.89	15.57	9.08	4.66	2.31	81.74
1954	1.12	1.28	2.08	2.70	4.76	8.02	8.64	2.28	6.10	5.99	2.97	2.20	48.14
1955	1.73	1.84	2.50	2.80	5.11	8.41	8.10	7.53	5.58	7.28	1.17	3.04	55.09
1956	1.39	1.47	0.18	3.04	0.61	5.11	6.50	3.78	6.38	13.78	0.92	0.46	43.62
1957	1.37	3.49	4.01	3.55	7.52	4.53	9.66	12.05	12.60	3.53	1.30	3.28	66.89

Table 41 Continued

YEAR	RAINFALL IN INCHES -						TITUSVILLE						NOAA NUMBER: 8942
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1958	5.11	2.74	6.73	2.74	2.71	3.65	4.61E	2.34	3.54	8.33	5.25	4.40	52.15E
1959	2.01	4.19	9.05	5.56	5.60	7.52	6.33	6.17	8.30	6.10	2.69	2.11	65.63
1960	1.19	3.63	7.79	1.63	1.31	7.95	14.43	11.58	13.24	3.15	0.41	0.87	67.18
1961	2.54	1.98	3.40	0.84	2.24	3.02	6.78	8.42	7.70	1.35	1.59E	2.02	41.88E
1962	1.44	1.38	3.80	3.14	0.75	9.94	11.07	13.20	10.79E	1.48	3.24	1.64	61.87E
1963	4.45	6.14	4.15	0.94	7.94	5.68	9.08	9.26	14.92	0.84	9.38E	2.95	75.73E
1964	5.27	3.96	2.89	1.73E	2.21E	3.02	7.70	14.40E	8.60E	6.98	3.61E	2.00E	62.37E
1965	2.17	5.62	3.78	0.69	0.97E	8.14E	4.60	6.17	5.91	5.28	1.74E	2.20	47.27E
1966	5.20	7.36	2.67	1.39	9.68E	18.02	3.88	2.40	11.44	6.09	1.08	1.33	70.54E
1967	1.17E	4.73	0.42	0.21	1.15	11.84	14.14	9.21	2.23E	1.02E	0.00E	2.84	48.96E
1968	0.41	3.40	1.99	1.16	2.95	20.75	7.76	5.74	4.77	11.42	3.46	0.56	64.37
1969	2.89	3.47	4.69	0.87	6.69	3.09	9.74	8.14	10.96	14.56	1.15	5.47	71.72
1970	4.35	3.75	4.38	0.96	2.37	6.14	15.53	6.55	4.65	3.59	0.37	1.26	53.90
1971	0.43	3.84	2.92	1.60	2.71	5.02	8.95	8.73	2.59	5.67	2.94	2.59	47.99
1972	2.06	3.88	5.80	1.46	7.14	4.42	5.69	9.46	2.26	4.12	6.56	1.82	54.67
1973	3.24	1.19	2.60	1.90E	3.57	6.24	8.41	7.90	7.31	5.59	1.06	2.68	51.69E
1974	0.22	1.44	2.50	0.54	3.91	9.12	9.72	8.85	8.57	3.57	1.20	2.18	51.82
1975	0.74	0.82	2.20	3.11	6.83	10.27	6.54	1.93	6.53	4.40	1.02	0.70	45.09
1976	0.42	0.16	0.99	2.54	6.90	6.30	9.01	8.27	5.16	2.59	2.88	4.20	49.42
1977	1.90	2.16	0.62	0.80	2.62	2.12	4.96	6.58	8.70	0.96	8.18	2.75	42.35
1978	2.34	4.93	2.43	0.66E	3.12E	7.32E	13.13E	3.21E	4.51E	2.97E	0.00E	4.04E	48.66E
1979	6.50E	2.47E	2.37E	1.10E	8.56E	4.55E	5.91E	5.07E	19.05	3.14	4.42	0.98	64.12E
1980	2.15	2.12	1.36	2.11	3.86	4.78	8.82	3.54	4.04	1.95	4.74	0.68	40.15
1981	0.14	5.23	1.95	0.14	0.85	3.42	5.05	9.87	5.62	2.49	3.57	1.99	40.32
1982	1.89	1.93	4.98	9.67	5.30	7.72	12.15	7.38	8.94	4.60	2.23	2.02	68.81
1983	3.92	10.26	5.59	5.06	1.80	4.88	2.46	11.59	6.84	5.81	2.56	5.17	65.94
1984	1.45	3.72	0.77	5.13	6.08	5.56	8.76	6.36	6.51	0.52	5.40	0.33	50.59
MEAN	2.45	2.81	3.01	2.66	4.05	7.10	7.27	6.64	7.98	5.63	2.45	2.33	54.38
NORM	2.20	3.10	3.28	2.16	4.07	6.94	8.41	7.75	8.36	5.47	2.72	2.22	56.68

E - Estimated by NOAA

E* - Estimated by SJRWMD

Table 42 Monthly and Annual Rainfall Data for Usher Tower

YEAR	RAINFALL IN INCHES - USHER TOWER												NOAA NUMBER: 9120
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1956	3.07	3.56	0.90	3.60	4.36	2.42	8.36	4.06	3.63	4.24	0.33	0.00	38.53
1957	0.47	1.71	7.90	6.65	4.90	7.66	8.72	12.98	9.47	4.06	1.68	1.13	67.33
1958	3.90	5.55	6.88	4.92	2.84	3.70	6.81	10.23	2.20	4.96	5.25	3.63	60.87
1959	3.57	2.80	14.88	4.89	6.99	7.10	9.53	8.95	8.63	8.45	1.57	1.75	79.11
1960	2.96	4.12	8.90	5.25	0.95	9.71	9.14	7.43	9.96	3.05	2.90	1.10	65.47
1961	5.20	5.91	2.30	3.22	2.65	7.10	9.25	14.55	2.15	0.70	1.35	2.50	56.88
1962	1.59	0.12	3.56	2.16	4.83	6.09	10.80	11.50	8.30	0.80	2.45	2.30	54.50
1963	3.30	6.10	3.60	0.30	4.30	3.10	11.20	5.50	4.30	0.50	4.80	4.15	51.15
1964	14.50	7.75	3.80	5.55	2.60	5.70	19.40	9.79	16.04	1.76	2.74	9.84	99.47
1965	2.76	7.05	4.91	1.72	0.26	12.90	12.16	10.35	9.04	1.37	1.57	4.89	68.98
1966	4.11	7.42	1.96	4.38	6.93	7.79	5.78	14.33	10.03	2.23	0.98	1.65	67.59
1967	3.32	6.26	0.99	0.00	4.76	5.66E	7.18	7.19	1.97	0.84	0.90	6.66	45.73E
1968	0.61	2.31	2.28	0.66	2.97	3.48	9.92	14.23	1.06	2.85	2.76	1.24	44.37
1969	2.19	5.92	6.29	0.31	6.82	4.02	8.12	6.34	6.00	1.61	3.36	6.20	57.18
1970	5.53	8.73	7.01	3.33	2.71	6.81	5.90	13.18	3.08	1.94	0.35	1.75	60.32
1971	4.65	5.52	2.58	3.53	1.52	1.97	7.81	20.44	4.00	7.12	1.43	3.56	64.13
1972	3.98	3.29	6.02	1.40	3.01	4.74	3.38	10.37	0.86	2.00	7.52	2.64	49.21
1973	3.22	3.89	8.80	3.77	2.29	5.68	5.89	3.71	8.37	0.14	2.78	4.70	53.24
1974	0.25	2.03	6.66	1.00	3.25	13.11	12.53	8.57	5.13	0.15	1.33	4.47	58.48
1975	4.43	2.60	1.84	5.35	4.11	6.09	13.73	6.40	6.36	3.03	0.98	4.28	59.20
1976	1.74	1.96	0.71	2.38	13.14	5.31	10.02	5.51	2.38	2.93	2.14	5.53	53.75
1977	4.42	3.79	2.37	1.68	2.33	1.27	4.06	13.84	6.09	0.39	2.42	5.38	48.04
1978	6.20	6.01	8.86	2.28	4.79	5.96	16.11	7.70	1.23	0.82	0.00	4.77	64.73
1979	10.59	2.22	1.27	6.12	5.39	3.27	6.94	14.43	10.49	0.15	0.99	4.96	66.82
1980	5.84	0.77	7.88	3.83	5.72	8.25	13.49	3.17	4.22	3.41	1.87	0.72	59.17
1981	1.11	3.36	3.94	0.91	1.05	7.56	8.59	7.87	9.61	0.23	4.55	2.46	51.24
1982	4.77	2.13	4.46	14.61	4.23	9.96	8.28	9.26	3.92	3.14	1.50	1.65	67.91
1983	2.66	2.66	8.33	6.48	1.47	11.64	5.38	3.06E*	13.65	5.66	4.95	6.52	72.46E
1984	3.04	5.59	3.71	4.37	4.38	8.73	11.95	3.32E*	7.62	0.24	3.13	0.40	56.48E
MEAN	3.93	4.18	4.95	3.61	3.98	6.44	9.33	9.25	6.20	2.37	2.36	3.48	60.08

E - Estimated by NOAA

E* - Estimated by SJRWMD

Table 43 Monthly and Annual Rainfall Data for Vero Beach

YEAR	RAINFALL IN INCHES - VERO B 2												NOAA NUMBER: 9219
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1943	0.26	1.15	5.73	2.73	3.10	2.87	9.14	5.51	9.32	3.68	1.53	0.66	45.68
1944	1.01	0.12	2.33	4.06	1.35	5.35	5.26	4.35	10.02	15.45	1.01	0.41	50.72
1945	1.00	0.05	0.59	2.00	2.06	3.80	8.90	3.32	10.24	7.16	5.11	2.89	47.12
1946	1.17	1.09	2.70	0.02	6.24	5.29	4.13	10.95	3.90	2.72	4.10	1.74	44.05
1947	2.14	3.86	6.48	3.69	4.04	6.10	6.84	7.23	13.95	5.94	4.51	0.79	65.57
1948	2.60	0.55	4.01	3.31	4.52	3.51	9.32	11.17	16.54	4.85	1.53	1.24	63.15
1949	0.54	1.97	0.19	3.85	4.38	10.77	3.07	5.90	7.49	6.66	0.51	3.48	48.81
1950	0.32	1.56	2.96	1.17	2.34	2.80	3.43	2.01	4.00	11.37	2.20	1.07	35.23
1951	0.44	3.05	0.82	8.83	3.29	3.41	6.20	4.92	7.49	9.68	4.25	0.99	53.37
1952	2.01	5.68	2.39	1.39	2.76	1.53	3.92	7.34	4.15	11.89	0.39	0.68	44.13
1953	1.73	1.72	4.44	3.93	0.99	4.47	6.26	6.77	12.77	11.47	4.45	1.97	60.97
1954	1.30	1.96	1.83	5.60	3.90	8.68	6.57	2.82	10.56	5.49	6.40	0.84	55.95
1955	2.99	2.46	3.51	2.16	2.68	4.18	4.47	5.91	2.55	3.79	0.13	2.72	37.55
1956	0.98	1.77	0.09	3.68	1.05	2.28	3.35	5.74	8.03	11.53	0.38	0.33	39.21
1957	9.08	4.90	5.70	6.21	5.71	3.78	5.17	6.65	9.09	3.73	1.56	1.93	63.51
1958	7.03	1.68	4.54	3.84	4.37	4.70	3.19	1.99	4.28	3.01	0.82	4.52	43.97
1959	3.29	1.54	7.92	3.22	6.82	10.83	4.82	5.51	9.14	7.59	3.24	1.86	65.78
1960	0.21	4.06	7.43	2.84	4.19	7.36	9.66	4.37	20.29	1.96	1.66	0.68	64.71
1961	3.21	0.97	3.52	1.38	2.74	2.96	1.69	4.89	3.01	6.46	1.79	0.08	32.70
1962	0.44	1.01	2.94	2.49	1.46	4.64	4.75	4.19	7.08	0.75	3.35	0.71	33.81
1963	1.05	4.53	2.65	0.72	4.79	5.07	5.06	4.59	15.38	8.22	4.07	5.40	61.53
1964	2.11	4.07	1.29	1.58	2.61	2.17	5.79	5.88	5.53	7.66	1.84	2.43	42.96
1965	0.32E	6.83E	5.97E	0.22E	0.29	6.43	7.95	5.02	5.82	7.91	2.89	1.55	51.20E
1966	4.23	6.20	2.39	2.14	4.79	11.44	8.73	2.74	6.53	13.06	2.08	1.25	65.58
1967	1.67	3.08	1.43	0.66	0.30	4.74	8.16	4.96	3.42	7.34	0.41	1.69	37.86
1968	1.19	2.23	0.54	2.88	7.36	18.24	10.58	6.50	7.78	7.23	2.33	0.15	67.01
1969	2.52	1.16	8.67	1.96	5.49	1.59	7.08	7.65	10.87	9.93	4.19	1.68	62.79
1970	4.62	2.77	5.93	0.31	2.77	4.74	4.34	3.52	10.27	6.18	0.11	0.40	45.96
1971	0.59	3.01	1.59	0.94	3.57	8.02	12.22	2.55	7.95	7.09	2.15	2.25	51.93
1972	1.34	4.44	1.48	5.65	7.30	11.20	2.31	6.33	2.98	2.54	3.46	1.67	50.70
1973	5.75	2.01	2.25	2.64	9.05	11.90	9.00	8.24	8.58	4.95	2.26	1.68	68.31
1974	2.64	1.91	1.91	2.97	4.35	9.19	7.14	8.48	4.36	3.13	2.94	1.66	50.68

Table 43 Continued

YEAR	RAINFALL IN INCHES - VERO B 2												NOAA NUMBER: 9219
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1975	0.21	3.81	2.03	0.62	7.72	7.75	3.69	6.44	5.92	4.73	1.61	1.02	45.55
1976	0.55	0.61	0.52	2.23	8.41	10.29	2.14	5.94	9.02	2.35	2.13	3.29	47.48
1977	2.75	0.69	1.05	1.10	3.12	10.63	2.60	5.86	7.94	2.23	3.21	6.68	47.86
1978	1.67	2.93	3.14	0.67	4.34	5.48	4.63	7.01	3.27	3.20	4.72	5.20	46.26
1979	4.71	1.22	1.06	1.89	12.06	3.77	6.20	5.44	17.42	1.65	3.92	1.47	60.81
1980	2.37	3.46	2.46	3.06	3.38	4.09	5.14	1.22	7.18	1.54	3.52	2.28	39.70
1981	0.17	2.13	1.45	0.37	2.31	3.15	2.17	18.26	7.76	3.04	3.09	0.80	44.70
1982	1.21	4.35	10.73	5.39	7.60	8.54	9.73	9.40	7.39	3.09	11.71	2.60	81.74
1983	4.17	9.96	4.74	2.89	1.15	6.35	4.13	9.07	3.20	15.58	1.58	4.32	67.14
1984	2.02E	4.24E	2.32	1.02	6.53	2.14	4.51	7.09	12.67	3.64	13.65	1.98	61.81E
MEAN	2.13	2.78	3.23	2.58	4.22	6.10	5.80	6.04	8.22	6.23	3.02	1.93	52.28
NORM	2.43	2.86	3.05	2.59	4.39	6.52	5.76	5.32	7.96	5.94	2.54	1.97	51.33

E - Estimated by NOAA

Table 44 Monthly and Annual Rainfall Data for Winter Haven

YEAR	RAINFALL IN INCHES - WINTER HAVEN												NOAA NUMBER: 9707
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1941	3.97E*	3.94E*	2.58	7.29	0.57	5.66	11.68	5.19	5.55	1.81	2.73	3.77	54.74E
1942	2.18	3.59	6.60	1.82	2.69	8.62	8.10	2.63	4.37	0.61	0.16	2.55	43.92
1943	1.09	0.78	3.00	2.05	8.54	8.02	10.43	9.04	3.16	3.61	0.95	0.47	51.14
1944	1.03	0.33	6.40	2.21	3.01	4.43	6.87	7.53	2.47	6.90	0.35	0.29	41.82
1945	5.19	0.20	0.57	1.19	0.49	14.46	16.45	3.96	9.03	4.28	1.00	2.86	59.68
1946	1.60	3.82	1.23	0.28	7.63	5.04	13.69	5.65	7.48	2.86	1.61	1.79	52.68
1947	0.61	4.23	5.87	5.55	6.81	10.96	6.57	3.74	12.83	3.91	3.87	3.88	68.83
1948	7.46	0.76	3.14	2.93	2.83	5.10	13.73	11.25	13.46	1.48	0.69	2.07	64.90
1949	0.14	0.58	4.17	1.16E*	0.84	10.84	9.55	14.59	9.30	1.77E*	1.32	3.08	57.34E
1950	0.02	0.44	2.88E*	2.85	1.94	5.94	7.04	6.34E*	10.51	7.60	0.17E*	3.87	49.60E
1951	0.20	1.81	2.17	7.36	0.80	4.58	8.95	6.66	8.41	1.57	4.94	1.52	48.97
1952	0.48	3.92	0.73	0.46	0.78	3.58	6.07	12.21	1.96	9.43	1.82	1.16	42.60
1953	2.16	2.95	3.68	3.04	2.18	10.07	7.37	8.01	9.34	4.47	6.76	3.52	63.55
1954	1.38	0.60	1.48	1.61	5.08	3.99	5.72	3.09	7.73	0.73	0.71	0.39	32.51
1955	2.15	1.35	2.90	1.85	2.64	2.14	7.52	3.73	5.44	0.88	1.84	1.46	33.90
1956	0.95	0.69	0.30	2.52	3.79	3.08	5.75	6.28	5.96	7.15	0.25	0.21	36.93
1957	2.15	5.49	4.15	6.34	12.72	2.72	8.35	11.39	7.76	1.72	0.39	2.76	65.94
1958	5.30	4.11	5.69	2.83	4.92	4.52	6.26	6.89	3.96	3.69	1.41	3.15	52.73
1959	3.41	2.78	10.97	5.01	5.83	11.02	8.88	4.22	8.80	9.42	0.60	2.34	73.28
1960	1.62	6.57	12.18	5.30	2.84	6.47	11.37	1.78	17.26	3.09	0.00	1.13	69.61
1961	1.62	3.21	2.54	2.12	6.06	9.40	3.44	7.31	1.22	0.85	0.65	1.39	39.81
1962	1.71	1.55	3.84	1.74	4.60	4.31	6.80	8.74	6.58	0.92	2.46	0.23	43.48
1963	2.83	6.03	2.18	0.18	4.22	3.41	5.73	5.23	5.23	0.46	6.27	2.00	43.77
1964	5.62	4.73	3.31	1.12	2.97	5.46	5.32	5.24	6.06	0.85	1.47	2.12	44.27
1965	1.53	3.98	2.22	1.59	0.58	9.00	11.34	8.35	6.32	1.63	0.87	2.64	50.05
1966	5.91	4.23	1.23	1.66	6.19	9.23	5.99	6.81	4.48	3.76	0.13	1.34	50.96
1967	1.21	4.66	0.91	0.00	2.87	5.83	9.52	10.06	3.29	0.78	0.20	2.37	41.70
1968	0.40	2.64	1.05	0.62	6.28	15.04	5.75	5.57	5.62	2.64	3.97	0.40	49.98
1969	3.62	1.69	6.55	2.66	0.88	6.72	8.29	8.01	4.95	5.66	2.99	3.63	55.65
1970	2.55	2.27	7.16	1.77	4.66	3.70	10.54	3.65	4.50	1.42	0.62	1.01	43.85
1971	0.24	4.64	1.24	0.67	3.54	4.52	11.03	10.02	3.25	5.28	2.96	0.84	48.23
1972	1.28	5.05	2.41	0.91	5.59	5.10	1.95	7.83	1.10	2.91	3.48	1.90	39.51
1973	5.39	2.56	5.52	2.79	1.66	2.62	12.07	7.26	9.69	0.74	1.09	2.44	53.83

Table 44 Continued

YEAR	RAINFALL IN INCHES -				WINTER HAVEN				NOAA NUMBER: 9707				YRLY
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
1974	0.61	0.88	2.66	1.32	5.09	13.07	10.48	6.22	7.51	0.43	0.46	1.68	50.41
1975	1.40	1.99	0.98	1.75	6.75	5.01	4.06	10.48	9.39	4.29E	1.94E	0.88	48.92E
1976	0.76	0.64	1.81	2.88	8.11	6.33	8.12	7.39E	8.33	1.08	2.31	1.72	49.48E
1977	1.29	1.67	1.17	0.72	3.49	6.77	6.02	12.76	6.64	2.48	3.36	3.51	49.88
1978	3.11	4.06	2.86	0.61	6.02	7.33	10.27	4.90	2.90	2.14	0.40	4.60	49.20
1979	6.57	1.67	2.10	0.73	12.99	3.52	6.29	5.29	12.47	0.63	2.27	1.95	56.48
1980	3.00	1.67	2.09	3.41	4.41	4.26	5.77	2.04	3.09	1.37	5.21	0.57	36.89
1981	0.42	2.73	1.84	0.00	1.10	7.22	12.05	11.13	5.66	2.90	1.00	1.36	47.41
1982	1.19	1.95	6.34	3.79	10.36	10.21	9.81	7.24	7.14	1.86	1.46	0.75	62.10
1983	1.94	7.82	6.93	0.86	2.72	8.55	7.51	9.89	3.90	2.59	3.79	6.44	62.94
1984	1.62	3.69	1.73	2.52	3.59	6.02	10.73	10.83	4.68E	0.51E	1.52E	0.03	47.47E
MEAN	2.25	2.84	3.44	2.27	4.36	6.68	8.39	7.19	6.56	2.84	1.87	2.00	50.69
NORM	2.35	3.00	3.27	2.19	4.62	6.09	7.50	6.91	6.31	2.75	2.06	1.83	48.88

E - Estimated by NOAA

E* - Estimated by SJRWMD

TABLE 45 Summary of Long-Term Mean Rainfall in Northeast Florida

STATIONS	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YRLY
AVON PARK (1902-1984)	2.18	2.65	2.70	2.66	4.39	8.42	8.21	7.41	6.95	3.76	1.67	1.00	52.71
BARTOW (1887-1984)	2.29	2.92	3.04	2.56	4.72	8.05	8.21	7.54	7.40	3.07	1.84	2.18	53.82
BITHLO (1947 - 1984)	1.94	3.01	3.18	2.50	3.78	7.19	7.39	7.92	7.28	4.12	1.93	2.17	52.41
BUSHNELL (1937 - 1984)	2.59	3.42	4.00	2.88	3.92	6.92	8.14	7.26	6.28	2.70	1.73	2.26	52.10
CLERMONT (1893 - 1984)	2.27	2.91	3.15	2.71	3.82	7.12	7.83	7.18	6.53	2.99	1.67	2.25	50.43
CRESCENT CITY (1897 - 1984)	2.46	3.26	3.50	2.89	4.04	6.73	7.23	7.04	6.51	3.97	2.06	2.75	52.44
DAYTONA B. (1923 - 1984)	2.12	2.78	3.22	2.67	3.36	6.35	5.96	5.83	6.64	4.63	2.28	2.32	48.16
DELAND (1909 - 1984)	2.28	2.93	3.37	2.90	4.13	7.88	7.99	7.46	6.81	4.70	2.07	2.29	54.81
FEDERAL POINT (1892 - 1984)	2.68	3.30	3.45	2.80	3.88	6.54	6.90	6.98	7.18	4.47	2.10	2.90	53.18
FELLSMERE (1912 - 1984)	2.15	2.43	2.87	2.73	4.47	7.11	6.81	7.19	8.08	5.98	2.28	1.84	53.94
FERNANDINA B. (1902 - 1984)	2.77	3.15	3.66	2.88	3.52	5.48	6.25	5.77	7.39	4.10	2.40	2.80	50.17
FORK DRUM (1943 - 1984)	1.77	2.48	2.95	2.58	4.63	7.00	7.17	7.02	7.12	4.49	1.77	1.67	50.65
FT. PIERCE (1901 - 1984)	2.27	2.55	2.97	3.04	4.50	5.98	5.44	5.57	7.81	6.89	2.81	2.14	51.97
GAINESVILLE (1897 - 1984)	3.00	3.53	3.54	3.03	3.54	6.67	7.21	7.16	5.43	2.91	1.86	3.13	51.01
GLEN ST. MARY (1896 - 1984)	3.07	3.72	4.04	3.06	4.14	6.61	7.84	7.20	5.82	3.10	1.96	3.29	53.85
HART LAKE (1943 - 1978)	2.10	2.47	3.33	2.36	3.40	7.41	7.93	6.83	7.21	3.46	1.63	1.97	50.10
HIGH SPRINGS (1945 - 1984)	3.12	3.76	4.07	3.19	3.99	6.54	7.35	7.85	5.07	2.64	2.20	3.15	52.93
HILLIARD (1909 - 1984)	2.79	3.24	3.93	3.20	3.90	6.10	7.80	7.14	5.53	3.28	1.94	2.90	51.75
INVERNESS (1899 - 1984)	2.57	3.11	3.72	2.57	4.00	7.22	8.95	8.51	6.21	2.76	1.74	2.62	53.98
ISLEWORTH (1916 - 1982)	2.15	2.73	3.39	2.68	4.37	7.47	7.82	7.01	6.47	3.03	1.79	2.07	50.98
JACKSONVILLE (1867 - 1984)	2.82	3.19	3.42	2.83	3.89	6.09	6.64	6.54	7.29	4.34	1.95	2.73	51.73
JACKSONVILLE B. (1945 - 1984)	2.88	3.54	3.80	2.80	3.89	5.46	5.76	5.36	7.62	5.16	2.25	2.87	51.39

TABLE 45 Continued

STATIONS	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YRLY
KISSIMMEE (1892-1984)	2.12	2.95	3.04	2.51	3.97	6.95	7.38	6.71	6.47	3.74	1.79	2.13	49.76
LAKE ALFRED (1925 - 1984)	2.19	2.84	3.44	2.57	4.53	7.72	7.27	7.33	6.75	2.76	1.67	2.04	51.11
LAKE CITY (1893-1984)	3.13	3.89	4.12	3.14	3.77	6.60	7.44	6.69	5.11	2.79	2.06	3.37	52.11
LAKELAND (1915-1984)	2.24	2.72	3.63	2.62	4.40	7.13	7.77	7.41	6.14	2.56	1.72	2.01	50.35
LISBON (1891 - 1984)	2.53	2.86	3.20	2.64	3.85	5.96	7.01	6.33	6.10	3.22	1.80	2.39	47.89
LYNNE (1942 - 1984)	2.70	3.20	3.80	3.14	3.94	7.01	7.61	7.23	6.30	3.01	1.92	2.68	52.54
MARINELAND (1942 - 1984)	2.35	3.29	3.62	2.52	2.99	5.12	5.20	5.95	7.45	4.39	2.32	2.53	47.73
MELBOURNE (1939 - 1984)	2.15	2.85	3.12	2.20	3.88	6.09	5.67	5.24	7.61	4.86	2.72	1.95	48.34
MOUNTAIN LAKE (1922-1984)	2.29	2.81	3.30	2.54	4.56	7.65	8.16	7.68	6.38	2.81	1.62	1.87	51.67
NITTAW (1943 - 1984)	1.96	2.36	2.68	2.31	4.58	6.60	7.70	6.30	6.57	4.31	1.81	1.55	48.73
OCALA (1891 - 1984)	2.60	3.22	3.57	2.99	4.07	7.31	8.24	7.49	6.28	2.96	1.88	2.81	53.42
OKEECHOBEE (1913-1984)	1.68	2.04	2.53	2.79	4.10	6.76	6.28	6.43	6.56	4.23	1.70	1.51	46.61
ORLANDO (1892 - 1984)	2.21	2.68	3.00	2.53	3.91	7.43	7.96	6.74	6.86	3.79	1.68	2.09	50.88
PALATKA (1923 - 1984)	2.63	3.31	3.79	3.13	3.73	6.59	7.17	6.91	6.78	3.91	1.90	2.74	52.59
ST. AUGUSTINE (1877 - 1984)	2.75	3.48	3.36	2.86	3.49	5.58	5.83	5.68	7.09	5.18	2.44	2.93	50.67
SANFORD (1913 - 1984)	2.20	2.77	3.41	2.78	3.62	6.85	7.88	6.89	6.57	4.18	1.99	2.33	51.47
STARKE (1896 - 1984)	2.77	3.45	3.62	3.03	3.91	6.24	7.61	7.20	5.53	3.05	1.84	3.19	51.44
TITUSVILLE (1878 - 1984)	2.45	2.81	3.01	2.66	4.05	7.10	7.27	6.64	7.98	5.63	2.45	2.33	54.38
USHER TOWER (1956-1984)	3.93	4.18	4.95	3.61	3.98	6.44	9.33	9.25	6.20	2.37	2.36	3.48	60.08
VERO B. (1943 - 1984)	2.13	2.78	3.23	2.58	4.22	6.10	5.80	6.04	8.22	6.23	3.02	1.93	52.28
WINTER HAVEN (1941-1984)	2.25	2.84	3.44	2.27	4.36	6.68	8.39	7.19	6.56	2.84	1.87	2.00	50.69

TABLE 46 Summary of Normal Rainfall in Northeast Florida

STATIONS	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YRLY
AVON PARK	2.25	2.96	3.11	2.59	4.20	9.21	7.81	7.06	6.82	3.47	1.73	1.83	53.04
BARTOW	2.52	3.37	3.32	2.59	5.35	7.18	8.18	7.45	6.68	2.76	2.03	2.09	53.52
BITHLO	2.03	3.04	3.27	2.02	3.84	6.99	7.63	8.00	7.11	4.03	1.96	2.07	51.99
BUSHNELL	2.88	3.72	4.12	2.36	4.27	6.09	7.62	7.20	6.05	2.56	1.92	2.37	51.16
CLERMONT	2.35	3.19	3.54	2.70	3.65	6.98	8.09	7.15	6.64	2.76	1.97	2.14	51.16
CRESCENT CITY	2.90	3.76	3.82	2.71	3.86	6.06	7.42	7.10	7.11	3.72	2.32	2.80	53.58
DAYTONA B.	2.37	3.09	2.99	2.25	3.38	6.41	5.52	6.34	6.68	4.27	2.55	2.19	48.04
DELAND	2.60	3.48	3.43	2.42	4.06	7.20	7.54	7.77	6.76	4.44	2.32	2.04	54.06
FEDERAL POINT	2.98	3.48	3.47	2.49	4.09	5.91	6.76	7.09	7.19	3.93	2.41	2.93	52.73
FELLSMERE	2.08	2.36	2.93	2.41	4.44	7.26	6.29	6.89	6.76	5.48	1.72	1.69	50.31
FERNANDINA B.	2.96	3.65	3.58	2.64	3.91	5.27	5.97	6.36	7.59	3.77	2.82	2.70	51.22
PORT DRUM	1.90	2.59	2.88	2.51	5.00	7.29	7.29	6.50	7.14	4.59	1.77	1.75	51.21
PT. PIERCE	2.11	2.92	2.90	2.97	4.46	6.50	5.93	5.37	7.69	7.05	2.29	2.34	52.53
GAINESVILLE	3.27	3.91	3.61	2.94	4.18	6.63	7.09	7.99	5.60	2.33	2.04	3.19	52.78
GLEN ST. MARY	3.58	3.87	3.94	3.20	5.09	6.46	7.87	7.95	6.52	2.23	2.12	3.29	56.12
HIGH SPRINGS	3.24	3.72	3.75	3.04	4.29	6.39	7.26	8.03	4.75	2.23	2.07	3.10	51.87
HILLIARD	3.03	3.43	3.77	3.31	4.69	5.80	6.95	7.06	5.23	2.60	2.09	2.87	50.83
INVERNESS	3.01	3.53	4.05	2.38	4.11	6.77	8.38	8.99	5.96	2.66	1.93	2.73	54.50
ISLEWORTH	2.41	3.29	3.64	2.35	4.49	7.10	7.49	7.18	6.14	2.92	2.03	1.99	51.03
JACKSONVILLE	2.91	3.62	3.45	3.02	4.36	5.73	6.41	7.54	6.68	3.55	1.70	2.46	51.43
JACKSONVILLE B.	2.96	3.68	3.41	2.67	4.21	5.66	5.76	5.28	6.96	4.75	1.95	2.78	50.07

TABLE 46 Continued

STATIONS	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YRLY
KISSIMMEE	2.08	3.07	3.01	2.25	3.89	6.73	7.05	6.49	6.75	3.43	1.93	2.05	48.73
LAKE ALFRED	2.34	3.05	3.52	2.20	4.81	7.06	6.98	7.25	6.57	3.02	2.01	1.97	50.78
LAKE CITY	3.75	3.89	4.26	3.46	4.64	6.71	6.77	6.99	5.68	2.35	2.28	3.48	54.26
LAKELAND	2.30	2.82	3.52	2.36	4.18	6.05	7.59	7.47	5.81	2.42	1.86	1.93	48.31
LISBON	2.70	3.47	3.68	2.38	4.05	5.12	6.25	6.34	5.55	3.15	1.89	2.45	47.01
LYNNE	2.96	3.45	3.55	2.80	4.17	7.05	7.02	6.99	6.02	2.80	2.07	2.78	51.66
MARINELAND	2.61	3.43	3.12	2.15	3.26	4.86	5.06	6.15	6.94	4.21	2.38	2.54	46.71
MELBOURNE	2.26	2.87	2.91	2.22	4.04	6.22	5.61	5.01	7.49	5.02	2.64	1.87	48.16
MOUNTAIN LAKE	2.50	3.12	3.31	2.18	4.56	7.22	7.76	7.99	6.09	2.57	1.96	1.95	51.21
NITTPAW	2.07	2.50	2.75	2.41	4.85	6.66	7.44	6.12	6.47	4.32	1.90	1.62	49.11
OCALA	2.91	3.63	3.67	3.05	4.42	7.07	8.49	7.11	5.92	2.81	2.07	2.77	53.92
OKUCHOBEE	1.80	2.11	2.35	2.36	4.26	7.11	6.16	6.38	6.24	4.09	1.64	1.63	46.13
ORLANDO	2.17	3.15	3.29	2.28	3.75	7.06	8.03	6.55	6.39	3.06	1.89	1.93	49.55
PALATKA	3.05	3.61	3.45	2.64	3.84	5.93	6.61	6.95	6.74	3.88	2.09	2.71	51.50
ST. AUGUSTINE	3.05	4.11	3.69	2.33	3.83	5.38	5.83	5.99	7.68	4.89	2.67	3.14	52.59
SANFORD	2.42	3.26	3.65	2.42	3.48	6.38	7.25	7.11	6.90	4.02	2.12	2.13	51.14
STARKE	3.12	3.59	3.29	2.96	4.64	5.91	7.24	8.24	5.61	2.38	2.01	3.21	52.20
TITUSVILLE	2.20	3.10	3.28	2.16	4.07	6.94	8.42	7.75	8.36	5.47	2.72	2.22	56.68
VERO B.	2.43	2.86	3.05	2.59	4.39	6.52	5.76	5.32	7.96	5.94	2.54	1.97	51.33
WINTER HAVEN	2.35	3.00	3.27	2.19	4.62	6.09	7.50	6.91	6.31	2.75	2.06	1.83	48.88